





HORTUS
MEDICUS
EDINBURGENSIS
—
J. SUTHERLAND



1683







II²

The Library of the
Wellcome Institute for
the History of Medicine

MEDICAL SOCIETY
OF
LONDON
DEPOSIT

Accession Number

Press Mark

~~EDINBURGH~~, Royal Botanic
Garden

SUTHERLAND, J.

65830/A

VI₂

Hortus Medicus
EDINBURGENSIS:

OR,

A Catalogue

Of the

PLANTS

In the

Physical Garden

AT

EDINBURGH;

CONTAINING


Their most proper Latin and English
Names; With an English Alphabe-
tical INDEX.

BY

W. JAMES SUTHERLAND.

Intendant of the said Garden.

Edinburgh, Printed by the Heir of *Andrew Anderson*, and
to be sold by *Mr. Henry Ferguson* Seed-Merchant, at
the head of *Black Friar Wynd*, and at the *Physical*
Garden by the Author, Anno DOM. 1683.



TO THE
Right Honourable
GEORGE DRUMMOND
OF
MILN-NAB,
Lord Provost of
EDINBURGH.

My Lord,

THE *Physical Garden* in this Place being Established and Entertained by the Munificence of this Honourable and Ancient City, it is necessary the *Catalogue* thereof, appearing now in Publick, should be Sheltered under the Protection of your auspicious Name. I come therefore in the Croud with others of all Ranks and Qualities in this City, to rejoice at your Promotion, from whom all good men may justly

The Epistle

expect all good Things; neither is this opinion founded only upon the past Experience of your Demeanour in the former Dignities and Offices of Magistracy which you have so worthily born in this City; but more especially upon the certain Knowledge which every one hath of your natural Generosity and Love to Justice, as well in the Rewarding and Encouraging of Virtue, as in the Discountenancing and Punishing of Vice; Qualities, which with your Blood you derive (as well as your Piety to God, and Loyalty to the King) from one of the Noblest Families of this Kingdom.

My Lord, I shall not here trouble you with any tedious Account of the *Garden* it Self, it will sufficiently appear to your
Lord.

Dedictory.

Lordship, and to all the World; by this *Catalogue*, how well it is instructed; and I dare boldly say, comparing it with the *Catalogues* of other Gardens abroad, it runs up with most of them, either for Number, or Rarity of Plants: it having been my Business these seven years past, wherein I have had the Honour to serve the City as Intendant over the Garden, to use all Care and Industry by forraign Correspondence to Acquire both Seeds and Plants from *the Levant, Italy, Spain, France, Holland, England, east and west Indies*; and by many painful Journeys in all the Seasons of the year, to recover whatever this Kingdom produceth of Variety, and to cultivate and preserve all of them with all possible Diligence. And of
the

The Epistle

the truth of this, I hope these worthy Gentlemen who were named Overseers to the Garden, will bear me Witness. Neither do I need here to trouble your Lordship with a rehearsal of the Advantages that from this Design accrues to the whole Nation, and more especially to this Place, besides the Ornament thereof; for now it plainly appears that many of these *Simples* that were wanting here, and therefore yearly brought from abroad, because of their Usefulness in Physick, may now by Industry and Culture be had in plenty at home. And it is evident that the Apothecaries Apprentices could never be competently instructed in the Knowledge of *Simples* (which necessarily they ought to be) before the Establishing of this Garden; for now they may learn more in one Summer, then formerly it was possible for them to do
in

Dedicatory.

in an Age. And to make the thing easier for Beginners, I have Planted in One corner of the Garden, the Dispensatory Plants in an alphabetical Order. And for those whose Curiosity and Time gives them further desire of learning *Botanie*, I have disposed the whole Plants according to the most natural and rational Method, and according to the best and latest Authors of *Botanie*, and particularly our most Learned and incomparable Countreyman Doctor *Morison*, by their *Genera* and *Species*; by means whereof, they come not only more easily to be known, but also much better retained in Memory. I have given the English Names as well as the Latin, that the Catalogue might be the more useful to all Persons; and especially those that are unskilful in the Latin. And now, My Lord, such as it is, I in all humble Duty, Dedicate and Offer it to your Lordship,
be-

The Epistle, &c.

befeeching you to look upon it with your accustomed Candor and Goodness, and vouchsafe to Countenance the Garden, and take it into your Protection, which certainly will make it flourish more and more. And here I humbly beg leave to assure your Lordship, that as I shall ever be ready in my Station to serve your Lordship and the good Town with all Fidelity; so I shall never cease to pray for the Honour and Prosperity of Both: humbly kissing your Lordships Hands, and craving leave to remain in all Duty,

EDINBURGH,
Octob. 10. 1683

My Lord,
Your Lordships most
humble and most
obedient Ser-
vant,

James Sutherland.

TO

TO THE
READER.

THe Reader may easily understand what were the Reasons that obliged me to Print this Catalogue; if he take the pains to Read the Dedication to my Lord Provost of Edinburgh: But none seemed more urgent (besides the importunities of my Friends and Schollars) then that I might thereby let the World know what Plants I could furnish to others, who are curious in this so useful a part of natural Philosophie, and what I could not; that so all who apply themselves to promote the Natural History with me, might be encouraged to assist me in so good a Design, by making Interchange of Plants, which They can spare and I want, with others which They want and I can spare. In this Catalogue I have made choice of the Latin Names given to the Plants, by the most approved Authors who Write in Latin, and of the English Names given to them by Gerard and Parkinson. The Plants used in Medecine in this Place, I have marked thus (Offic.) Such as are annual thus (Ann) And those that are Native to Scotland, or ordinarily

To the Reader, &c.

*ly cultivate in the Fields, with the Letter (S)
on the Margent. I have added in the end a
large Alphabetical English Index, the first
number whereof signifies the Page, the second the
Plant of that Page. The Explication of the rest
of the Abbreviations used in this Catalogue,
follows after the Latin Advertisement to the
Reader.*

LEC-

LECTORI.

Quæ me præcipuè movent ad Catalogum hunc evulgandum breviter hæc sunt; tum ut Discipulorum meorum Votis obtemperem qui nonnullum exinde Fructum collecturos se existimant, tum etiam ut omnes qui se Botanicæ promovendæ ubivis addixere facilius resciscant quarum apud nos Plantarum sit penus, quarumve penuria. Universos autem harum rerum curiosos nobis tam æquos fore confidimus, ut quas Horto nostro Plantas hætenus ignotas apud se colant, eas nobis sint subministraturi, aut justo pretio, aut permutatione redemptas. Quo autem melius constaret quænam sint Plantæ quas colo, non alia quam probatissimis authoribus Latinis familiaria nomina, nec etiam alia quàm a *Gerardo* aut *Parkinsono* (qui Botanicorum Anglicè scribentium etiam probatissimi sunt) usurpata adjeci.

EXPLICATIO

Nominum Abbreviatorum.

A *Br. Munting* Waare Oeffening der Planten door Abrahamus Munting.

Baptist. Ferr. descri. Joh. Baptistæ Ferrarij descriptionis.

B P & quandoque *P B* Caspari Bauhini Pinax.

B P app. Bauhinus in Pinacis appendice.

B. Prodrum. Caspari Bauhini Prodromus.

C. B. in Theatr. Casparus Bauhinus in Theatro.

Boccon. Icones & Descriptiones Plantarum a Paulo Boccone.

Cæsalpin. Andreas Cæsalpinus.

Cam. Joachimi Camerarij Hortus Medicus.

Clus. Caroli Clusij Historia rariorum Plantarum.

Col. Fabius Columna.

Cornut. Jacobus Cornutus de plantis Canadensibus.

Dod. Dodonæi Pemptades.

Dod. descr. Dodonæi descriptionis.

Fuchs. Fuchsj Historia.

Ger: Joh. Gerardus emaculatus a Johnson. *Gerards Herbal corrected by Johnson.*

Ger. in app. Joh: Gerardus in appendice Gerard in his Appendix. *Gesl.*

Gesn. Gesneri Historia Plantarum.

Gesn. col. Gesnerus de stirpium collectione.

Gesn. hort Gesnerus de Hortis Germaniæ.

Hist. Lugd. vel **Lugd.** Historia Lugdunensis.

Hist. Oxon. Plantarum Historiæ Universalis
Oxonienſis Pars ſecunda. D. Morisoni

Hort. Eyst. Hortus Eystetenſis.

Hort. Farnes. Hortus Farnesianus.

Hort. Reg. Bles. Hortus Regius Blesensis
auctus D. Morisoni.

I B. Johannis Bauhini Plantarum Historia
Universalis.

J. Raij Catalogus Plantarum Angliæ & In-
ſularum adjacentium Operâ Johannis Raij.

Job. Rea Flor. Flora ſev De Florum Cul-
tura by John Rea.

Lob. Lobelius in Observationibus.

Lob Adv. vel **Adv. Lob.** vel **Adv.** Adverſa-
ria Penæ & Lobelij.

D. Magnol. Botanicum Monſpeliense, ſive
Plantarum circa Monſpelium naſcentium In-
dex, Authore Petro Magnol.

Matth. & Matth. ed. Bauh. Matthiolus edi-
tionis Bauhini.

D. Morison Sect. de Plant. Umbellif. Planta-
rum Umbelliferarum Distributio nova D. Mo-
risoni.

Offic. Officinarum, vel Planta Officinalis.

Park.

Park. Theatrum Botanicum. The Theatre of Plants by John Parkinson.

Park. app. Theatro Botanico appendix. An Appendix to the Theatre of Plants by John Parkinson.

Park. descript. Descriptionis Parkinsoni. A Plant described by Parkinson.

Park. Parad: Parkinsoni Paradisus. John Parkinson his Garden of Flowers.

P. Br. Phytologia Britannica.

Prosp. Alp. Ægypt. Prosper Alpinus de Plantis Ægypti.

Prosp. Alp. de Exot. Prosper Alpinus de Exoticis.

Spigel. isagog. Spigelij Isagoge in rem herbariam.

Stapel. in Theophr. Stapelius in Theophrastum.

Swert. Swertij Florilegium.

Tab. Jacobus Theodorus Tabernamontanus.

Thal. Johannis Thalij Sylva Harcinia.

Trag. Hieronymi Tragi Historia.

Veslingij Obs. in Prosp. Alpin. Veslingij Observationes in Prosperum Alpinum.

Zanon: Istoria Botanica di Giacomo Zanoni.

Ann. in fine, Plantam denotat Annuam.

S. Litera in Margine posita indicat Plantas illas quibus præfigitur aut Scotiæ Indigenas esse, aut in Agris passim cultas,

Abies



ill. A. S. S. S.

S. **A** BIES alba five foemina B. P.
foemina, five Ἐλάτη θηλέα. I. B.
Abies. Ger: *Park: The Fire-*
tree. Offic.

ABROTANUM mas angustifolium
majus B. P. mas vulgare *Park: vulga-*
re I. B. mas Ger: Common Southern-
wood. Offic.

Abrotanum mas angustifolium ma-
ximum B. P. magnum camphoratum,
quibusdam Incentaria, *Cam: majus*
Park: Great Southernwood.

Abrotanum foemina foliis teretibus
B. P. foemina *Ger: foemina vulgare*
Park: Chamæcyparissus I. B. Laven-
der Cotton. Offic:

Abrotanum foemina foliis Ericæ B. P.
Park: Chamæcyparissus unguentaria
I. B. Fine Lavender Cotton, with Heath
leaves.

Abrotanum foemina foliis Rorisma-
B rini

rini majus *B. P. Park: Rosemary leaved
Lavender. Cotton.*

Abrotanum campestre *B. P. Ger:
Park: Artemisia tenuifolia five lep-
tophyllus aliis Abrotanum silvestre
I. B. Wilde Southernwood.*

S. ABSINTHIUM. Ponticum seu Ro-
manum Officinarum seu Dioscoridis
*B. P. vulgare Park: vulgare majus I. B.
latifolium five Ponticum Ger: Common
Wormwood. Offic:*

Absinthium insipidum *I. B. insipi-
dum Absinthio vulgari simile B. P.
inodorum Ger: Park: Unsavory Worm-
wood.*

Absinthium Ponticum tenuifolium
incanum *B. P. Ponticum vulgare folio
inferius albo I. B. Ponticum Galeni
Ger: Ponticum five Romanum Park:
Romane Wormwood. Offic:*

S. Absinthium Seriphium Belgicum *B. P:
I. B. marinum album Ger: Seriphium
five marinum album Park: English
sea Wormwood. Offic.*

Absinthium Ponticum tenuifolium
Au-

Austriacum B. P. Austriacum tenui-
folium I. B. tenuifolium Austriacum
Ger : Park: *Fine leaved Wormwood of
Austria.*

Abinthium maritimum Lavendulæ
folio B. P. Park : maritimum latifoli-
um five Matthioli I. B. Artemisia ma-
rina Ger : *Lavender leaved sea Worm-
wood : or sea Mugwort.*

Abinthium umbelliferum latifoli-
um B. P. album Ger : album five
umbelliferum Park : albis floribus ca-
pitulis squarrosis I. B. *White tufted
Wormwood.*

Acacia Americana Robini Cornut:
Pseudo-acacia Americana Robini Park:
Robinus , *his false Acacia of Ame-
rica.*

Acacia foliis Scorpioidis legumino-
sæ B. P. Dioscoridis Ger : vera I. B.
vera five Spina Ægyptiaca Park :
Ægyptiaca Hist : Lugd : *The Ægypti-
an thorn : or Binding bean tree. Offic :*

Acacia trifolia B. P. altera trifolia
Ger : secunda five altera Dioscoridis

Park: Aspalathus secunda trifolia, quæ
Acacia secunda *Matthiolo* trifolia.
I. B. The true second *Acacia* of *Diosco-*
rides.

ACANTHIUM. vulgare *Park*: al-
 bum *Ger*: Spina alba tomentosa lati-
 folia silvestris *B. P.* alba silvestris
Fuchſio I. B. Common Cotton thistle.
Ann:

Acanthium Illyricum *Park*: Illyri-
 cum purpureum *Ger*: Spina tomento-
 sa altera spinosior *B. P.* Carduus qui-
 busdam dictus *Acanthium* Illyricum
 aliis Onopordon *I. B.* The greatest
 Cotton thistle: or Cotton thistle of *Illyria*.
Ann:

Acanthium ex Alepo caule alato
 flore magno cæruleo *Cinaræ* instar
 welshed Cotton thistle of Alepo with great
 flowers like an Artichock. *Ann*.

ACANTHUS sativus vel mollis *Virgi-*
lij B. P. sativus *Ger*: *Park*: Carduus
Acanthus sive *Branca* urſina *I. B.* *Branke*
urſine: or Bears breech. *Offic*:

Acanthus aculeatus *B. P.* silvestris
Park:

Park: silvestris aculeatus *Ger:* Carduus Acanthus five Branca urfina spinosa *I. B.* *Prickly Bears breech.*

ACARNA flore purpuro-rubente patulo *B. P.* *Park:* Acanthoides parva *Apula Col:* *Fish thistle with broad reddish flowres.* *Ann.*

Acarna major caule folioso *B. P.* *Park:* Acarnæ similis flore purpureo Chamæleon Salmanticensis *Clusio I. B.* *Clusius, his Chamæleon thistle of Salamanca.* *Ann:*

S. ACER majus *Ger:* majus latifolium, Sycomorus falso dictum *Park:* majus, multis falso Platanus *I. B.* montanum candidum *B. P.* *The great Maple, commonly, yet falsely the Sycomore and plain tree.*

Acer majus foliis eleganter variegatis, *The great Maple with fine strip't leaves.*

Acer montanum tenuissimis & acutis foliis, *B. P.* Aceris majoris varietas altera *I. B.* *The great Maple with sharp pointed and small cut leaves.*

Acer campestre & minus *B. P.* minus *Ger*: minus & vulgare *Park*: vulgare minori folio, *I. B.* *The lesser Maple.*

S *Acetosa pratensis*, *B. P.* vulgaris *Park*: *Oxalis vulgaris folio longo* *I. B.* *Oxalis sive Acetosa*, *Ger*: *Common Sorrel*. *Offic*:

Acetosa montana maxima *B. P.* maxima *Germanica* *Park*. maxima *Broc-cen-burgensis* *Thal*: *Oxalis maxima sil-vatica* *I. B.* *Great German Sorrel.*

Acetosa Moschovitica sterilis *Hist*: *Oxon*: *Barren Sorrel of Moscovie, commonly called Lazie Sorrel.*

Acetosa Americana foliis longissimis pediculis donatis, *Hist*: *Oxon*: *B. P.* *vesicaria Americana* *Park*. *vesicaria peregrina*, *Hort*: *Eyst*: *Indian Sorrel with swollen husks.* *Ann*:

Acetosa vesicaria Tingitana perennis repens, *foliis longis sinuatis* *Hist*: *Oxon*: *perennis Tingitana major dentata*: *Zanon*: *Great creeping bladder bearing Sorrel of Tangiers with dented beaver.* *Aceto*

Acetosa Ocymi facie Neapolitana,
B. P. Hist: Oxon: Neapolitana Ocymi-
folia Park: Ocymi facie Neapolitana
Βικαροληφόρα Col: Strange Sorrel of Naples
with seed vessels representing an Ox head.
Ann.

- S Acetosa arvensis lanceolata *Hist: Oxon:*
B. P. minor lanceolata Park: Oxalis
tenuifolia Ger: parva auriculata repens
I. B. Sheeps Sorrel.

Acetosa rotundifolia Franca sive
 Romana *Hist: Oxon: rotundifolia*
hortensis B. P. Oxalis Franca seu Ro-
mana Ger: sativa Franca sive Romana
rotundifolia Park: folio rotundiore
repens, I. B. French or round leaved Sor-
rel. Offic:

- S. Acetosa rotundifolia repens Ebo-
 racensis, folio in medio deliquium
 patiente, *Hist: Oxon: Round leaved*
creeping Yorkshyre; and also Scots
Sorrel.

ACONITUM unifolium luteum bul-
 bosum, *B. P. hiemale Ger: Park:*
hiemale Belgarum Lob: Ranunculus
 B 4 cum

cum flore in medio folio ; radice umbrosa *I. B. Winter Aconite : or Wolves bane.*

Aconitum lycoctonum luteum B. P. luteum Ponticum serotinum Park. luteum Ponticum Ger ; folio Platani flore luteo pallescente I. B. Great yellow Wolves bane.

Aconitum cæruleum sive Napellus, primus B. P. magnum purpureo flore vulgo Napellus I. B. Napellus verus flore cæruleo Park. Napellus verus cæruleus Ger : Great blew Monks-hood, or Helmet-flower.

Aconitum sive Napellus flore variegato, Hort. Eyst. Party coloured Monks-hood.

Aconitum salutiferum sive Anthora B. P. Antithora flore luteo Aconiti I. B. Anthora. Park. Anthora sive Aconitum salutiferum Ger : The wholesome Helmet-flower. Offic.

Aconitum racemosum, an Actæa Plinij lib: 27: cap: 27: B. P. racemosum, Actæa quibusdam I. B. Christophoriana

phoriana , *Ger: vulgaris Park: vul-*
garis nostras racemosa & ramosa Hist:
Oxon: Herb Christopher; or Berrybear-
ing Aconite.

ACORUS verus , five Calamus Aro-
 maticus Officinarum, *B. P. verus five*
Calamus Officinarum , Park: verus,
officinis falso Calamus Ger: Calamus
Aromaticus vulgaris , multis Acorum
I. B. sweet smelling Flagg. Offic:

S: ADIANTHUM. ἀνθοσίχον seu furcatum
Thalij Filix saxatilis Tragi, I. B. Park:
saxatilis corniculata , B. P. Muscus
corniculatus, Tab: Ger: Horned Maiden
hair.

S. Adiantum album, *Tab: Ruta mu-*
raria, B P. I. B. Ger: muraria five
Salvia vitæ, Park: Wall-rue. Offic:

S. Adiantum album folio filicis, *I. B.*
album Plinij Lob: Dryopteris alba
Dodonæi Ger: alba: Park: Filicula
fontana major five Adiantum album
filicis folio B. P. White stone fern, or
Maiden-hair.

S. Adiantum nigrum officinarum, *I. B.*
 ni-

nigrum vulgare *Park:* foliis longioribus pulverulentis pediculis nigris, *B. P.* *Onopteris mas, Ger: Common black Maiden hair. Offic:*

S. *Adiantum aureum majus, Ger: Polytrichum aureum majus, B. P. Park: Polytrichum Apuleij majus quibusdam I. B. Great golden Maiden hair, or Goldilocks, Offic:*

S. *Adiantum aureum minus, Tab: Polytrichum aureum minus, B. P. Park: Polytrichum Apuleij minus quibusdam, I. B. Muscus capillaris sive Adiantum aureum minus, Ger: Little Goldilocks, or Golden Maiden-hair.*

S. *Adiantum aureum humilius foliis latis subrotundis, I. Raij Dwarf broad leaved Goldilocks, or Golden Maiden hair.*

Adonis silvestris flore phæniceo ejusq; foliis longioribus B. P. Flos Adonis Park: Flos Adonis flore rubro, Ger: Flos Adonis vulgo aliis Eranthemum I. B. Adonis Flower. Ann:

Ægilops Narbonensis Lob: Festuca

ca five *Ægilops Narbonensis Park*
Festuca Italica Ger : *Festuca altera ca-*
pitulis duris B. P. French Haver-grass.
Ann :

ÆTHIOPIS Ger : *Æthiopis multis*
I. B. foliis sinuosis B. P. Sclarea Æthi-
opica, five Æthiopis foliis laciniatis
Park : *Jagged Ethiopian Clary Ann* :

AGERATUM. foliis serratis B. P. vul-
gare five Costus hortorum minor Park :
Ageratum plerisque, Herba Julia qui-
buidam I. B. Balsamita foemina five A-
geratum Ger : *Sweet Maudlin commonly*
Apothecaries shope. Offic :

ALATERNUS prima Clus : *major seu*
prior Park : *Philyca elatior B. P. Spi-*
na burgi Monspeliensium I. B. Ever-
green Privet.

S. *ALCÆA vulgaris I. B. vulgaris ma-*
ior B. P. vulgaris five Malva verben-
cea Park : *Malva verbenacea Ger* : *Ver-*
vain-mallow. Offic :

Alcæa vulgaris flore albo White flow-
red Vervain-mallow.

Alcæa vulgaris seminum involucris
hir

hirsutis Vervain-mallow with rough
bushes.

Alcæa frutex Syriaca Hist: Oxon:
arborescens Syriaca B. P. Althæa frutex
fecunda Clus Althæa frutex flore albo
vel purpureo Park: Parad: Shrub Mal-
low with white or purple flowers.

Alcæa vesicaria B. P. vesicaria five
Veneta Park: peregrina Ger: Althæa
vesicaria Veneta Hist: Oxon: Venice
mallow or Good night at noon. Ann:
Alcæa vesicaria capitis Bonæ spei Hort:
Reg: Blas: Althæa vesicaria Indica seu
capitis Bonæ spei semine minore Hist:
Oxon: A kind of the Venice-mallow from
the Cape of good hope. Ann:

ALCEA Ægyptiaca villosa B. P. Al-
cea Ægyptia Ger: Ægyptiaca vulgaris
Park: Bamia I. B. Bamia moschata
Veslingij Obs: in Prosp: Alpin: Al-
thæa Ægyptia moschata Abelmosch di-
cta Hist: Oxon: Ægyptian mallow. Ann.

Alcea hirsuta B. P. villosa I. B. vil-
losa seu hirsuta Hist: Oxon: minor vil-
losa Park: Small hairie rough Vervain
mallow. Ann: Al-

Alcea major flore dilute purpureo
Great Vervaine mallow with pale purple
flowres.

S. *ALCHIMILLA* *Ger*: vulgaris *B. P.*
major vulgaris Park: perennis viridis
major foliis ex luteo virentibus Hist:
Oxon: *Pes leonis* sive *Alchimilla l. B.*
Ladies mantle. Offic:

S. *Alchimilla perennis incana, argen-*
tea seu sericea satinum provocans Hist:
Oxon: *Alchimillæ* genus alterum *Casal-*
pin: *Tormentilla argentea Park*: *Tor-*
mentilla Alpina folio sericeo B. P. *Pen-*
taphyllum petrosum Ger: *Pentaphyl-*
lum seu potius heptaphyllum argente-
um flore muscoso l. B. *Silver-leaved Tor-*
mentill or rather Satine-leaved Cinque-
foil-Ladies mantle.

S. *Alchimilla annua minima hirsuta fo-*
liis inferne albicantibus Hist: *Oxon*: *mi-*
nima montana Col: *Percepier Anglo-*
rum quibusdam l. B. *Polygonum Seli-*
noides Park: *Chærophyllon* nonnihil simi-
lis B. P. *Parsly-piert, or Parsly-break-*
stone. Offic: *Ann*:

Alli-

S. *ALLIARIA* B. P. I. B. Ger: Park: *Hesperis sepiaria Allium redolens Hist: Oxon: Sauce-alone: or Jack by the hedge. Offic: Ann:*

ALLIUM sativum B. P. sativum seu vulgare *Hist: Oxon: vulgare & sativum I. B. Allium Ger: Park: Common garden Garlick. Offic:*

Allium sativum alterum sive Allio-prassum caulis summo circumvoluto B. P. Hist: Oxon: Ophioscordon Ger: Allii genus Ophioscordon dictum quibusdam I. B. Scorodoprassum alterum convoluto capite Park: Vipers Garlick.

Allium maximum multis porraceis foliis latioribus sphaerico capite ex floribus albis conflato Hist: Oxon: Allio-porrum sive scorodoprassum B. P. Scorodoprassum I. B. Ger: Park: Great Turkey Garlick:

S. *Allium latifolium palustre Hist: Oxon: silvestre latifolium B. P. ursinum Ger: Park: ursinum bifolium vernum silva-ticum I. B. Ramsons.*

Allium

- S. Allium campestre juncifolium capitatum purpurascens majus B. P. silvestre
Ger. Park: Crow-garlick.

Allium montanum bicornne an. Ampe-
 loprassum I; *Raij Mountain Garlick,*
and perhaps Vine-leek.

Allium montanum bicornne angusti fo-
 lium flore purpurascente B: P: *Hist. Ox-*
on. silvestre bicornne purpureum pro-
 liferum I. B. Moly montanum secun-
 dum Clusij *Ger.* montanum Pannonicum
 bulbiferum secundum *Park. parad The*
second mountain Moly.

- S. ALNUS *Ger :* vulgaris *Park: I. B.* ro-
 tundifolia glutinosa viridis B. P. *Com-*
mon Alder, or Aller.

Alnus nigra baccifera B. P. I. B.
 nigra sive Frangula *Ger: Frangula sive*
Alnus nigra baccifera Park: The black
Alder. Offic.

- S. Alni effigie lanato folio major B. P.
 Aria Theophrasti *Ger. Sorbus Alpina*
I. B. Sorbus silvestris, Aria Theophrasti
dicta Park. The White-beam tree.

ALOE folio in oblongum aculeum abe-
 nute

unte B. P. *Hist.* Oxon: folio mucronato
Ger. Americana *Park.* Americana muric-
 cata I. B. *Herb Aloes of America.*

S. *ALSINE* altissima nemorum *Hist.*
Oxon. B. P. major *Ger.* *Park.* major
 repens perennis I: B: *Great Chick-*
weed.

S. *Alfine* media B. P. *Hist.* Oxon: mi-
 nor five media *Ger.* *Park.* vulgaris five
 Morfus gallinae I: B: *Common Chick-*
weed. *Offic.* *Ann.*

S. *Alfine* longifolia uliginosis locis prove-
 niens I. B. *Long-leaved water Chick-*
weed.

S. *Alfine* Plantaginis folio I. B. *Plantain*
leaved-Chickweed.

S. *Alfine* arvensis hirsuta magno flore B. P.
 major foliis subrotundis dilute viren-
 tibus *Hist.* Oxon. *Auricula* muris quo-
 rundum parvo flore vasculo tenui longo
 I. B. *Mouſear Chickweed.* *Ann.*

S. *Alfine* hirsuta altera viscosa B. P. *ſpu-*
ria quarta *Dod.* *Broader leaved Mouſ-*
ear Chickweed. *Ann.*

S. *Alfine* palustris minor folio oblongo
 B.

B. P. rotundifolia, five *Portulaca aquatica* *Ger*: *aquatica minor folio oblongo*, five *Portulaca aquatica* *Park*: *Water Purslane*.

S. *Alfine palustris Portulacæ aquaticæ* similis, *I*: *Raij*: *Alfine aquaticæ surrectiori* *I*: *B*: similis, si non eadem. An *Alfine palustris minor serpyllifolia*? *Ger*: *Park*: *Small water Chickweed*, by some called *Blinks*.

S. *Alfine minor multicaulis* *B*: *P*: *Hist*: *Oxon*: minima, *I*: *B*: *Ger*: *Dod*: *Fine Chickweed*. *Ann*:

S. *Alfine Spargula dicta major*, *B*: *P*: *Hist*: *Oxon*: *Spargula* *I*: *B*: *Saginæ spargula* *Ger*: *Saginæ spargula major*, *Park*: *Spurrey*. *Ann*:

S. *Alfine Spargulæ facie minor* five *Spargula minor flore subcæruleo*, *B*: *P*: *Hist*: *Oxon*: *Spargula purpurea*, *I*: *B*: *alfineformis* *Ger*: *Saginæ spargula minima*, *Park*: *Purple Chickweed-spurrey*. *Ann*:

S. *Alfine spargulæ facie media* *B*: *P*: *Alfine Spargula major maritima perennis*
C
flore

flore violaceo *Hist: Oxon: Spergula marina nostras, I. B. marina Dalechampi Ger: Sea Spurrey.*

Alfine baccifera Ger: scandens baccifera B. P. repens baccifera Park: Cacubulum quibusdam, vel Alfine baccifera I. B. Recentiorum planta, Alfine facie, baccis Solani, Lob: Hist: Oxon: Berry-bearing Chickweed.

S. *Alfine Hederulæ folio B: P: Hederulæ folio minor Park: Hederacea Ger: Alfine genus Fuchsis folio Hederulæ hirsuto I. B. Veronica Hederulæ folio Hist: Oxon: Ivy-leaved Chickweed. Ann.*

S. *Alfine foliis Trifaginis Ger: Park: chamædrifolia flosculis pediculis oblongis insidentibus B. P. Alfine ferrato folio glabro I. B. Veronica flosculis oblongis pediculis insidentibus Chamædryos folio Hist: Oxon: Germander Chickweed. Ann:*

S. *Alfine Veronicæ foliis flosculis cauliculis adhærentibus B. P. foliis Veronicæ Ger: foliis subrotundis Veronicæ Park: ferrato folio hirsutiore, floribus &*

& loculis cauliculis adhærentibus, *I. B.*
Veronica flosculis cauliculis adhærenti-
bus Hist: Oxon: Speedwell-Chickweed.

Ann:

Aline affinis, Androsace dicta major
B. P. Androsace Matthioli altera I. B.
Androsace altera major Matthioli Park:
Spuria annua Ger: One summers Navel-
woort. Ann:

Althæa Dioscoridis & Plinii B. P.
vulgaris Park: Althæa sive Bismal-
va I. B. Althæa Ibiscus Ger: Mal-
va silvestris vel palustris aut Ibiscus,
Hist: Oxon: Common Marsh-mallow.
offic.

Althæa folio rotundiori, sive minus
acuminato, Rounder leaved Marsh-mal-
low.

Althæa frutescens folio acuto par-
vo flore B. P. arborescens provincialis
Park: arborea Olbiæ, Lob: Malva fru-
tescens folio acuto auriculato Hederae
instar, Hist: Oxon:

Althæa Theophrasti flore luteo B. P.
lutea sive Abutilon Avicennæ putatum.

Park: lutea *Ger:* Theophrasti flore luteo, quibusdam *Abutilon I: B:* flore luteo *Hist: Oxon:* *Abutilon Avicennæ Hort: Eyst:* Yellow Marshmallow. *Ann:*

ALYSSON verticillatum foliis profunde incisiss *B: P:* *Alyssum Galeni Ger:* *Alyssum Galeni Clusio Park:* *Galén his Madwoort. Ann:*

AMARANTHUS maximus *B: P:* purpureus major panniculis sparsis *Park:* *parad:* panniculis propendentibus semine albo seu *Quinoa Hist: Oxon:* *Blitum maximum sive Amaranthus major semine albo I: B:* *Great Floramour, or purple Flower-gentle. Ann:*

Amaranthus panniculis propendentibus semine rubro, flore serotino elegantis coccinei coloris *Hist: Oxon:* *Great Scarlet Flower-gentle, with red seed. Ann:*

Amaranthus simplici spica *B: P:* major panniculis surrectis coccineis *Hist: Oxon:* coccineus *Ger:* *Scarlet Flower-gentle, with upright spikes. Ann:*

Amaranthus major panniculis surre-

ctis rubris, *Hist: Oxon: Red Flower-gentle, with upright pannicles. Ann:*

Amaranthus major panniculis erectis viridibus, Hist: Oxon: Green Flower-gentle, with upright pannicles. Ann:

Amaranthus minor panniculis surrectis luteis, luteo pallidis aut stramineis, spicatis, glomeratis & cristatis, Hist: Oxon: pannicula incurvâ B: P: holosericus, Lob: cristatus Cam: Lesser Flower-gentle, with spiked, round and crested pannicles. Ann:

Amaranthus flore variegato B: P: tricolor Park: parad: Ger: foliis variegatis seu tricoloribus seu foliis varie coloratis Psittaci plumasreferentibus, Hist: Oxon: Symphonia Dalechampio five Amaranthus tricolor I: B: Variable Flower-gentle. Ann:

S. *AMBROSIA campestris repens B: P: Coronopus Ruellij Ger: Coronopus recta vel repens Ruellij Park: Coronopus Ruellij five Nasturtium verrucosum I: B: verrucosum, capsula bivalvi aspera seu hirsuta, Hist: Oxon: Swin's cresses. Ann:*

AMMI majus *B. P.* vulgare *Ger.* vulgatus *Park.* vulgare majus, latioribus foliis, semine minus odorato *I. B.* *Common Bishops-weed.* *Ann.*

AMMI alterum semine *Apij B. P.* **AMMI** Creticum *Park.* Creticum aromaticum *Lob.* *Bishops-weed of Candy.* *Offic. Ann.*

AMYGDALUS *Ger. Park.* sativa *B. P.* dulcis & amara *I. B.* *The Almond tree.* *Offic.*

Amygdalus pumila *Hort. Reg. Bles.* *The dwarfe Almond.*

S. **ANAGALLIS** flore phoeniceo *B. P.* *Hist. Oxon. Park.* mas *Ger.* phoenicea mas *I. B.* *Male Pimpernell.* *Offic. Ann.*

Annagallis flore cæruleo *B. P.* *Hist. Oxon. Park.* foemina *Ger.* cærulea foemina *I. B.* *Female Pimpernell.* *Offic. Ann.*

Anagallis foemina flore albo, *Female Pimpernell with white flowers.* *Ann.*

Anagallis foemina flore ferrugineo, *Female Pimpernell with iron coloured flowers.* *Ann.*

S. **Anagallis** lutea nemorum *B. P.* *Hist. Oxon.*

Oxon: lutea Nummulariæ foliis *I. B.*
 lutea *Ger*: flore luteo *Park*: Yellow
Pimpernell.

S. *Anagallis aquatica major folio oblongo B. P.* aquatica flore cæruleo folio oblongo major *I. B.* aquatica major, *Ger*: aquatica folio oblongo crenato, *Park*: *Veronica aquatica major folio oblongo Hist*: *Oxon*: *The greater long leaved Brooklime.*

S. *Anagallis aquatica minor folio subrotundo, B. P.* aquatica flore cæruleo folio rotundiore *I. B.* aquatica vulgaris, sive *Becabunga Park.* *Anagallis* sive *Becabunga, Ger*: *Veronica aquatica minor folio subrotundo Hist*: *Oxon*: *Common Brooklime, falsely called Water Purpy. Offic*:

S. *Anagallis aquatica rotundifolia Ger*: aquatica folio rotundo non crenato *B. P.* aquatica tertia *Lobelij* folio subrotundo non crenato *Park*: *Samolus Valerandi I. B.* *Veronica aquatica folio subrotundo non crenato Hist.* *Oxon*: *Round leaved water Pimpernell.*

S. Anagallis aquatica angustifolia I: B:
 aquatica angustifolia scutellata B: P:
 Veronica angustifolia aquatica minor
 Polygoni instar Hist: Oxon: *Narrow
 leaved Brooklime.*

ANAGYRIS foetida B: P: Park: Ger:
 vera foetida I: B: *Stinking Bean-treefoil.*

Anagyris Ger: non foetida major vel
 Alpina B: P: non foetida sive Laburnum
 majus Park: Laburnum, arbor trifolia,
 Anagyridi similis I: B: *Bean-treefoil, or
 the Peascod tree.*

Anagyris non foetens minor B: P: La-
 burnum minus, Park: *The lesser Bean-
 treefoil.*

ANCHUSA angustifolia B: P: ligno-
 fior angustifolia Park: minor lignosior,
 I: B: *Woodie Alkanet.*

Anchusa lutea I: B: Ger: major flori-
 bus luteis B: P: lutea major Park: *The
 greater yellow Alkanet. Offic.*

Anchusa puniceis floribus B: P: An-
 chusa Monspeliaca, I: B: Anchusa Alci-
 biadion, Ger: minor purpurea, Park:
Small Alkanet with purple flowers.

Anchusa altera procumbens flore atropurpureo *Park: Small bowing Alkanet, with dark purple flowers. Ann:*

- S. *Anchusa degener facie Milij Solis Ger. Lithospermum arvense radice rubra B. P. arvense radice rubente Park: nigrum flore albo, semine Echij. I. B. Bastard Alkanet, or bastard Gromill. Ann:*

ANDROSÆMUM maximum frutescens B. P. maximum (quasi frutescens) bacciferum Hist: Oxon: vulgare Park: Siciliana, aliis Cæciliana & Androsæmum I. B. Clymenum Italorum Ger: Tutsan, or Parkleaves.

- S. *Androsæmum Campoclarense Col: bifolium glabrum perfoliatum non perforatum Hist: Oxon: Androsæmum Matthioli Park: Ascyrum sive Hypericum glabrum bifolium non perforatum B. P. Hypericum elegantissimum non ramosum folio lato I. B. Matthiolus His Tutsan, or Elegant St. John's-woort, not perforate.*

Androsæmum alterum *Apulum Col.*
perfoliatum & perforatum B. P. Hist:
Oxon: alterum *Apulum Park: Tutsan*
of Naples.

S. *Androsæmum* alterum *hirsutum Col.*
hirsutum B. P. Androsæmum Ascyrum di-
ctum caule rotundo hirsuto Hist: Oxon:
Hairy Tutsan.

Androsæmum foetidum Park: foeti-
dum capitulis longissimis filamentis do-
natis B. P. Hist. Oxon. Ruta hyperi-
coides quibusdam, Sicilianæ affinis sive
Tragium I. B. Stinking Tutsan.

ANEMONE *latifolia & tenuifolia*
flore simplici, & pleno variarum spe-
cierum & colorum, Broad and narrow
leaved Anemonies, with single and
double flowers of several kinds and co-
lours.

Anemone sylvestris alba major B. P.
Hist: Oxon. magna, alba, plurima par-
te anni florens, I. B. sylvestris latifo-
lia alba sive tertia Matthioli Park:
parad: Anemone Matthioli Ger: Mat-
thiolus,

thiolus his white flowered wild Anemonie.

Anemone trifolia Dod. Ger : *Hist. Oxon.* *sylvestris trifolia Dodonæi* Park : *parad trifolia flore albo* L. B. *The three leaved wilde Wind-flower.*

S: *Anemone nemorum* Ger : *nemorosa flore majore* B. P. *Ranunculus nemorosus albus simplex* Park : *nemorosus flore majore* *Hist. Oxon.* *Ranunculus Phragmites albus vernus* L. B. *White flowered wood Anemonie.*

Anemone nemorum flore carneo *Blush flowered wood Anemonie.*

ANETHUM L. B. Ger : *hortense* B. P. *hortense sive vulgare* Park : *Dill. Offic. Ann :*

ANGELICA *fativa* B. P. L. B. Ger : *Park : Garden Angelica. Offic Ann :*

Angelica sylvestris Ger : *Park : major sylvestris* B. P. *sylvestris magna vulgarior* L. B. *Wilde Angelica. Ann :*

Angelica sylvestris montana B. P.
Archangelica, I. B. *Ger*: Park: *Great wild Angelica*. Ann.

Angelica lucida Canadensis Cornut :
Panax alterum Americanum splendente folio, *Laserpitium creditum* quibusdam Park: *Shining Angelica of Canada*. Ann.

S. *Angelica sylvestris minor sive erratica* B. P. *sylvestris repens*, I. B. *Herba Gerardi* *Ger*: *Podagraria vulgaris* Park: *Herbe Gerard*, *Goutwoort*, or *Ash-weed*.

Anisum *Ger*: Park: I. B. *Anisum herbariis* B. P. *Anise*. *Offic*: Ann:

S. *Anonis spinis carens purpurea* B. P. *non spinosa purpurea* *Ger*: *non spinosa flore purpureo* I. B. Park: *non spinosa repens* *Hist*: *Oxon*: *Purple Rest-harrow without prickles*. *Offic*:

S. *Anonis non spinosa flore albo*, *White flowered Restharrow without prickles*.

S. *Anonis spinosa flore purpureo* B: P: Park: *Anonis, sive Resta bovis* *Ger*: Ano-

Anonis, five Resta bovis vulgò, purpurea & alba spinosa *I. B.* vulgaris spinosa, flore purpureo filiquis erectis lentiformibus, *Hist: Oxon: Prickly Restharrow, or Cammock.*

Anonis annua ramosa foliis rotundis serratis *Annual branched Restharrow with round snipped leaves. Ann:*

Anonis viscosa spinis carens lutea major, *B: P:* lutea perennis major, *Natrix dicta, Hist: Oxon: lutea non spinosa, Dalechampio Natrix, I. B: Natrix Plinij, five Anonis non spinosa lutea major, Park: The greater yellow gentle Restharrow.*

Anonis lutea annua recta, hirsuta, viscosa, filiquis hirsutis brevioribus *Hist: Oxon: Yellow annual Upright, rough, clammy Restharrow, with short rough codd. Ann:*

Anonis purpurea perennis foliis latioribus, rotundioribus, profundè serratis, *Hist: Oxon: Cicer sylvestre triphyllum, B. P. Park: sylvestre*

stre latifolium Ger: sylvestre multifo-
lium, radice crassa, & folliculis brevi-
bus, ventricosus, hirsutis I. B. *Three*
leaved wild Cicers.

Anonis purpurea verna seu præ-
cox, perennis, frutescens, flore ru-
bro amplo *Hist. Oxon.* Cicer sylve-
stre alterum triphyllum Park: ar-
boreum Indicum perenne *Zanon:*
Great red flowered shrubbie Rest-har-
row.

ANTHYLLIS maritima lentifolia
B. P. lentifolia Peplios effigie mari-
tima I. B. lentifolia sive Alfine cru-
ciata marina Ger: *Sea Pimper-*
nell.

ANTIRRHINUM majus longiore fo-
lio *Hist: Oxon:* majus alterum lon-
giore folio, B: P: vulgare I. B.
purpureum Ger: *Purple Snapdragon.*
Ann.

Antirrhinum majus flore albo, *White-*
flowered Snapdragon. Ann:

Antirrhinum majus flore carneo *Flesh-*
coloured Snapdragon. Ann:

Antirrhinum arvense majus *B. P.*
sylvestre medium *Park*: minus *Ger*:
arvense minus *Hist*: *Oxon*: angu-
 stifolium *sylvestre* *I. B.* *The great-*
er wilde Snapdragon, or Calves-snout.
Ann.

Antirrhinum arvense minus *B. P.*
minimum *I. B.* *minimum repens* *Ger*:
sylvestre minimum *Park*: *Linaria mi-*
nima foliis hirsutis floribus obsoleti
fusci coloris, Hist: *Oxon*: *The smal-*
lest wild Snapdragon, or Calves-snout.
Ann.

5. **APARINE** *I. B.* *Ger*: *vulgare* *B.*
P. Park: *Common Clivers, or Goose*
grass.

Aparine levis *Park*: *Goose grass with*
Smooth seed. Ann.

Aparine semine Coriandri saccharati
Park: *Goose grass with seed like a Corian-*
der Comfit. Ann.

APIUM *hortense* sive *Petroseli-*
num vulgo, B: P: hortense mul-
tis, quod vulgo Petroselinum,
I: B: hortense *Ger*: *Petroseli-*
num

num vulgare *Park: Garden Parsley. Offic:*

Ann:

Apium hortense maximum *B: Prodr:*

Apium five Petroselinum Virginianum,

Ger: Petroselinum majus five Virginia-
num, Park: Great Virginian Parsley.

Ann:

Apium vel Petroselinum crispum, *B.*

P. Petroselinum crispum Park: I. B. Cur-
led Parsley. Ann:

Apium peregrinum longifolium ,
Long leaved Strange Parsley. Ann:

Apium palustre five Officinatum,

B. P. palustre, seu Eleoselinum ve-
teribus; I. B. vulgare, five palustre

Park: Eleoselinum five Paludapi-
um, Ger: Common Smallage. Offic:

Ann:

Apium five Selinum dulce *Park: Sweet*
Smallage, or Selerie. Ann:

APOCYNUM folio oblongo *B. P. an-*

gustifolium five repens, *Park: Apocy-*

num five Periploca scandens folio longo,

flore purpurante *I. B. Climbing Dogs-*

bane.

AQUI-

AQUILEGIA silvestris B. P. vulgaris simplex. *Park:* flore simplici *I. B.* flore cæruleo *Ger.* *Common single Colum-*
bines : *Offic :* colorum magna varietas.

Aquilegia hortensis multiplex flore magno B. P. vulgaris flore pleno *Ger :*
Park: flore pleno sive multiplici *I. B.* *Double Columbines.* Hujus etiam in colore maxima varietas.

Aquilegia flore pleno versicolori, *Hort:* *Reg:* *Bles :* *Double stript Colum-*
bines.

Aquilegia flore roseo multiplici, B. P. rosea *Ger:* *Park:* stellata *Hort:* *Eyst:* flore simplici & pleno non corniculato *I. B.* *Rose-Columbine, double and single of many colours.*

ARBOR. JUDÆ *Ger:* *Park:* Judæica arbor *I. B.* *Siliqua sylvestris rotundifolia.* B. P. *Judas-Tree.*

ARBUTUS *Ger:* *Park:* *Arbutus folio ferrato* B. P. *Arbutus, Comarus Theophrasti* *I. B.* *The Strawberry tree.*

ARGEMONE capitulo longiore *B:*
P: capitulo longiore spinoso *I. B.* ca-
 pitulo tenuiore longiore hirsuto, *Hist:*
Oxon: Long rough-headed Bastard Poppy.
Ann:

Argemone capitulo brevior, *B. P.*
 breviori hispido *I: B:* capitulo rotun-
 diore *Park:* capitulo torulo *Ger:* capi-
 tulo hirsuto, rotundo torulis canalicu-
 lato *Hist: Oxon: Round rough headed*
Bastard Poppy.

Argemone Cambro-britannica lu-
 tea *Park:* *Argemone Cambro-britanni-*
ca lutea, capite longiore glabro, paucis
 spinulis ad loculamentorum juncturas
 ornato *Hist: Oxon: Yellow wild Bastard*
Poppy.

ARISARUM latifolium *Ger: Park:*
 latifolium alterum *B: P:* latifolium
 quibusdam, *I. B. Broad leav'd Friers*
Cowle.

ARISTOLOCHIA rotunda *I: B: Ger:*
 rotunda vulgator, *Park:* rotunda flore
 ex purpurâ nigro *B: P: Round-rooted*
Birthwoort. Offic.

Aristolochia clematidis Park: clematidis recta B: P: clematidis vulgaris, I. B. *Aristolochia Saracenic*
Ger: The running-rooted Birthwort.
Offic.

Aristolochia polyrrhizos I. B. *Aristolochia Pistolochia dicta* B: P: *Pistolochia*, *Ger: Pistolochia vulgator*; Park: *The bushie-rooted Birthwort.*

Aristolochia, Pistolochia altera, I. B: *Pistolochia Cretica* B. P. *Cretica semper virens* Park: *Cretica five Virginia*
Ger: Ever-green bushie-rooted Birthwort, or Virginian Snake-root.

ARTEMISIA vulgaris I. B. Park: *vulgaris major* B: P: *Artemisia mater herbarum* *Ger: Common Mugwort.*
Offic.

ARUM I. B: *vulgare* *Ger: vulgare non maculatum* B: P: Park: *Cuckowpint, or Wake-Robin.* *Offic.*

Arum maculatum maculis nigris B. P. *nigricantibus lituris signatum* Dod. *Spotted Wake-Robin, with black spots.*

Arum venis albis B. P. *magnum rotundiore folio* Park: *Round-leaved Wake-Robin.*

Arum minus B. P. *Lugd: Tab: The lesser Wake-Robin.*

S. *ARUNDO vulgaris*, five *phragmites* Dioscoridis B. P. *vulgaris palustris* I. B. *vallatoria* Ger: *Harundo vulgaris*, five *vallatoria* park: *The Common Reed. Offic:*

Arundo Indica latifolia flore luteo punctato, B. P. I. B. *Canna Indica flore flavo punctato* Park: *Yellow spotted Indian Reed. Ann:*

ASARUM B. P. I. B. Ger: *vulgare* Park: *Asarabacca. Offic:*

ASCLEPIAS flore albo B. P. Ger: Park: *Asclepias* five *Vincetoxicum* multis, floribus albicantibus I. B. *White Swallow-woort. Offic:*

Asclepias nigro flore B. P. Park: *flore nigro quorundam* I. B. *Black Swallow-woort.*

Asclepias flore flavescente, *Swallow-woort with yellowish flowers.*

ASPARAGUS *Park.* *lativus* *B. P.*
Ger: *hortensis* *I. B.* *domesticus* *Eyst.*
Hist: *Oxon.* *Garden* *Asparagus.*
Offic:

Asparagus marinus *I. B.* *marinus* *cras-*
fio *folio* *Park;* *maritimus* *crassiore* *fo-*
lio *B. P.* *palustris* *Ger:* *Marsh* *Sperage,*
or *Asparagus.*

Asparagus foliis acutis *B. P.* *Hist:* *Oxon.*
petraeus, *five* *Corruda* *Ger:* *petraeus,*
five *Corruda* *aculeata* *Park;* *Corruda*
I. B. *Prickly* *Rock-Asparagus.*

S. **ASPERULA** *Ger:* *Asperula*, *five* *Ru-*
beola *montana* *odora* *B. P.* *Asperula* *aut*
Aspergula *odorata* *Park;* *Rubiis* *acce-*
dens, *Asperula* *quibusdam*, *aut* *Hepa-*
tica *stellaris*, *I. B.* *White* *flowered* *Wood-*
roof. *Offic:*

Asperula cærulea arvensis *B. P.* *flo-*
re *cæruleo*, *Ger:* *Park:* *Rubia* *cæ-*
rulea *erectior*, *elatiore* *I. B.* *Blew*
flowered *Wood-roof.* *Ann.*

Asperula arvensis, *five* *annua* *flo-*
re *albo*, *White* *flowered* *Wood-roof.*
Ann.

ASPHODELUS albus ramosus
 mas B.: P.: major ramosus flore albo,
 I.: B.: major albus ramosus Park.:
 ramosus, Ger.: foliis latis seu por-
 raceis albus ramosus major Hist: Ox-
 on: *The white branched Asphodill.*
Offic:

Asphodelus luteus I.: B.: Ger.: luteus
 minor Park.: luteus & flore & radi-
 ce B.: P.: folio fistuloso striato
 non ramosus luteus & flore & ra-
 dice, Hist: Oxon: *The yellow Asphodill.*
Offic:

Asphodelus foliis fistulosis B.: P.: mi-
 nor albus foliis fistulosis Park: *parad:*
 minor foliis fistulosis, I.: B.: folio fi-
 stuloso plano minor, ramosus flore al-
 bo Hist: Oxon: Phalangium Cretæ
 Salonensis, Ger. *Small hollow leaved*
Asphodill. Ann:

S. Asphodelus minimus luteus palu-
 stris Acori folio Lob: Hist: Oxon: As-
 phodelus Lancastriæ, Ger: luteus aco-
 rifolius palustris Anglicus Lobellij, I.:
 B.: Pseudoasphodelus major sive palu-
 stris

stris Park: palustris **Anglicus** *B: P:*
Lancashire Asphodill, or Bastard Aspho-
dill.

ASPLENIUM, five **Ceterach** *I: B:*
Ger: Park: Asplenium, five *Scolopen-*
dra, Ceterach officinarum, B. P. Spleen-
woort, or Milt-waste. Offic.

ASTER *Atticus cæruleus vulgaris*
B. P. Atticus purpureo & albo flore,
I. B. Atticus Italorum flore purpureo
Park: Aster Italorum Lob: Ger: Purple
Italian Starwoort.

Aster montanus cæruleus magno
flore foliis oblongis B. P. purpureus
montanus I. B. Alpinus cæruleo mag-
no flore Park: septimus Clusij Ger:
Great blew Starwoort of the Alps.

Aster flore Tripolij latifolius, Hort:
Reg: Bles: Broad leaved Starwoort, with
flowers like Sea-starwoort.

Aster Virgineus angustifolius sero-
tinus flore parvo albente Park: The nar-
row-leaved late-flowering Starwoort of
Virginia.

Aster supinus Park: luteus supinus
Clusij Ger: luteus supinus B. P. Low yellow Starwort.

Aster montanus luteus Salicis glabro folio B. P. montanus foliis Salicis Ger: Park: Conyza media Monspeliensis, quibusdam Asteris Attici genus folio glabro rigido I. B. Willow-leaved Starwort.

Aster Virgineus luteus latifolius repens Park: Yellow creeping Starwort of Virginia.

S. *ASTRAGALUS* silvaticus Ger: silvaticus foliis oblongis glabris B. P. Astragaloides, sive *Astragalus* silvaticus, Astragalo magno Fuchsj, vel Chamæ-balano leguminosæ affinis planta I. B. Lathyrus silvestris lignosior Park: Orobus silvaticus nostras perennis siliquis propendentibus, radice tuberosâ, Hist: Oxon: Wood-pease, or Heath-pease.

Astragalus Africanus luteus odoratus D. Magnol. perennis foliis hirsutis caule recto aphylo flore ochroleuco
odo-

odoratissimo *Hist: Oxon: Sweet smelling yellow flowered African Hatchet-Vetch.*

ATRACTYLIS *Ger: Lob: lutea B: P: flore luteo Park: vera flore luteo, I: B: The yellow Distaffe-thistle. Ann:*

ATRIPLEX *hortensis alba sive pallide virens B. P. Hist: Oxon: alba hortensis I. B. sativa alba, Ger: Park: White Garden Arrach. Offic: Ann:*

Atriplex hortensis rubra B: P: Hist: Oxon: I: B: sativa purpurea Ger: Park: Red Garden Arrach. Ann:

S. *Atriplex silvestris latifolia, B: P: Hist: Oxon: latifolia, sive Pes anserinus, Ger. Park: Atriplex dicta Pes anserinus I: B: Goose-foot, or Sow-bane. Ann:*

S. *Atriplex silvestris latifolia acutiore folio, B. P. Hist: Oxon: silvestris latifolia altera Ger: Atriplex dicta Pes anserinus alter, sive ramosior I. B. The other Goose-foot, or Arrach. Ann.*

Atri-

Atriplex sylvestris folio sinuato can-
dicante *B. P. Hist: Oxon:* sylve-
stris *L. B.* sylvestris vulgaris, *Ger:* syl-
vestris vulgator sinuata major *Park:*
Common wild Arrach. Ann.

Atriplex sylvestris altera B. P. Ger:
sylvestris altera folio sinuato satu-
ratè virente, spicâ subrubrâ, *Hist.*
Oxon. The lesser wilde Arrach.
Ann.

Atriplex foetida B. P. Hist: Oxon:
L. B. olida Ger. olida, sive sylvestris
foetida *Park:* pusilla olida hircina, Vul-
varia vocata, *Garum olens Lob. Stink-*
ing Arrach. Offic. Ann:

Atriplex Mori fructu major, seu
fragifera major *Hist: Oxon:* Spina-
chia fragifera, *Hort: Farnes, Great*
Berry-bearing Arrach, or Berry-bearing
Spinach. Ann.

Atriplex Mori fructu minor seu fra-
gifera minor, *Hist: Oxon:* sylvestris
Mori fructu *B. P. baccifera Ger: bac-*
cifera

cifera rubra *Park: Common, or the lesser Berry-bearing Arrach. Ann:*

S. *Atriplex sylvestris angusto oblongo folio, B. P. Hist. Oxon. sylvestris angustifolia Ger: Park: sylvestris Polygoni, aut Helxines folio Lob: vulgaris angustifolia cum folliculis, l. B. Narrow-leaved, wild Arrach. Ann.*

S. *Atriplex maritima nostras l. Raj, English Sea-Arrach. Ann:*

S. *AVENA alba l. B. vulgaris, sive alba B. P. vesca Ger: Park: White Oats. Offic. Ann:*

S. *Avena nigra B. P. l. B. Black Oats. Ann:*

Avena nuda B. P. Ger: Park: Naked Oats. Ann:

AURICULA muris Camerarij l. B. Anthyllis leguminosa marina Bætica, vel Cretica, sive Auricula muris Camerarij Park: Loto affinis filiquis hirsutis circinatis, B. P. Hist. Oxon. Sea Kidney-vetch of Spain, or Candy. Ann:

Au-

- S. Auricula muris pulchro flore albo,
 I. B. Lychnis caulibus ad genicula foli-
 liosis, *Hist. Oxon: Mouscar with a large
 white flower.*
- S. Auricula muris pulchro flore albo fo-
 lio tenuissimo I. B. Lychnis minima
 foliis Laricis, seu tenuissime divisis
*Hist. Oxon: Caryophyllus saxifragus
 foliis tenuissimis pulchro flore albo,
 D. Magnol: Fair flowered Mouscar with
 very narrow leaves.*

B.

BALSAMINA mas *Ger :*
Park: rotundifolia repens, si-
 ve mas B. P. Balsamina cucu-
 merina I. B. Cucumis puniceus
Cordi Hist. Oxon. The male Balsom-apple.
Ann :

Balsamina foemina B. P. *Park: pa-*
rad: Ger. foemina persicifolia, vel sali-
 cis

cis folio *I*: *B*: Herba impatiens seu Noli me tangere, flore patulo eleganter dilutè rubente, *Hist*: *Oxon*: *The female Balsom-apple. Ann*:

Balsamina lutea, sive Noli me tangere, *B. P.* Noli me tangere *I*: *B*: persicaria filiquosa *Ger*: *Mercurialis sylvestris*, Noli me tangere dicta, sive Persicaria filiquosa *Park*: Impatiens herba, Noli me tangere dicta, flore patulo luteo, *Hist*: *Oxon*: Coded Arsmart, Quick in hand, Touch me not. *Ann*:

S. BARBA capræ floribus compactis, *B. P.* Ulmaria *I*: *B*: vulgaris *Park*: Regina prati *Ger*: Meadow-sweet, or Queen of the Meadow. *Offic*:

Barba capræ floribus oblongis, Melandryon Plinij, *B. P.* Barba capri, *I*: *B*: *Ger*: Ulmaria major, sive altera *Park*: The greater Meadow-sweet.

BARBA Jovis frutex *B. P.* *Park*: *Clus*: Jovis barba pulchre lucens, *I. B.* The Silver Bush.

S. **BELLIS** major *I. B.* Ger: major vulgaris, five sylvestris *Park*: major sylvestris caule folioso, *B. P.* *The greater wild white Daisie, Offic.*

Bellis latioribus serratis foliis radice repente, Hort. Reg. Bles. Great Daisie, with broader snipt leaves and a running root.

Bellis Tanaceti folio major. Tanacetum inodorum flore majore B. P. The greater Daisie with the Tansie leaf, or Unsavory Tansie.

Bellis Tanaceti folio minor. Tanacetum inodorum Park: non odorum Ger. montanum inodorum minore flore B. P. album I. B. The lesser Daisie with the Tansie leaf, or Unsavory Tansie.

S. *Bellis minor sylvestris simplex Park. sylvestris minor B. P. minor sylvestris spontanea I. B. minor sylvestris; & etiam media sylvestris Ger: Common small wild Daisie. Offic.*

Bel.

S. *Bellis pratensis duplici florum serie*
Hort. Reg. Bles: Field Daisie with two
ranges of leaves.

S. *Bellis minor sylvestris flore pleno,*
Small wild Daisie, with double
flowers,

S. *Bellis minor sylvestris flore cæru-*
leo, Small wild Daisie with blue
flowers.

Bellis minor hortensis flore pleno ru-
bro, Double red Garden Daisie.

Bellis minor hortensis flore pleno al-
bo, Double white Garden Daisie.

Bellis minor hortensis flore pleno
variegato, Double party-coloured Garden
Daisie.

Bellis hortensis prolifera B. P. mi-
nor hortensis prolifera, Park: pa-
rad: minor prolifera, Ger: Childing
Daisie.

BERBERIS dumetorum B. P. Ber-
beris Park. Berberis vulgo, quæ &
Oxyacantha putata I. B. Spina acida,
five Oxyacantha, Ger: The Barberry
Bush. Offic.

Berberis sine nucleo B: P: absque
arillis, Park: *The Barberry without
stones,*

BETA alba Ger: Park: alba, vel
pallens, quæ Cicla officinarum B P.
Hist: Oxon: *The white Beet.* Offic:
Ann:

Beta communis sive viridis, B: P:
The green Beet. Ann:

Beta rubra vulgaris B. P. Hist:
Oxon: Ger: Park: *Red Beet.* Offic:
Ann:

Beta rubra radice Rapæ B. P. Hist:
Oxon: ruba Romana Ger: Park: ra-
dice rubrâ crassâ, I: B: *Red Roman
Beet, or Betraw.* Ann.

Beta Sicula, costâ latâ albâ, luteâ,
rubrâ, ruberrimâ, & aurantiacâ, Hist:
Oxon: *Broad-ribbed Sicilian Beet.*
Ann:

S. Beta silvestris maritima B: P: Park:
spontanea maritima communis viri-
dis, Hist: Oxon: *The sea Beet.*
Ann:

Beta Cretica femine aculeato,

B. prodr. Cretica semine spinosa seu aculeato *Hist. Oxon.* Cretica spinosa *Park:* Cretica semine spinoso *I. B.* semine aculeato *Ger:* *Prickly Beet of Candy.*

- S. **BETONICA** *Ger:* purpurea *B. P.* vulgatiores flore purpureo *Park:* vulgaris purpurea *I. B.* *Common Betony Offic:*

Betonica flore albo *Ger:* *Park:* alba *B. P.* *White Betony.*

Betonica major Danica *Park:* *Great Betony of Denmark.*

- S. **BETULA** *B. P.* *Park:* *Betula Plinij, & Empedocle Theophrasti I. B.* *The Birch-tree. Offic.*

- S. **BISTORTA** major radice magis intortâ *B. P.* major radice magis intortâ, foliis rotundioribus rugosis *Hist:* *Oxon:* major *Ger:* major vulgaris *Park:* major rugosioribus foliis *I. B.* *Great Bistort, or Snake-weed. Offic.*

Bistorta major radice minus intortâ *B. P.* major radice minus intortâ

E

fo-

foliis angustioribus minus rugosis,
Hist: Oxon: media folio minus ru-
goso I. B. Great Snake-weed, with
narrower leaves: and lesse wreathed
roots.

- S. *Bistorta Alpina minima foliolifera*
Hist. Oxon. minima I. B. minor Ger: mi-
nor nostras Park: Small Bistort of our
Countrey.

B L A T T A R I A *lutea folio lon-*
go laciniato B. P. flore luteo Ger: lu-
tea I. B. lutea minor seu vulgaris Park:
flore minore luteo staminulis purpure-
is Hist: Oxon: Yellow Moth-mullen,
with long cut leaves. Ann:

Blattaria alba B. P. Ger: Park: flore
albo I. B. flore minore albo staminulis
purpureis Hist: Oxon: White flowered
Moth-mullen. Ann.

Blattaria flore purpureo I. B. purpu-
rea B. P. Ger: Park: perennis flore
violaceo Hist: Oxon: Purple Moth-
mullen.

Blattaria flore obsoletè cæruleo Moth-
mullen of an over-worn blew colour.

Blat-

Blattaria perennis flore gilvo seu ob-
soleti coloris *Hist: Oxon: Iron-coloured*
Moth mullen.

BLITUM rubrum majus *B. P.*
Hist: Oxon: Ger: pulchrum, rectum,
magnum rubrum *I. B. The great red*
Blite. Offic: Ann:

Blitum rubrum minus B. P. Hist:
Oxon: Ger: I. B. minus sylvestre
rubrum *Park: The small red Blite.*
Ann:

S. *Blitum polyspermon, a feminis co-*
piâ *B. P. Hist: Oxon: polyspermon*
Park: erectius sive tertium Tragi I:
B: Atriplex sylvestris, sive polysper-
mon Ger: Upright Blite, or All-seed.
Ann:

Blitum spinosum Americanum Prick-
ly Blite of America.

BOTRYS Ger: vulgaris Park: am-
brosioides vulgaris *B: P: Botrys*
plerumq; *Botanicis I. B. Atriplex odo-*
ra, sive suave-olens *Hist: Oxon. Oak of*
Jerusalem. Offic: Ann:

Botrys Ambrosioides Mexiocana B. P.
P. app: Americana Park. Atriplex odora five *suave-olens Americana, Mexiocanavè Hist: Oxon: Indian Oake of Jerusalem. Ann:*

BRASSICA capitata alba B. P.
Ger: Park: I. B. capitata seu clausa penitus capite simplice albo Hist: Oxon: White Calbage. Ann:

Brassica rubra capitata B. P. Ger:
Park: I. B. capitata seu clausa penitus capite simplice rubro Hist. Oxon: Red Cabbage. Ann.

Brassica capitata polycephalos Hist:
Ludg: ex pluribus capitulis conglobata B. P. capitata seu clausa penitus capite multiplici Hist: Oxon: Cabbage with many heads. Ann:

Brassica alba capite oblongo non penitus clauso B. P. capitata seu clausa non penitus, Sabauda, Hyberna Hist: Oxon: Brassica Sabauda Ger: Italica tenerrima, glomerosa, flore albo I. B. Savoy Cole. Ann:

Brassica

Brassica alba crispa B. P. capitata
 seu clausa non penitus *Sabauda cris-*
pa Hist: Oxon: Sabauda rugosa I. B.
Sabauda crispa Ger: Curled Savoy Cole.
Ann:

Brassica alba vel viridis B. P. alba
vulgaris I. B. vulgaris sativa Ger: sa-
tiva alba vel viridis vulgaris aperta
lævis Hist: Oxon: Garden Colewoort.
Ann.

Brassica rubra B. P. Ger: rubra
vulgaris I. B. sativa rubra aperta læ-
vis Hist: Oxon: Red Colewoorts. Offic.
Ann.

Brassica fimbriata B. P. Hist: Oxon:
tophosa Ger: I. B. Swollen Colewoorts.
Ann.

Brassica fimbriata pumila B: P: Hist:
Oxon: Anglica minima Adv: Lob: Small
curled Cole. Ann.

Brassica cauliflora B. P. multiflora
I. B. florida Ger: Park: cauliflora seu
florida botrytis Hist. Oxon. Colie-flore.
Ann.

Brassica asparagodes crispa B. P. Hist.

Oxon : thyrsoides *I. B.* crispa prolifera *Tab. Curled Childing-Cole.*

Brassica gongylodes B. P. Hist :
Oxon : *Brassica caulorapa I. B. Caulorapum rotundum Ger :* Rapocaulis
Park : parad. *Colerape. Ann :*

Brassica lato Apij folio B. P. Hist :
Oxon : *selinoides Ger :* laciniata *Park :*
Parsley Colewoort. Ann :

Brassica angusto Apij folio B. P. tenuifolia laciniata Lob : Small Parsley
Colewoort. Ann.

S. *Brassica maritima monospermos B. P. monospermos Anglica I. B. marina monospermos Park :* marina *Anglica Ger :* maritima major repens multiflora alba monospermos *Hist :* *Oxon :* Sea Colewoort.

Brassica campestris perfoliata flore albo B. P. Hist : *Oxon :* Perfoliata siliquosa *I. B. Ger :* Perfoliata siliquosa vulgaris, vel *Brassica campestris Park :* Coddled Thorrow-wax. *Ann :*

Brassica sylvestris foliis circa radicem

cem cichoraceis *B. P.* sylvestris foliis circa radicem cichoraceis asperis, caulibus autem adhærentibus planis seu glabris *Hist. Oxon.* Glastifolia cichoroides Joh. Bauhini & Turritis secunda da Clusio *I. B. Clusius his second Towers-mustard.*

Brassica sylvestris foliis integris & hispidis *B. P. Hist. Oxon.* Turritis Ger. vulgator *I. B. Park: Towers-mustard. Ann:*

S. *BRUNELLA* major folio non dissecto *B. P.* Prunella Ger: vulgaris *Park:* flore minore vulgaris *I. B. Common Self-heal. Offic:*

Brunella flore albo, *White flowered Self-heal.*

Brunella flore magno carneo *Self-heal with a large blush flower.*

BRYONIA alba Ger: alba vulgaris *Park:* aspera sive alba baccis rubris *B. P.* aspera incana, sive alba baccis rubris *Hist: Oxon:* Vitis alba, sive Bryonia *I. B. White Bryonie. Offic:*

Bryonia nigra Ger : *Hist. Oxon.*
sylvestris nigra Park : lævis five nigra
racemosa B: P: *Vitis nigra* quibusdam,
 five *Tamus Plinij folio Cyclamini* I. B.
Vitis sylvestris , *Sigillum Beatæ Ma-*
riæ, & *Tamus* Dod. *Black Bryonie.*
Offic.

Buglossum latifolium, *Bor-*
rago B: P: *Borrage* floribus cæru-
 leis I. B. *hortensis* floribus cærule-
 is Ger : Park: *Common Borrage.* *Offic.*
Ann.

Buglossum latifolium five *Borrage*
flore albo , *White flowered Borrage.*
Ann.

Buglossum latifolium semper virens
 B. P. *Buglossum folio Borruginis* *His-*
panicum I. B. *Borrage* semper vi-
 rens Ger : Park: *Never-dying Bor-*
rage.

Buglossum angustifolium majus B. P.
Buglossum vulgare Ger : vulgare ma-
 jus I. B. *Great Garden Buglosse.* *Offic.*
Ann.

S: *Buglossum sylvestre minus* B: P: Park:

Buglossa sylvestris minor Ger : E-
chium Fuchsi, sive Borrago sylve-
stris I. B. *Wilde or Corne-Buglosse.*
Ann.

Buglossum Creticum flore variega-
to, odorato, *Sweet-smelling Buglosse*
of Candy, with stript, red, and white
flowers. Ann.

S. Buglossum sylvestre caulibus pro-
cumbentibus B: P: Borrago minor
sylvestris Col: Park: Cynoglossa fortè
topiaria Plinio, Echium lappulatum
quibusdam I. B. Alyssum Germani-
cum Echioides Lob: Aparine ma-
jor Plinij Ger: *Small wilde Buglosse,*
Great Goose-grasse, German Madwort.
Ann.

S. BULBOCASTANON I. B. minus B. P.
Ger: Nucula terrestris minor Park: *Com-*
mon Earth-nut.

BUPHTHALMUM vulgare
Ger: Dioscordis B. P: Matthioli, si-
ve vulgare Millefolij foliis Park: Cha-
mæmelum Chrysanthemum quorun-
dam I: B: *Common Ox-eye. Offic. Ann.*
Bup-

Buphthalmum Cotulæ folio B: P:
alterum Cotulæ folio *Park*: tenuifolium
folio Millefolij fere *I. B.* Chrysanthemum
tenuifolium Bæticum Boelij *Ger*:
Camomile-leaved Ox-eye. Ann.

Buphthalmum flore luteo subtus pur-
purascente B. P. flore purpurascente
Park: *Ox-eye with purplish flowers. Ann.*

S. BURSA pastoris *I. B.* *Ger*: major vul-
garis *Park*: major folio sinuato B: P: ma-
jor capsulâ cordatâ foliis laciniatis *Hist.*
Oxon: *Common Shepherds-purse. Offic.*
Ann.

S. Bursa pastoris minor *Park*: minor fo-
liis incis, & Thalij *B. P.* Bursa pasto-
ria minima *Ger*: parvo folio glabro spif-
so *I. B.* pastoris minor capsulâ brevi cor-
datâ foliis sinuatis *Hist*: *Oxon*: *The lesser*
Shepherds-purse. Ann.

S. Bursa pastoris minor loculis oblongis
B. P. *Hist*: *Oxon*: Bursa pastoria minima
oblongis siliquis, sive verna loculo ob-
longo *I. B.* Paronychia vulgaris *Ger*: vul-
garis alfinefolia *Park*: *Nailwoort, or*
Whitelow-grass. Ann.

Bur-

S: Bursæ pastoris similis filiquosa major
B. P. Pilosella filiquata major *Thal:* Bursa
 pastoris, five Pilosella filiquosa **I. B.**
Paronychia major *Park:* **Drabæ** filiquo-
 sæ similis, planta præcox annua *Hist:*
Oxon: Great Nailwoort, or Coddled Mons-
car. Ann.

Bursæ pastoris loculo oblongo affi-
 nis pulchra planta **I. B.** Bursa pastoris
 major folio non sinuato **B: P:** **Thlaspi**
Veronica folio *Park: Great Shepherds-*
purse with long pouches. Ann.

Buxus **I. B.** *Ger.* arborescens **B. P.** **S**
 arbor vulgaris *Park: The Box-tree.*
Offic.

Buxus foliis rotundioribus **B: P:** **Chamæ-**
buxus, five **Chamæ-pyxos** quibus-
 dam **I: B:** **Buxus** humilis *Ger: Chamæ-*
buxus minor Park: Dwarf-Box.

Buxus foliis aureis *Hort. Reg. Bles.*
Gilded-Box.

C.

CACHRYS ferulaceis foliis
 semine fungoso lævi *Hort. Reg.*
Bles. Libanotis cachryfera, si-
 ve Cachrys vera *Park.* Liba-
 notis Galeni, Cachrys verior *Ger.* Li-
 banotis *Ferulæ* folio semine anguloso
 B. P. Libanotis Cachryphoros qui-
 busdam floribus luteis I. B. *Fennel-*
leaved Herb-Frankincense.

Cachrys Peucedani folio, semine fun-
 go'o sulcato lævi *Hort. Reg. Bles. Herb.*
Frankincense with Sow-fennel leaves, and
smooth furrowed seed.

CÆPÆ vulgaris B. P. *Hist. Oxon.*
 alba & rubra *Tab. The common Onion.*
Offic.

Cæpa Ascalonica *Matth. ed. Bauh.*
Hist: Oxon. sterilis B. P. Ascalonica si-
 ve fissilis I. B. *Scallions, or Eschal-*
lots.

CALAMINTHA vulgaris *Park*:
vulgaris officinarum *Ger*: vulgaris vel
officinarum Germaniæ B. P. flore mag-
no vulgaris I. B. *Common Calamint.*
Offici

Calamintha altera gravi odore Pu-
legij *Lob*: *Adv*: Pulegij odore, five
Nepeta B. P. flore minore odore Pu-
legij I. B. odore Pulegij *Ger*: altera
odore Pulegij foliis maculosis *Park*:
Field-Calamint.

S. **Calamintha** arvensis verticillata B.
P. arvensis verticillata five aquati-
ca Belgarum Lobelio *Park*: aquatica
Ger: Mentha arvensis verticillata hirsu-
ta I. B. *Water-Calamint with whorled*
coronets.

CALCEOLUS Mariæ *Ger*. Hel-
leborine flore rotundo, five Calceo-
lus B. P. Elleborine major, five Cal-
ceolus Mariæ *Park*. Damasonij species
quibusdam, five Calceolus D. Mariæ I:
B: *Ladies Slipper.*

CALTHA vulgaris B. P. flore
simplici I. B. Calendula flore simplici *Ger*.
Park.

Park : *Single Marie-gold. Offic. Ann.*
Eadem flore citrino.

Caltha polyanthos major B: P: flore pleno I: B: Calendula flore multiplici Ger: Park: Double Mariegold. Ann.

Caltha prolifera I. B. Ger: Childing Mariegold. Ann.

Caltha arvensis minima B. P. I: B: Small wild Mariegold. Ann.

S. *Caltha palustris I: B: palustris flore simplici B: P: palustris vulgaris simplex Park: palustris major Ger: Single Marsh-Mariegold.*

Caltha palustris flore pleno Clus: palustris flore multiplici Ger: Park: Double Marsh-Mariegold.

S. *CAMPANULA rotundifolia Ger. minor sylvestris rotundifolia vulgaris B. P. parva, Anguillaræ Cantabrica. I: B: vulgaris minor, foliis imis rotundioribus sinuatis non serratis Hist: Oxon: The lesser round-leaved Belflower.*

Campanula rotundifolia flore albo, The white round-leaved Belflower.

Campanula Persicifolia *Ger: Park:*
Hist: Oxon: angustifolia cærulea I: B:
Rapunculus Persicifolius magno flore
B. P. Blew Peach-leaved Belflower.

Campanula Persicifolia flore albo,
White Peach-leaved Belflower.

Campanula hortensis folio & flore
 oblongo *B. P. Hist: Oxon: Viola Ma-*
riana Dodonæi, quibusdam Medium
I: B: Viola Mariana flore purpureo
Ger: Park. Purple Coventry-Belflower:
Ann:

Campanula hortensis folio & flore ob-
 longo, sive **Viola Mariana** flore albo
White Coventry-Belflower.

Campanula vulgatio foliis **Urticæ**
 sive major, & asperior *B: P:*
Hist: Oxon: major & asperior folio
Urticæ I: B: Trachelium majus Ger:
majus flore purpureo Park: parad:
Blew Canterbury-Bells.

Campanula major foliis **Urticæ**, si-
 ve **Trachelium** flore albo *White Canter-*
Bury-bells.

Cam-

Campanula major foliis Urticæ, five
Trachelium, flore purpureo duplici.
Double Purple Canterbury-bells.

Campanula major foliis Urticæ, five
Trachelium, flore duplici albo *Double
white Canterbury-bells.*

Campanula hortensis Rapunculi ra-
dice repente *Hist. Oxon.* hortensis Ra-
punculi radice B. P. repens flore mi-
nore cæruleo I. B. Trachelium in ma-
ritimis *Ad. Lob.* Trachelij genus molli-
oribus foliis *Clus. Garden Throatwoort,*
with far creeping roots.

S. Campanula pratensis flore conglome-
rato B. P. Trachelium pratense flore
conglomerato *Hist. Oxon.* Trachelium
minus *Ger. Park.* minus multis I. B.
*Little Throatwoort, or Canterbury-
bells.*

S. Campanula maxima foliis latissimis
B. P. *Hist. Oxon.* pulchra a Tossano
Carolo missa I. B. Trachelium ma-
jus Belgarum *Park.* majus Belgarum,
five Giganteum *Ger. Giant Throat-
woort.*

S. **CANNABIS** sativa *B. P.* mas & foemina *I. B.* sativa mas & foemina *Park:* 1. seu mas & 2. seu foemina *Ger:* *Hemp male and female. Offic. Ann.*

S. **CARDUUS** vinearum repens folio Sonchi *B. P.* vulgarissimus viarum *Ger:* ceanothos, five viarum & vinearum repens *Park:* serpens lævicaulis *I. B.* *Common Way-thistle, or Creeping-thistle.*

S. **Carduus** viarum repens flore albo *Common Way-thistle, with a white flower.*

S. **Carduus** albis maculis notatus vulgaris *B. P.* lacteus *Matth:* **Carduus** Mariæ *Ger:* Mariæ vulgaris *Park:* Marianus, five lacteis maculis notatus *I. B.* *The Milkie-Thistle, or our Ladies-thistle. Offic. Ann:*

Carduus Mariæ non maculatus *Hort:* *Reg:* Bles: *Our Ladies-Thistle without spots. Ann:*

Carduus albis maculis notatus exoticus *B. P.* lacteus peregrinus *Camera-rij I. B.* **Silybum** minus **Bæticum**

F

Park:

Park: The small Spanish Milk-Thistle
Ann.

Carduus sphærocephalus latifolius
vulgaris B. P. sphærocephalus major
Park: globosus Ger: Echinopus ma-
ior I. B. The greater Glob-Thistle
Ann:

Carduus sphærocephalus minor B. P.
globosus minor Ger. Park: Echino-
pus minor I: B: The lesser Glob-
thistle.

Carduus capite rotundo tomento-
so B: P: capite tomentoso I. B. to-
mentosus, Corona fratrum dictus Park:
eriocephalus Ger: Woolly-headed Thistle,
or Friars-crown. Ann:

S. *Carduus nutans I. B. Cirsium terti-*
um totâ suâ stirpe magis spino-
sum Dod: Carduus moschatus Ger:
Thistle with a bending head. Ann:

S. *Carduus polyacanthus primus Ger:*
Aculeosa Gazæ Adv: Lob: Poly-
acantha Tab: Thistle upon Thistle.
Ann.

Car-

S. *Carduus polyacanthus secundus* Ger:
sylvestris tertius Dod : *Polyacantha*
Lob : Weltd-Thistle with small flowers
Ann:

S. *Carduus palustris* B. P. *Park:* caule
crispo I: B: *polyacanthos tertius* Ger :
The Marsh-Thistle. Ann:

S. *Carduus palustris flore albo* Marsh
Thistle with white flowers. Ann.

S. *Carduus lanceatus* Ger : *lanceatus*
latifolius B. P. *lanceatus latifoli-*
us, five major Park : *lanceatus, fi-*
ve sylvestris Dodonæi I. B. *The Spear-*
Thistle. Ann.

Carduus lanceatus ferocior I: B:
Great Spear-Thistle with longer prickles.
Ann.

Carduus pratensis latifolius B. P.
Park : pratensis Trag : *mollis Lappa-*
thi folio I. B. *Broad leaved field-Thistle.*

Carduus pratensis Asphodeli radice
latifolius B. P. *bulbosus Monspeliensi-*
um Park: *bulbosus Monspeliensis, five*
Acanthus sylvestris quibusdam, foliis
laciniatis I. B. *The French bulbed Thistle.*

Carduus stellatus Ger: *stellatus*, five
Calcitrapa I. B. *stellatus folio Papan-*
veris erratici B: P: *The Star-Thistle.*
Ann.

Carduus stellatus luteus folio Cyani
 B: P: *solstitialis* Ger: *Spina solstitia-*
lis I: B: *Saint Barnabes Thistle.*
Ann:

Carduus solstitialis capitulis minus
spinosis, *Spina solstitialis mitior alte-*
ra Apula Col: *Saint Barnabes Thistle*
with less prickly heads. Ann.

Carduus stellatus Leucoij foliis sub-
tus incanis Hort. Reg. Bless. *Star-*
Thistle with Stock-gilliflower leaves. Ann..

C A R L I N A *acaulos magno flo-*
re B: P: *humilis* Park. *Carlina*, five:
Chamæleon albus Dioscoridis Ger: *cau-*
lifera & acaulis I: B. *The low Carlina*
Thistle.

Carlina caulescens magno flore I: B:
 Ger: *caulescens* Park: *Tall Carlina*
Thistle.

Carlina sylvestris Ger. I: B: *Park:*
descript: Cnicus sylvestris spinosior I. B.
The

The common wilde Carlin-Thistle.

Ann:

CARPINUS *Dod:* Betulus, five Carpinus *Ger:* Ostrys, five Ost ya Ulmo similis fructu in umbilicis foliaceis *B. P.* Ost-rs, five Ostrya Theophrasti *Park:* Fagus sepium *I. B:* *The Florn-beam tree.*

CARUM *Ger:* *Park:* Carus *I. B.* Cuminum pratense, Carvi officinarum *B: P:* *Caramay. Offic, Ann:*

S. CARYOPHYLLATA *Ger:* vulgaris *B: P:* *Hist. Oxon. Park.* flore parvo luteo *I. B. Avens, Herbe-Bennet. Offic.*

S. Caryophyllata montana purpurea *Ger:* *Park:* aquatica nutante flore *B. P.* aquatica flore rubro striato *I. B.* aquatica nutante flore purpureo calathi effigie *Hist: Oxon: Purple Mountain-Avens:*

S. Caryophyllata montana purpurea flore uno alteri innato, five duplici *Purple Mountain-Avens with Double flowers.*

Caryophyllata Alpina lutea *B. P.*
 Alpina lutea major *Hist: Oxon: mon-*
tana Ger: Park: montana flore mag-
no luteo I. B. Yellow Mountain-A-
vens.

Caryophyllata pentaphyllea *Ger:*
 Alpina quinquefolia *B. P. Hist: Oxon:*
Cinque-foil-Avens.

CARYOPHYLLUS hortensis
 multarum specierum & colorum *Garden*
Gillo-flowers of many kinds and colours.
Offic:

Caryophyllus sylvestris vulgator
Lob: variarum specierum & colorum
Garden Pinks of divers kinds and co-
lours.

S. Caryophyllus virgineus *Ger: sylve-*
stris humilis flore unico B. P. sylve-
stris pusillus omnium minimus unico
flore Hist: Oxon. Betonica corona-
ria sive Caryophyllea repens rubra
I: B: Maiden Pinks.

Caryophyllus prolifer *Park: sylve-*
stris prolifer B: P. barbatus sylvestris
annuus latifolius multis capsulis simul
 jun-

junctis donatus *Hist. Oxon*: Armeria
 prolifera *Ger*: Betonica coronaria squam-
 mosa sylvestris *I. B. Childing-Pinks.*
Ann.

Caryophyllus barbatus hortensis la-
 tifolius *B. P*: barbatus hortensis fim-
 plex latifolius *Hist*: *Oxon*: Armeria
 latifolia *Ger*: *Park*: Betonica corona-
 ria latifolia petraea *I. B. Sweet Willi-*
ams, or Pride of London of several co-
lours.

Caryophyllus barbatus sylvestris *B. P*:
 barbatus sylvestris annuus, angustifoli-
 us perpaucis capitulis donatus *Hist*:
Oxon: Caryophyllus pratensis *Ger*:
 pratensis noster major & minor
Park: Armeria sylvestris altera ca-
 lyculo foliolis fastigiatis cincto *Lob*:
 Viola barbata angustifolia Dale-
 champij *I. B. Dept-ford-Pinke*:
Ann.

S. Caryophyllus pratensis laciniato flo-
 re simplici, sive Flos cuculi *B. P. Lych-*
 nis pratensis flore laciniato simpli-
 F 4 ci

ci *Hist: Oxon:* plumaria sylvestris simplex *Park:* Armerius pratensis *Ger:* Flos cuculi, Odonis quibusdam *I. B. Meadow Pinks, Wild-Williams, Cuckow-flower.*

Caryophyllus holosteus tomentosus *I. B. Ger: Park:* holosteus tomentosus latifolius *B. P. Lychnis maritima incana & tomentosa Hist: Oxon: Hoary Pinke.*

S. Caryophyllus arvensis glaber flore majore *B. P. Lychnis arvensis glabra flore majore Hist: Oxon: Gramen leucanthemum Ger Park: Gramen Fuch-sij sive leucanthemum I: B: Stickswoort with large flowers*

S. Caryophyllus arvensis glaber flore minore *B. P. Lychnis arvensis glabra flore minore Hist. Oxon. Gramen leucanthemum alterum Ger: leucanthemum minus Park. Gramini Fuch-sij leucanthemo affinis & similis herba I. B. The lesser Stickswoort.*

S. Caryophyllus minimus muscosus nostras *Park: Saxifraga Anglicana alfine folia Ger: Chickweed-Breakjone. Ca-*

- S. *Caryophyllus montanus minor* *B. P.*
marinus minimus *Ger* : *Caryophyllus*
flos aphyllorcaulos, vel junceus minor
I. B. Gramen marinum minus *Park* :
Thrift, or Sea Gillo-flower.

Carophyllus marinus flore albo, Thrift
with a white flower.

CASTANEA I. B. Ger : *vulgaris*
Park : *tylv. stris q. æ peculiariter Casta-*
nea B. P. Common Chesnut-tree. Offic :

Castanea folio multifido B. P. equi-
na Ger : *Park* : *equina folio multifido*
I. B. The Horse-Chesnut.

- S. *CAUCALIS* *semine aspero flos-*
culis rubentibus B. P. minor flosculis
rubentibus Ger : *minor flore rubente*
Park : *Anthriscus quorundam semine*
aspero hispido I. B. Hedge-Parsley.
Ann :

- S. *Caucalis segetum minor Anthrisco*
hispido similis I. Raij. Small Corn-Par-
sley. Ann :

- S. *Caucalis Anglica flore rubente Park* :
Apij folio flore rubro Ger : *lato Apij*
folio B. P. Lappula Canaria latifolia,
sive

five *Caucalis* I: B: *Purple flowered great, bastard-Parsley. Ann:*

S. *Caucalis nodosa echinato semine* B: P: *Ger: Park: nodosa echinato semine Anthrisko hispidio affinis si non ejus varietas* I: B: *Knotted Hedge-Parsley.*

Caucalis Daucoides Tingitana Carrot-like *Parsley of Tangiers. Ann.*

CEDRUS conifera foliis Laricis B. P. *Cedrus Libani* Ger: magna conifera Libani Park: magna five Libani conifera I: B: *The great Cedar of Lebanon.*

Cedrus folio Cupressi major fructu flavescence B. P. *Phœnicea folio Cupressi* Park: *Lycia retusa* Bellonio dicta I. B. *Oxycedrus Lycia* Ger: *Cypresse like Cedar, or Berry-bearing Cedar.*

CENTAURIUM majus, folio in plures lacinias diviso B. P. majus vulgare Park: majus Juglandis folio I: B: magnum Ger: *The greater Centaury. offic.*

Gen-

Centaurium majus foliis Cinaræ Cornut: majus Pyrenæum Park: The Pyrenean great Centaury, or great Centaury with Artichoake leaves.

S. *Centaurium minus B. P.: minus vulgare Park: minus flore purpureo I. B.: parvum Ger: Small Centaury Offic. Ann:*

S. *Centaurium minus flore albo, Small Centaury with white flowers. Ann.*

CERASUS vulgaris Ger: Park: austera Matth. ed. Bauh. fructu acidulo Dod: Cerasa acida rubella I. B. The common Cherry-tree. Offic:

Cerasus hortensis flore roseo B. P. rosea sterilis Park: flore pleno I. B. multiflora pauciores fructus edens Ger: Double-flowered Barren-Cherry.

S. *Cerasus sylvestris fructu rubro I. B. Common wild Cherry.*

S. *Cerasus sylvestris fructo nigro I. B. major ac sylvestris fructu subdulci, nigro colore inficiente B. P. The common black Cherry. Offic:*

S. *Cerasus racemosa* fructu non eduli B.
P. racemosa quibusdā, aliis *Padus* I. B.
avium racemosa *Park*: *avium nigra* &
racemosa *Ger. Birds Cherry.*

Cerasus sylvestris septentrionalis fru-
 ctu parvo serotino I. *Raij. The wild*
Northern Cherry-tree with small late
fruit.

Cerasus folio Laurino B: P: *Lauro-*
cerasus I. B. *Ger: Park: The Cherry*
Bay.

C E R I N T H E asperior flore fla-
 vo *Ger* major flavo flore asperior B. P.
Cerinthe quorundam major spinoso fo-
 lio, flavo flore I. B. *Yellow-flowered*
Honeywoort. Ann:

Cerinthe major *Ger:* major flore lu-
 teo & rubro *Park:* quorundam major,
 versicolore flore I. B. *Cerinthe,* seu
Cynoglossum montanum majus B: P:
Great Honeywoort. Ann:

C H Æ R O P H Y L L U M sativum
 B. P. *Chærophylon* I. B. *Myrrhis* sa-
 tiva, sive *Cerese folium vulgare* sativum
Ger: Park: Common Chervil. Offic. Ann:
 Che-

S. *Chærophyllum sylvestre* B: P: *Cerefolium sylvestre* Ger: *Anthriscus* Plinij quibusdam, semine longo *Cicutariæ* aut *Chærophylli*. I. B. *Common wild Chervil*.

CHAMÆCERASUS Alpina fructu nigro gemino B. P. *Periclymenum rectum* fructu nigro Park: rectum fructu nigro gemino I. E: *Black-berried Upright Honey-suckle*.

Chamecerasus dumetorum fructu gemino rubro B. P. *Periclymenum rectum* fructu rubro I. B: Park: rectum Germanicum Ger: *Red-berried Upright Honey-suckle*.

S. *CHAMÆCISTUS* vulgaris flore luteo B: P: *Helianthemum vulgare* Park: vulgare flore luteo I. B. Anglicum luteum Ger. *Dwarfe Cistus, or little Sun flower*.

Chamæcistus vulgaris flore albo *Dwarfe Cistus with a white flower*.

CHAMÆDRYS vulgaris Park: minor Ger: minor repens B: P: *Chamedrys*, vulgò vera existimata I. B. *Common Germander. Offic.* Cha-

Chamædrys laciniatis foliis *Park* :
 Chamæpitys foemina *Ger* : Botrys Chamædroides *B* : *P* : Botrys verticillata *I* : *B* : *Cut-leaved Germander. Ann.*

S. Chamædrys sylvestris *Ger* : spuria sylvestris *Park* : spuria latifolia, five foemina *I* : *B* : spuria minor rotundifolia *B* . *P* . Veronica minor foliis imis rotundioribus *Hist* : *Oxon* : *Wild German-der.*

Chamædrys spuria foliis pediculis oblongis insidentibus *I* : *Raij* : Chamædry spuriae affinis, rotundifolia scutellata *B* . *P* . Alyssum montanum *Park* : Dioscoridis montanum *Col* : Veronica rotundifolia scutellata aut biscutata Hederæ folio *Hist* : *Oxon* : *Wild German-der with leaves standing on long foot stalks, or Mountain Madmoort of Columna.*

CHAMÆIRIS variegata *B* . *P* : cæruleo & violaceo colore *Hort* : *Eyst* : *The blew variable Dwarfse Flower-de-luce.*

Cha-

Chamæiris flore albo *The white Dwarf*
Flower-de-luce.

C H A M Æ M E L U M vulgare *Ger :*
Park : odoratissimum repens flore sim-
plici *I :* *B :* vulgare leucanthemum *Di-*
oscoridis B. P. Common Cammomile.
Offic :

Chamæmelum flore pleno *Ger :* *Park,*
nobile flore multiplici B. P. repens odo-
ratissimum perenne flore multiplici I. B :
Double-flowered Cammomile.

Chamæmelum humile , five ste-
rile, Dwarf, or Barren Cammomile.

Chamæmelum folio Agerati. Cam-
momile with sweet-Mandlin-leaves.
Ann.

S. *Chamæmelum inodorum B. P: ino-*
dorum, five non foetidum I: B: Cotu-
la non foetida Ger : Park : May-weed,
or Dogs Cammomile. Offic. Ann:

S. *Chamæmelum inodorum, five Co-*
tula non foetida flore pleno Double
flowered May-weed. Ann.

S. *Chamæmelum foetidum B: P: foetidum,*
five

five Cotula foetida *I. B.* Cotula foetida
Ger: Park: Stinking May-weed.
Ann:

C H A M Æ M E S P I L U S *Ger:*
 Cotoneaster Gesneri *I. B. Park:* Coto-
 naster folio rotundo non serrato, & Cha-
 mæmespilus Cordi *B. P. Epimelis Lugd.*
Dwarfe Medlar.

Chamæmespilus *I. B.* Cotoneaster
 folio oblongo serrato *B. P. P:* Cotonaster
 Gesneri *Ger: in app: Gesner his wilde*
Quince.

C H A M Æ M O R U S *Ger: Anglica*
S Park: foliis Ribes, Anglica *B. P. Ru-*
 bo Ideo minori affinis, Chamæmorus
I. B. Knot-berry, Knout-berry, or Cloud-
berry.

C H A M Æ P I T Y S vulgaris *Park:*
 vulgaris odorata flore luteo *I. B. lutea*
 vulgaris five folio trifido *B. P. mas Ger.*
 Iva arthritica *Offic. Common Ground-*
pine. Ann. Offic.

C H E L I D O N I U M majus *Ger:*
 majus vulgare *B. P. Park.* majus nostras
 vulgare *Hist. Oxon. Chelidonia I. B. The*
great-

The greater Cellandine: offic :

Chelidonium majus foliis tenuissime dissectis, Fumariæ Myconis instar
Hist: Oxon: The greater Cellandine with
fine cut leaves.

S. Chelidonium minus Ger: Park: Chelidonia rotundifolia minor B. P. Scrophularia minor, five Chelidonium minus vulgo dictum I. B. Ranunculus præcox rotundifolius granulatâ radice
Hist: Oxon: Pilewoort, or lesser Cellandine. offic.

Chelidonium minus flore pleno
Park: Double-flowered lesser Cellandine.

CHONDRILLA viscosa humilis
B: P: Ger: Park: Dwarfse Gum-Succory
Ann.

Chondrilla cærulea altera Cichorij sylvestris folio B. P. cærulea Ger. cærulea five purpurea Park: Chondrille, vel Chondrilla cærulea I: B: Blew Gum-Succory.

Chondrilla verrucaria foliis Intubaceis viridibus B: P: Cichorium verrucarium
G

rucarium Ger. Cichorium verrucosum
 five Zazinta Hieraciis adnumerandum
 I. B. Zacynta, five Cichorium verru-
 carium Park: *Warted-Cichory. Ann.*

Chondrilla viminea I. B. viminalibus
 virgis Park: juncea Ger: juncea vis-
 cosa arvensis, quæ prima Dioscoridis
 B. P. *Gum-Succory with twig-like bran-
 ches.*

Chondrilla cærulea Cyani capitulis
 B. P. Chondrilla Sesamoides dicta
 Park: Sesamoides parvum Matthioli
 Ger: Catanance Dalechampi flore Cyani
 folio Coronopi I. B. *Strange Gum-Succory*

Chondrilla foliis laciniatis ferratis, pur-
 purascente flore B: P: rara purpurea
 Crupina Belgarum dicta Park, rara pur-
 pureo flore semine nitido deciduo Lob:
 Hispanica Ger: Cyanus pulchro semine
 Centaurij majoris I. B. *The Bearded
 Creeper. Ann:*

S. CHRYSANTHEMUM fegetum
 Ger: fegetum nostras, Park: folio mi-
 nus secto glauco I: B: Bellis lutea foliis
 profunde incisus major B: P: *Corn-Marie-
 gold. Ann:* Chry

Chrysanthemum Creticum *I. B. Ger:*
Park: majus folio in minores lacinias di-
 viso *B. P. Candy Corn-Mariegold.*
Ann.

Chrysanthemum flore partim candi-
 do, partim luteo *B. P. Creticum mix-*
tum Hort: Eyst: Party-coloured Candy
Corn-Mariegold. Ann.

Chrysanthemum Valentinum *Clusij*
Ger: Park: Bupthalmum lanuginosis
 foliis *Millefolij B: P: Clusius his Corn-*
Mariegold of Valentia. Ann.

Chrysanthemum latifolium *Tingita-*
num Broad-leaved Corn-Marie-gold of
Tangiers. Ann.

Chrysanthemum Africanum procum-
 bens, flore cernuo, nudo, luteo, *Low*
naked Corn-Mariegold of Africa. Ann:

CICER sativum *B. P. Hist: Oxon:*
Ger: arietinum *I: B:* sativum sive arie-
 tinum rubrum, nigrum vel album
Park: Chick-Pease, or Cicers. Offic:
Ann.

Ciceri sylvestri minori affinis si
 G 2 non

non idem B. P. Glaux Dioscoridis Ger:
Hispanica I. B. Hispanica Clusij Hist:
Oxon: Park: Clusius his Spanish Milk-
woort.

CICHORIUM sativum B: P: I.
B. sativum flore cæruleo Ger: Park:
Garden Succory. Offic. Ann:

Cichorium sativum flore albo White:
flowered Garden Succory. Offic. Ann:

Cichorium pratense luteum hirsutius
asperum, vel Hieracium hirsutum foliis
caulem ambientibus B: P: pratense
luteum asperum Park: Hieracium aspe-
rum Ger: asperum majore flore in agro-
rum limitibus I: B: Yellow Succory, or
Rough Hawk-weed with a large flower.

S. Cichorium pratense luteum lævius
B: P: Park: Hieracium luteum glabrum
five minus hirsutum I: B: I: B: Hiera-
cium aphacoides Ger: Smooth Succory-
Hawk-weed.

S. CICUTA Ger: major B: P: vul-
garis major Park: Cituta Veteribus &
Neotericis I: B: Common Hemlock
Offic. Ann:

Cicut

S. *Cicuta minor* Petroselino similis *B:*
P: minor five fatua *Park:* *Cicutaria* tenuifolia *Ger:* *Cicutaria* Apij folio *I: B:*
The lesser Hemlock, or Fools-Parsley.
Ann.

Cicutaria latifolia foetida *B: P:* latifolia foetidissima *Oer:* *Cicuta maxima* *Park:* *Seteli* Peloponense *Matthioli* five *Cicutaria* quorundam *I: B:* *The greatest Hemlock, or Hartmoort of Peloponnesus.*

CINARA hortensis foliis non aculeatis *B: P:* non aculeata *Dodonæi Hist:*
Lugd: The Common Artichock. Offic:

Cinara maxima Anglica *Ger:* *The great English Artichock.*

Cinara spinosa cujus pediculi esitantur *B: P:* *Prickly Artichock, or Char-don.*

CIRSIIUM maximum *Asphodeli* radice *B: P:* *Ger:* maximum montanum *Park:* maximum foliis carnosiss bulbosa radice, forte *Lutetianum I: B:* *The great mountain melancholy-Thistle.*

S. *Cirsium majus* singulari capitulo
 G 3. mag-

magno vel incanum varie dissectum *B.*
P. Anglicum *Ger.* : Anglicum primum
Park. : Anglicum, radice Hellebori nigri modo fibrosa, folio longo *I. B.* *The English Soft or Gentle Thistle.*

CISTUS mas folio oblongo incano *B.* *P.* folio oblongo albido *I. B.*
 mas cum Hypocistide *Ger.* : mas vulgaris *Park.* : *Ordinary Male-Cistus*,
Offic.

Cistus mas angustifolius *B.* *P.* *Ger.* :
Park. : mas secundus folio longiore
I. B. *Narrow-leaved Male-Cistus,*

Cistus folio Salicis *B. P.* annuus *Ger.* :
 annuus folio Salicis *Park.* : *Willow-leaved annual Cistus. Ann.*

Cistus folio Rorismarini *Cistus* with
Rosemary-leaves.

CLEMATIS sylvestris latifolia *B. P.* : *Clematis* sylvestris latifolia
 five Viorna *Park.* : latifolia dentata *I. B.* Viorna *Ger.* : *Travellers Joy.*

Clematis caerulea vel purpurea repens

pens *B. P.* Clematis five Flammula, flore cæruleo & purpureo, scandens *I. B.* Clematis peregrina flore purpureo simplici *Park*: pe egrina cærulea *Ger*: *Single blew Ladies-Bower.*

Clematis Pannonica *Ger*: Pannonica cærulea *Park*: Pannonica cærulea surrecta *I. B.* Clematis cærulea erecta *B. P.* *The Hungarian Climmer.*

Clematis five Flammula surrecta alba *I. B.* Clematis five Flammula erecta *B. P.* Flammula Jovis surrecta *Ger*: *Park*: *Upright Virgins-Bower.*

Clematis Daphnoides major *B. P.* *P*: major flore cæruleo & albo *I. B.* Daphnoides five Pervinca major *Ger*: Daphnoides latifolia, five Vinca pervinca major *Park*: *Great Perewinkle.*

Clematis Daphnoides minor *B. P.* *I. B.* Vinca pervinca *Officin* minor *Ger*: vulgaris *Park*: *Small Perewinkle. Offic*:

Clematis Daphnoides minor flore albo *Small Perewinkle with a white flower.*

Clematis Daphnoides minor flore saturate purpureo duplici *The lesser Perewinkle with deep-purple double flowers.*

Clematis Daphnoides minor foliis maculosis *Small Perewinkle with spotted leaves.*

S. CLINOPODIUM Origano simile B: P: quorundam Origani facie I: B: majus *Park: Acinos Ger: Great wild Basil.*

Clinopodium Origano simile flore albo *Great wild Basil with white flowers.*

Clinopodium arvense Ocymi facie B: P: minus sive vulgare *Park: Ocymum sylvestre Ger: Acinos multis I: B: Small wild Basil. Ann:*

CNICUS sativus sive Carthamum Officinarum B: P: Cnicus sive Carthamus sativus *Park: Carthamus sive Cnicus I: B. Ger: Bastard Saffron: Ann: Offic.*

Cnicus cæruleus asperior B: P: alter cæruleus *Ger: alter perennis Clusij Park: Carthamus sive Cnicus flore cæruleo*

ruleo *I. B. Clusius his everlasting Bastard-Saffron.*

Cnicus sylvestris hirsutior, five Carduus benedictus B. P. Carduus benedictus I. B. Ger. Park: The Blessed Thistle. Offic. Ann:

COCHLEARIA folio sinuato B: P: vulgaris Park: Britannica Ger: Britannica folio sinuato Hist: Oxon: Common, or English Sea Scurvy-Grasse. Offic.

S. Cochlearia folio subrotundo B. P. rotundifolia Ger: major rotundifolia five Batavorum Park: Cochlearia I. B. major Batavica subrotundo folio Hist. Oxon. Dutch Scurvy-grass. Offic. Ann:

S. Cochlearia minor rotundifolia The lesser round-leaved Scurvy-grass. Ann:

COLCHICUM I. B. commune B: P: Hist: Oxon: Anglicum purpureum Ger: Park: Purple Meadow-Saffron.

Colchicum Anglicum album Ger: Park: candido flore Anglicum I. B. Anglicum candidum angustifolium B. P.

B. P. VVhite English Meadow-Saffron.

Colchicum ex albo & purpurascen-
te varium *B. P. versicolor Park: parad:*
ποικιλανθές five versicolore flore *I. B. The*
party-coloured Meadow-Saffron.

Colchicum pleno flore *B. P. I. B.*
Ger: Park: parad: Double-flowered Mea-
dow Saffron.

Colchicum pleno flore variegatum
B. P. Park: parad: The party-coloured
Double Meadow-Saffron.

Colchicum Chioense floribus Frit-
tillariæ instar tussulatis, foliis undula-
tis *Hist: Oxon: Frittillaricum Chien-*
se Park: parad: variegatum Mel agidis
facie Cornut: The checkered Meadow-
Saffron of Chio, or Sio.

Colchicum pumilum Croci foliis *B.*
P. Hist: Oxon: minimum tenuifolium
Gallæcium I. B. Small Meadow-Saffron
with true Saffron-leaves.

Colchicum vernum *Ger: Park: ver-*
num Helveticum B. P. vernum Came-
rarij I. B. Spring Meadow-Saffron.

Col-

Colchicum luteum majus B: P: flore luteo quorundam I. B: *Colchiconarcissus autumnalis major* Hist: Oxon: *Narcissus autumnalis major* Ger: Park: *parad: The greater Autumn, or winter Daffodil.*

Colutea vesicaria B: P: I. B. *vesicaria vulgaris* Park: *Colutea* Ger: *Common Bastard-Senna.*

Colutea scorpioides Ger: I. B. *scorpioides major* Park: *siliquosa sive scorpioides major* B: P: *Scorpion-coddled Bastard-Senna.*

Colutea scorpioides odorata Prosp: Alp: *in Exot: Sweet-smelling Bastard-Senna.*

Colutea flore rubello, promontorij *Bonæ spei Red flowered Bastard-Senna from the Cape of good Hope.*

S. *Consolida media pratensis cærulea* B: P: *media*, quibusdam *Bugula* I. B. *Bugula* Ger. *vulgaris* Park: *Common Bugle. Offic.*

Consolida media pratensis flore albo.
Bugle with white flowers.

Consolida regalis hortensis, sive
Del-

*Delphinium variorum colorum Larks-
heels of several colours Ann:*

CONVOLVULUS major albus
*B. P. Park: major I. B. vulgaris ma-
jor albus seu flore majore albo Hist: Oxon: Smilax lævis major Ger: Great
white Binde-weed.*

S. Convolvulus minor arvensis **B: P:**
minor vulgaris *Park: vulgaris flore mi-
nore albo vel purpureo Hist: Oxon:*
*Helxine cissampelos multis, sive Con-
volvulus minor I: 3: Smilax lævis minor
Ger: Small Binde weed.*

S. Convolvulus minor semine trian-
gulo **B. P. niger Park: Volubilis ni-
gra Ger: Helxine semine triangulo I:**
B: Frumentum Saracenicum alterum
Convolvuli modo scandens, semine tri-
angulo minore nigro Hist. Oxon. Black
Binde-weed. Ann:

Convolvulus peregrinus cæruleus
folio oblongo B. P. peregrinus cæru-
leus folio oblongo, flore peramæno tri-
plici colore insignito Hist: Oxon: cæ-
ruleus minor folio oblongo Ger: minor
cæ-

cæruleus Hispanicus Park: Small long-leaved Binde-weed. Ann:

Convolvulus Siculus minor flore parvo auriculato Boccon: Siculus annuus cæruleus, minimus capsulâ floris binis foliolis cinctâ Hist: Oxon: Sicilian Binde-weed with very small blew flowers: Ann:

Convolvulus cæruleus hederaceo anguloso folio B. P. cæruleus Ger: cæruleus hederaceus seu trifolius Park: parad: Hist: Oxon: Nil Arabum quibusdam, five Convolvulus cæruleus I. B. Great blew Binde-weed with cornered leaves. Ann:

Convolvulus Althææ folio Park: argenteus Althææ folio B. P. Hist: Oxon: Ger: peregrinus pulcher Betonicæ folio I. B. Binde-weed with Marsh-mallow leaves.

C O N V U L mas Theophrasti, major Dioscordis *B. P. major verior Dioscordis Park: major Monspeliensis odorata I. B. odorata Ger: The truest great Fleabane.*

Cæ-

Conyza minor vera I: B: *Ger: minor vera* Ponæ *Park: foemina* Theophrasti, minor Dioscoridis B: P: *The tree-est small Flea-bane.*

Conyza major vulgaris B: P: major Matthioli, *Baccharis quibusdam* I: B: *Baccharis Monspeliensium* *Ger: Park. Great Fleabane, or Ladies-gloves.*

Conyza media Asteris flore luteo, vel tertia Dioscoridis B: P: *media Ger: media Matthioli flore magno luteo, humidis locis proveniens* I. B. *Milde-Fleabane.*

Conyza cærulea acris B: P: *Ger. odorata cærulea* *Park: Senecio, five Erigeron cæruleus, aliis Conyza cærulea* I. B. *Blew flowered Flea-bane, or sweet purple Fleabane:*

CORIANDRUM I: B: *Ger: vulgare* *Park: majus* B. P. *Common Coriander. Offic. Ann.*

Cornus hortensis mas B. P. *mas Ger. mas fructu rubro* *Park: sativa five domestica* I: B: *The male red Cornel-tree. Offic.*

Cor-

S. *Cornus foemina* B. P. Ger: *Park: foemina*, putata *Virga sanguinea*, I: B: *The Female Cornel, or Dog-berry-tree.*

S. *CORONOPUS sylvestris hirsutior* B. P. *vulgaris* five *Cornu cervinum* Park: *Cornu cervinum* Ger: *Coronopus*, five *Cornu cervinum vulgò*, *spicâ Plantaginis* I: B: *Buck-horn Plantain.* *Offic. Ann:*

CORYLUS sativa I. B. *sativa fructu albo minore*, five *vulgaris* B. P. *Nux avellana*, five *Corylus* Ger: *The Filberd-nut.* *Offic.*

S. *Corylus sylvestris* B. P. Ger: *Corylus*, five *Nux avellana sylvestris* I: B: *Park: Common Hazel-nut.* *Offic:*

S. *COTYLEDON hirsuta* I. *Raij: Hairie Kidney-woort.*

Cotyledon major. B: P: *vera radice tuberosâ* I. B. *Umbilicus Veneris* Ger: *Veneris vulgaris* Park: *Wal-penny-woort, Navel-woort, or Kidney-woort.* *Offic:*

S. *CRITHMUM marinum* Ger. *marinum vulgare* Park: *Crithmum multis,* five

sive *Foeniculum marinum* I. B. *Crith-*
mum sive *Foeniculum marinum minus*

B. P. Sampire Offic.

Crithmum chrysanthemum Ger :

Park : *maritimum flore Asteris Attici*

B. P. marinum tertium Matthiolo flore

luteo Buphthalmi I. B. Golden-flowered
Sampire.

Crocus I: B: *fativus B. P. verus*
fativus autumnalis Park: autumnalis fa-
tivus, seu hortensis Hist: Oxon: Common
Saffron. Offic.

Crocus vernus albus striatus Park: pa-
rad: White stript Spring-Saffron-flower.

Crocus vernus albus fundo purpureo
Park. parad: White Spring-Saffron with a
purple bottom:

Crocus vernus flavus striatus Park :
parad: Yellow stript Spring-Saffron.

Crocus vernus flore aureo Park: pa-
rad: Gold-yellow Spring-Saffron.

Crocus vernus purpureus maximus
Park: parad: Great purple Spring-Saffron:

Crocus vernus purpureus minor Park:
parad: Small purple Spring-Saffron.

CRO-

Crocus vernus striatus Turcicus *Park.*

parad: Turkey Stript Spring-Saffron.

Crocus vernus Neapolitanus *Park:*

parad: Blew Spring-Saffron of Naples.

Crocus vernus purpureus striatus

Park: parad: Stript purple Spring-Saffron.

S. CRUCIATA *Ger: vulgaris Park:*
hirsuta B: P: Gallium latifolium, Cru-
ciata quibusdam, flore luteo L: B: Cross-
wort. Offic.

CUCUMIS *sativus vulgaris B: P:*
Hist: Oxon: vulgaris viridis & albus
I: B: vulgaris Ger: sativus Park: Com-
mon Cucumbers, Offic, Ann:

Cucumis asininus *Ger: Hist: Oxon:*
agrestis sive asininus Park: sylvestris
asininus dictus B: P: sylvestris asininus
I: B: Wild, or Squirting Cucumber Offic:

CUCURBITA *lagenaria I. B.*
lagenaria major Park: lagenaria sylve-
stris Ger: lagenaria flore albo, folio mol-
li B. P. Hist. Oxon. Great Bottle-Gourd.
Offic: Ann.

CUMINUM *semine longiore B:*

H

P: vul-

P. vulgare Park: fativum Ger: Cym-
num five Cuminum fativum *L. B. Or-*
dinary Cumin. Offic: Ann:

CUPRESSUS L. B. Dod: sati-
va vulgaris Park: fativa & sylvestris
Ger: Common Cypresse-tree.

CYANUS major Ger: major vul-
garis Park: Alpinus radice perpetua
L. B. montanus latifolius, vel Verba-
sculum cyanoides *B. P. Great Blew-bottle*
Offic.

Cyanus floridus odoratus Turcicus,
five Orientalis Park: Great Oriental-
Bottles, or Sultan-flower. *Ann.*

Cyanus Orientalis flore albo White
coloured Sultan-flower. Ann:

Cyanus Orientalis flore luteo Yellow
coloured Sultan-flower. Ann:

S. Cyanus l: B: minor vulgaris Ger:
Park: segetum *B. P: Common Blew-bottle*
or Corn-flower. Offic. Ann.

Cyanus minor hortensis flore albo
White coloured small Boule-flower.

Idem flore carneo, rubro, purpureo
albo & caeruleo mixto.

CYCLAMEN orbiculato folio
inferne purpurascens **B. P.** orbiculato
folio **Ger:** autumnale vulgare folio ro-
tundo **Park:** *parad:* **Cyclaminus** folio
rotundiore elatior **I. B.** *Common Sow-
bread. Offic:*

Cyclamen autumnale vulgare flore
albo *Common Sow-bread with white
flowers.*

Cyclamen folio anguloso **B. P.** ver-
num **Lob:** **Ger:** vernum flore purpureo
Park: *parad:* **Purple flowered Sow-bread
of the Spring.**

Cyclamen *Hederæ* folio **B. P.** **Lob:**
Ger: autumnale folio *Hederæ* **Park** *pa-
rad:* **Cyclaminus** folio anguloso **I. B.**
Ivie leaved Sow-bread.

Cyclamen autumnale *Hederæ* folio,
flore albo **Park:** *parad:* **Ivie leaved
Sow-bread with white flowers.**

Cyclamen oblongo radice **I. B.** *Long-
rooted Sow-bread.*

CYNOGLOSSUM majus vul-
gare **B. P.** **Ger:** **Park:** vulgare **I. B.** *Com-
mon Hounds-tongue. Offic: Ann.*

S. *Cynoglossum majus* flore albo *White flowered Hounds-tongue.* Ann :

Cynoglossum semper virens B. P. *Park* : minus folio virenti Ger: *Cynoglossa folio virenti* I. B. *Ever-green Hounds-tongue.* Ann.

Cynoglossum minus B. P. I. B. minus flore cæruleo *Park* : *Small Hounds-tongue with blew flowers.* Ann.

Cynoglossum Creticum angusto argenteo folio B: P: *Creticum angustifolium* *Park* : *Creticum primum* Ger. *Creticum primum Clusij* I. B. *Narrow-leaved Hounds Tongue of Candy.* Ann.

CYTISUS Ger: glaber foliis subrotundis pediculis brevissimis B: P glaber filiquâ latâ I: B: *Pleudo-cytisus* foliis subrotundis *Park* : *Shrub-Trefoil.*

Cytisus incanus filiquis falcatis I. B. *Cytisus Maranthæ Matthiolo* Lob. filiquâ incurvâ folio candicante I: B: cornutus Ger: *Cytisus Galeni* creditus *Maranthæ*, cornutus *Park* : *Horned Shrub-Trefoil.*

Cytisus foliis incanis angustis quasi complicatis *I. B.* Hispanicus Clusij secundus *I. B.* **Pseudo-cytisus** Hispanicus secundus *Park* : *The second Spanish base-Trefoil.*

D.

DAUCUS montanus Apij folio major *B. P.* felinoides major *Park*. Saxifraga Venetorum *Adv.* Libanotis altera quorundam, aliis dicta Cervaria nigra *I. B.* Libanotis Theophrasti nigra *Ger* : *Black Herb-Frankincence, or Venetian Saxifrage.*

DENS CANIS latiore rotundioreque folio *B. P.* latiore rotundioreque folio, flore purpurascente *Hist* : *Oxon* : caninus flore purpureo *Ger* : caninus flore purpurascente *Park* : *parad* : **Satyrium** quorundam Eythronium, bifolium flore unico radiato albo &

purpureo I: B: *Purple Dog-tooth-Violet.*

Dens canis. angustiore longiore folio
B. P. angustiore longiore folio flore
albo *Hist: Oxon: caninus flore albo*
Ger. Park. parad: White Dog-tooth-
Violet.

S. DENS LEONIS *Ger: vulga-*
ris Park: latiore folio B: P: Hedypnois
sive Dens leonis Fuchsj I. B. Dandely-
on. Offic.

Dens leonis Asphodeli bulbulis B: P:
Monspeliensium, sive Asphodeli bul-
bulis *Park: bulbosus Ger: Knotty-root-*
ed Dandelyon.

DENTARIA heptaphyllos B: P:
Hist: Oxon: Park: heptaphyllos Clu-
sij Ger: Coralloides altera, sive septifo-
lia I. B: Set-foil-Tooth-wort, or Coral-
wort. Offic.

Dentaria pentaphyllos B. P. *Hist:*
Oxon: Park: pentaphyllos Clusij Ger:
quinquefolia I. B. Five-leaved-Tooth-
wort, or Coralwort.

Dentaria major Matthiolo *Ger: Oro-*
banche

banche radice dentatâ major *B. P.* radice dentatâ, five *Dentaria major Matthioli Park.* Anblatum Cordi five *Aphyllon I. B.* *The greater Toothwort.*

Dentariæ affinis, Echij flore capsulâ rotundâ Hort. R. g. Bies. Bastard Toothwort with Vipers-Bugloss flowers.

S. DIGITALIS purpurea folio aspero *B. P. Hist: Oxon:* purpurea *I. B. Ger:* purpurea vulgaris *Park. Purple Fox-gloves. Offic.*

Digitalis vulgaris flore albo White-flowered Fox-gloves.

Digitalis vulgaris flore carneo Flesh-coloured Fox-gloves.

Digitalis latifolia flore ferrugineo Hist: Oxon: maxima ferruginea *Park: parad: Broad-leaved Iron-coloured Fox-gloves.*

Digitalis lutea magno flore B. P. Hist: Oxon. lutea folio latiore flore majore *I. B. lutea flore amplo. Fox-gloves with large yellow flowers.*

Digitalis lutea vel pallida parvo flore B. P. *lutea minore flore* Hist: Oxon: *minor lutea vel pallida* Park: *parad:* *lutea* Ger: *flore minore sublutea, angustiore folio* I. B. *Small pale-yellow Fox-gloves.*

Digitalis foliis maxime ferratis Hort: Reg: Bles: *Galeata & verticillata Persicæ foliis, Digitalis æmula* Ejusdem in *plantarum non scriptarum delineatione* *Pseudo-digitalis purpurea* Boccon: *Bastard Fox-gloves, commonly Virginian Fox-gloves.*

DIPSACUS *fativus* B. P. I. B. Ger: *Park: Carduus fullonum* Lob: Garden, or *manured-Teasel.* Offic: Ann.

S. *Dipsacus sylvestris* Ger: *Park: sylvestris aut Virga pastoris major* B. P. *sylvestris sive Labrum Veneris* I. B. *The great wild Teasel, or Venus-bason.* Offic.

Dipsacus folio laciniato B. P. *sylvestris laciniatis foliis* Park: I. B. *Wild Teasel with jagged leaves.* Ann:

Dip-

Dipsacus sylvestris capitulo minore,
 five **Virga pastoris minor** *B. P. minor*
 five **Virga pastoris** *Ger: Virga pastoris*
Park: Virga pastoris vulgaris l. B.
Shepherds-Rod, or small wild Teasel.
Ann:

DORONICUM radice scorpij
B: P: vulgare l: B: Park: majus officinarum
Ger: Romanum Hist. Lugd:
Great Leopards-bane. Offic:

Doronicum Plantaginis folio *B. P.*
 folio fere **Plantaginis oblongo** *l. B. minus*
Park: minus officinarum Ger: The lesser
Leopards-bane.

Doronicum Americanum *Park. A-*
mericanum laciniato folio B. P. Aconi-
tum Helianthemum Canadense Cornut:
Great American Leopards-bane.

Doronicum Americanum minus foli-
 is obscurius virentibus *Hort: Reg: Bles:*
Small American Leopards-bane with dark-
green leaves.

D R A B A alba filiquosa repens *B. P.*
Park: altera repens Ger: filiquosa alba
perennis repens succulento folio Hist:
Oxon.

Oxon. Hesperis Alpina seu muralis minor repens I: B: *The creeping-codded Arabian-Mustard.*

Draba lutea filiquis strictissimis B. P. Hist: Oxon: lutea Park: lutea quibusdam I. B. quarta Ger. Yellow Arabian-Mustard.

Draba umbellata vel Draba major capitulis donata B. P. filiculosa repens major, foliis magis incanis, spanospermus vulgaris Hist. Oxon: vulgaris Park: Dioscoridis Ger: Draba multis, flore albo I: B: Common Arabian-Mustard.

DRACUNCULUS hortensis B. P. hortensis sive Tarchon I. B. Draco herba Ger: Draco herba sive Tarchon, & Dracunculus hortensis Park: Tarra-gon.

S. *Dracunculus pratensis ferrato folio B: P: Ptarmica Ger: vulgaris Park: vulgaris folio longo ferrato, flore albo I: B: Common Sneez-wort. Offic:*

Dracunculus pratensis, sive Ptarmica flore pleno. Double-flowered Sneez-wort.

Dra-

Dracunculus polyphyllus *B. P.* major vulgaris *I. B. Park:* *Dracontium majus* *Ger: Great Dragons. Offic.*

E.

ECHIU M *scorpioides arvense* *B. P. scorpioides solissequum flore minore* *I. B. Myosotis scorpioides arvensis hirsuta* *Ger: scorpioides hirsuta* *Park: Mouse-ear Scorpion-grass. Ann.*

3. *Echium scorpioides minus flosculis luteis* *B. P. Myosotis scorpioides minor flosculis luteis* *Park: Small yellow flower-ed Scorpion-grass.*

Echium scorpioides palustre *B. P. scorpioides solissequum aliud, flore majore cæruleo & albo* *I. B. Myosotis scorpioides palustris* *Ger: scorpioides repens* *Park: Water Scorpion grass.*

S. *Echium vulgare* *B. P. I. B. Ger: Park: Common Vipers-Bugloss. Offic. Ann. E-*

S. Echium flore albo *Vipers Buglosse* with a white flower. *Ann.*

Echium Creticum latifolium rubrum *B. P. Park*: Echium Candiae flore pulchro rubente *I. B. Reddish-flowered Vipers Buglosse of Candy. Ann.*

Echium Creticum flore variegato *Vipers-Buglosse of Candy with party coloured flowers. Ann.*

E L A T I N E folio acuminato, in basi auriculato, flore luteo *B. P. folio acuminato Park*: foemina folio anguloso *I. B. altera Ger*: Linaria hirsuta folio acuminato, in basi auriculato *Hist. Oxon*: Sharp-pointed *Fluellen. Offic. Ann.*

Elatine folio subrotundo, *B. P. Park*: mas folio subrotundo *I. B. Veronica foemina Fuchsijsive Elatine Ger*: Linaria hirsuta folio subrotundo, flore ex herbido flavescente *Hist. Oxon*: Female *Fluellen*, or round-leaved *Fluellen*, or *Speedwel. Ann.*

E P I M E D I U M *B. P. Ger*: *Park. Hist. Oxon*: Epimedium quorundam *I. B. Barren-wort. EQUI-*

S. **EQUISETUM** arvense longioribus setis *B. P. Park:* segetale *Ger:* minus terrestre *I: B: Common Horse-tail. Offic.*

S. **Equisetum nudum** *Ger:* junceum si-
ve nudum *Park:* foliis nudum non ra-
mosum, siue junceum *B: P: Naked Horse-
tail.*

S. **Equisetum sylvaticum** tenuissimis se-
tis *B: P: sylvaticum Ger:* omnium mi-
nimum tenuifolium *Park:* **Equisetum** si-
ve *Hippuris tenuissima*, non aspera *I: B:*
Wood Horse-tail.

S. **Equisetum palustre** longioribus setis
P. P. majus Ger: majus palustre *Park:*
majus aquaticum *I: B: The greater marsh-
Horse-tail.*

S. **Equisetum palustre** brevioribus foliis
polyspermon *P. B. alterum breviori-
bus foliis Park:* **Equiseti** facie *Polygo-
num foemina I: B: Female-Horse-tail.*

S. **Equisetum foetidum** sub aquâ repens
*P: B. I: B: Park: Ger: Stinking water-
Horse-tail.*

S. **ERICA** baccifera procumbens ni-
gra

gra *B. P.* baccifera procumbens *Ger:*
baccifera *Matthioli I. B.* baccifera ni-
gra *Park:* *Berry bearing Heath.*

S. *Erica vulgaris Ger: Park:* vulga-
ris glabra *B. P.* vulgaris humilis sem-
per virens flore purpureo & albo *I. B.*
Common Heath. Offic.

S. *Erica Myricæ folio, tomentosis, &*
incanis foliis Clusio I. B: *Myricæ folio*
hirsuta B. P. vulgaris hirsuta *Ger:* vul-
garis hirsutior *Park:* *Common rough-leav-*
ed Heath.

S. *Erica humilis cortice cineritio, Ar-*
buti flore B: P: tenuifolia *Ger:* virga-
ta sive sexta *Clusij Park:* ramulis ter-
nis, floribus saturationibus purpureis
I. B. Fine-leaved Heath.

S. *Erica ex rubro nigricans scoparia*
B: P: major flore purpureo *Ger:* pu-
mila altera *Belgarum Lob:* pumila
Belgarum Lobelij scoparia nostras
Park: *Brabantica folio Coridis hirsu-*
to quaterno I. B. Low-Dutch-Heath, or
Broom-Heath.

ERUCA latifolia alba fativa **B: P:**
 major fativa annua flore albo striato
I. B. Hist: Oxon: fativa **Ger:** alba **Park:**
Garden Rocket Offic. Ann:

Eruca fativa foliis magis diffusis.
Garden Rocket with deeper-cut-leaves
Ann.

Eruca Chalepensis caulibus & filiquis
 hirsutis, foliis inferioribus maculatis
Hist: Oxon: *Rocket of Alepo with hairy*
stalks and cods, the lower leaves spotted.
Ann.

Eruca sylvestris major lutea caule
 aspero **B: P:** sylvestris major vulgati-
 or foetens **Hist: Oxon:** sylvestris **Ger:**
 sylvestris vulgator **Park:** tenuifolia pe-
 rennis flore luteo **I: B:** *Wild Rocket.*

Eruca Bellidis foliis **Hist: Oxon:**
Daisy leaved Rocket.

S. **Eruca** lutea latifolia sive Barbarea
B. P. latifolia lutea seu Barbarea major
Hist: Oxon: Barbarea **I. B.** **Ger:** Barbarea
 flore simplici **Park:** *Winter-Cresses, or*
Winter-Rocket.

Eru.

Eruca latifolia lutea seu *Barbarea* minor flore simplici *Hist: Oxon: The lesser single flowered Winter-Rocket, or Winter-Cresses.*

- S. *Eruca sylvestris* minor, luteo parvoque flore I. B. *sylvestris* seu *palustris* minor procumbens & repens, luteo parvoque flore. *Hist: Oxon: aquatica Ger: Park: Eruca* quibusdam *sylvestris* repens, flosculo parvo luteo I. B. *Small water-Rocket.*

Eruca Monspeliaca filiquâ quadratâ echinatâ B. P. *Hist: Oxon: Monspeliaca* filiquâ quadrangulâ Park: *Sinapi echinatum* I. B. *Prickly squared Rocket of Montpellier. Ann:*

- S. *Eruca maritima* Halica filiquâ hastæ cuspidi simili B. P. *Hist: Oxon: marina Ger. marina Anglica Park: Cakile* quibusdam aliis *Eruca marina*, & *Raphanus marinus* I. B. *Sea-Rocket. Ann:*

- S. *ERYNGIUM* maritimum & *Gesn: hort: B: P: marinum* I. B. *Ger: Park: Sea-Holly, or Eringo. Offic.*

Eryngium vulgare, & *Camerarij*
I. B.

B. P. vulgare **I. B.** mediterranneum
Ger : mediterraneum sive campestre
Park: *Mediterranean Eringo, or Sea-Holly.*

Eryngium latifolium planum B. P. :
 planum latifolium capitulo rotundo par-
 vo **I. B. :** cæruleum **Ger:** Pannonicum
Park: *Mountain Eringo.*

Eryngium montanum amethystinum
B. P. : cæruleum **I. B. Blew Eringo.**

ERYSIMUM vulgare B. P. Hist.
Oxon. Erysimum Dioscoridis **Lob: Ger:**
Erysimum Tragi flosculis luteis juxta
 muros proveniens **I. B. :** Irio sive Erysi-
 mum vulgare **Park :** *Common-Hedge-*
Mustard or Bank-Cresses. Offic: Ann.

Erysimum latifolium majus glabrum
B. P. Hist : Oxon : latifolium Neapo-
 litanum **Park:** *Broad-leaved Hedge-Mu-*
stard of Naples.

Erysimum angustifolium majus B.
P. angustifolium Neapolitanum Park.
 montanum Irionis vulgaris folio
 Hist: Oxon: Rapistrum
 I Iri-

Trionis folio Col: Narrow-leaved Hedge-Mustard of Naples. Ann:

Erysimum polyceratium five corniculatum *B: P: Hist. Oxon:* Matthioli alterum *Lob:* alterum *Italicum Ger:* verum five montanum *Park.* alterum Matthioli filiquis parvis, quibusdam *Dentaria I. B. True Hedge-Mustard, or Italian Banke-Cresses. Ann.*

S. Eryfimo similis hirsuta non laciniata alba B: P: Eryfimo similis hirsuta plantata Park: Erysimum minimum annuum hirsutum Hist: Oxon. Barbarea muralis I. B. Hairy-Hedge-Mustard with uncut leaves, or Daisie-leaved Wall-Cresses. Ann.

S. EUONYMUS vulgaris granis rubentibus B. P. vulgaris Park: Euonymus Theophrasti Ger: Euonymus multis, aliis Tetragonia I. B. The Spindle tree.

Euonymo similis arbor Virginiana The Virginian Spindle-tree.

S. EUPATORIUM Veterum five Agrimonia B. P. Eupatorium Veterum, fil

ve Agrimonia inodora seu minus odora
Hist: Oxon: Agrimonia Ger. vulgaris
Park: Agrimonia sive Eupatorium I: B:
Common Agrimony. Offic.

Eupatorium odoratum *B. P.* alterum
 odoratum & aromaticum *Col: maxime*
 odoratum *Hist: Oxon: Agrimonia odo-*
rata Park: Sweet Agrimony.

Eupatorium cannabinum *B. P: Park:*
 cannabinum mas *Ger. adulterinum I: B:*
 Eupatorium Avicennæ creditum *Cam:*
Common Hempe-like Agrimony. Offic:

Eupatorium cannabinum America-
 num latifolium *Park: Eupatoria foliis*
Enulæ Cornut: Broader-leaved Hempe-
Agrimony of America.

Eupatorium aquaticum folio integro
Park: Eupatorij cannabini foeminae va-
rietas altera Ger: Cannabina aquatica
 folio non diviso *B: P: Verbesina pul-*
chriore flore luteo I. B. Water-Agrimony
with undivided leaves. Ann.

Eupatorium cannabinum foemina
Ger: aquaticum duorum generum Park:

Cannabina aquatica folio tripartito di-
viso B. P. Verbesina, sive Cannabina
aquatica flore minus pulchro, elatior
& magis frequens I. B: *Water-Agrimo-*
ny with divided leaves. Ann:

S. EUPHRASIA I. B: Ger: vulga-
ris Park: officinarum B: P: *Eye-bright.*
Offic: Ann:

S. Euphrasia pratensis rubra B. P. parva
purpurea I. B. Cratæogonon Euphrosi-
nes facie Ger: Euphrasia pratensis ru-
bra major Park: *Eye-bright-Cow-wheat.*
Ann:

F.

F A B A compressa major seu hor-
tensis major alba vel rubra *Hist*
Oxon: major hortensis Ger. Park:
Faba, cyamos leguminosa I. B:
Boona sive Faselus major *Dod. Great*
Garden Beans, commonly called Turkey
Beans. Ann.

Faba minor siye **equina** *B. P.* rotunda oblonga seu cylindracea minor seu equina alba & nigra *Hist: Oxon:* minor silvestris *Park:* communis *Ger: Common or Field-Beans. Offic. Ann.*

Faba silvestris fructu rotundo atro *B. P.* silvestris *Ger:* silvestris *Græcorum,* siye **Faba Veterum** *Park:* *Arachus fabaceus* & **Faba Kayrina** cui semina minima *I. B.* **Vicia Narbonensis** maxima fructu rotundo atro, foliis ferratis & integris *Hist: Oxon: The Old Greekish-Bean. Ann.*

F A G U S *B. P. Ger: Park:* **Fagus** *Latinorum,* **Oxya** *Græcorum I: B:* *The Beech-tree.*

F E R R U M E Q U I N U M siliquâ singulari *B. P. Hist: Oxon:* equinum *Ger:* equinum majus *Park:* Solea equina *I. B. Great Horse-shoe-Vetch. Ann:*

Ferrum equinum Gallicum siliquis in summitate *B: P:* equinum Gallicum *Park:* Polygalon Cortusi *I: B:* Polygala enneaphyllos *Hist: Oxon: The French-Horse-shoe-Vetch.*

Ferrum equinum filiquâ multiplici
I. B. Hist: Oxon: equinum polycera-
ton Park: Many-cotted Horse-shoe-Vetch.
Ann:

Ferrum equinum Germanicum fili-
 quis in summitate *B: P: equinum como-*
sum Park: equinum capitatum, seu co-
mosum Col: Hist: Oxon. Ornithopodio
affinis, vel potius Soleæ aut Ferro equi-
no, herba I. B. Tufted Horse-shoe-Vetch.

F E G O P Y R U M *Dod: Tragopy-*
ron Ger: Park: Fagotriticum I. B. Ery-
simum cereale B. P. Polygonum he-
deraceum sive Frumentum Sarace-
nicum rectum Hist: Oxon: Buck-
Wheat. Ann.

F E R U L A *Galbanifera Lob: latio-*
re folio Park: folio glauco semine la-
to oblongo, quibusdam Thapsia fe-
rulacea I: B: Ferulago latiore folio
B. P. The broader-leaved Fennel-Gyant.
Offic.

Ferula Ger. foemina Plinij B: P: te-
nuiore folio Park: folio Fœniculi semine
la-

latiore & rotundiore I: B: *Fine leaved Fennel-gyant.*

Eerula Tingitana folio latissimo lucido Broad leaved shining Fennel-gyant of Tangiers.

S. **FESTUCA** avenacea sterilis elatior B. P. Bromos herba sive Avena sterilis Park: Bromos sterilis Ger: *Ægilops Matthiolo forte I: B: Great wild Oat-Grass. Ann:*

S. Festuca avenacea hirsuta panniculis minus sparsis I: Raij: Gramini murali Dalechampij simile si non idem I. B. *Rough Oat-grass with more compacted panicles. Ann:*

S. Festuca altera Dod: graminea glumis hirsutis B. P. Gramen Gros Montbelgardense I: B: *Drank, or Oat-grass with larger and more sparsed panicles. Ann.*

S. Festuca utriculis lanugine flavescen-
tibus B. P. *Ægilops bromoides Ger: Ægilops bromoides Belgarum Park: Ægilops quibusdam aristis recurvis, sive Avena pilosa I. B: Bearded Wild-Oats, or Haver. Ann.*

S. **F I C U S** *I. B.* Ger: vulgaris Park: communis *B. P.* Common Fig-tree. *Offic.*

Ficus Indica folio spinoso fructu minore *B. P.* Indica spinosa minor Park: *The lesser prickly Indian-Figg.*

S. **F I L I P E N D U L A** *I. B.* Ger: vulgaris Park: vulgaris, an Molon Plinij? *I. B.* Drop-wort. *Offic.*

S. **F I L I X** ramosa non dentata florida *B. P.* floribus insignis *I. B.* florida sive **Osmunda regalis** Ger: Osmunda regalis, sive Filix florida Park: *Flowering-Fern, or Osmund-Royal. Offic.*

S. Filix ramosa major pinnulis obtusis non dentatis *B. P.* major & prior **Trago**, sive ramosa repens *I. B.* foemina Ger: foemina vulgaris Park: *Female-Fern, or common Brakes. Offic.*

S. Filix non ramosa dentata *B. P.* mas Ger. mas vulgaris Park: vulgò mas dicta, sive non ramosa *I. B.* *Male-Fern. Offic.*

S. Filix mas ramosa pinnulis dentatis Ger: *Branched Male-Fern with dented leaves.* Fi-

- S. Filix mas non ramosa, pinnulis angustis, raris, profunde dentatis *Ger*: mollis sive glabra, vulgari mari non ramosa accedens *I. B. Male-Fern with thin-set deeply-dented leaves.*
- S. Filix mas non ramosa pinnulis latis auriculatis spinosis *Ger*: Lonchitidi affinis *I. B. mas aculeata major B: P: Prickly Male-Fern.*
- S. Filix palustris sive aquatica *I: Raij*: minor non ramosa *I. B. Marsh, or water Male-Fern.*
- S. Filix querna *B: P: Dryopteris, sive Filix querna repens Park*: Filix minor non ramosa *I. B. Dryopteris Penæ & Lobelij Ger: True Oak-Fern.*
- S. Filix saxatilis ramosa nigris maculis punctata *B: P: ramosa minor I. B. pumila saxatilis prima Clusij Park*: Dryopteris Tragi *Ger: The lesser branched Female-Fern, or Stone-Fern.*
- S. Filix saxatilis non ramosa nigris maculis punctata *B. P. pumila saxatilis altera Clusij Park: Male Stone-Fern.*
- S. Filix saxatilis caule tenui fragili *1: Raij*:

Raij: saxatilis crispa Park: Filicula Alpina crispa B: P: Fine-cut Stone-Fern with slender and brittle stalks.

- S. *Filicula montana florida perelegans seu Adiantum album floridum I: Raij: Small flowering Rock-Fern.*

FOENICULUM vulgare Germanicum B: P: vulgare Ger: Park: vulgare minus, acriore & nigriore semine I. B. *Common Fennel. Offic:*

Foeniculum foliis atro-rubentibus Brown Fennel.

Foeniculum dulce B.P. Ger: Park: dulce majore & albo semine I. B. Sweet Fennel, Offic.

Foeniculum dulce Azoricum D. Morisoni Sect. de plant: umbellifer. Sweet Fennel from the Azores.

FOENUM GRÆCUM I. B. Ger: sativum B: P: Park: Trifolium Fœnum græcum dictum Hist: Oxon: *Fœnugreek. Offic. Ann.*

- S. **FRAGARIA** Ger: vulgaris B. P. Hist: Oxon: Park: ferens fraga rubra I. B. *Common Straw-berries. Offic.*

Fra-

Fragaria fructu subalbido *Ger: Park:*
White Straw-berries.

Fragaria fructu parvi Pruni magni-
tudine *B. P. Hist: Oxon:* *Fragaria Bo-*
hemica *Park: Great white Straw-ber-*
ries.

Fragaria Virginiana fructu coccineo
Hist: Oxon: Virginian Straw-berrrie.

S. *Fragaria sterilis* *B: P:* *minime vesca*
Park: minime vesca sive sterilis *Ger:*
sterilis, seu minime vesca hirsuta mini-
me incana *Hist: Oxon: non fragifera,*
vel non vesca *I. B. Barren Straw-ber-*
ries.

F R A X I N E L L A *Ger: Park: Di-*
ctamnus albus vulgò, sive Fraxinella
B. P. Fraxinella, Officinis Dictamnus
I: B. Bastard Dittany, or Fraxinel. Offic:
Fraxinella niveo flore *Clus: flore al-*
bo *Park: parad: White-flowered Bastard-*
Dittany.

S. **F R A X I N U S** *Ger: vulgaris* *Park:*
excelsior *B: P: Fraxinus vulgaris* *Melia*
Dioscoridis, Melias genus excelsum &
procerum *Theophrasto* *I: B: Common-*
Ash-tree. Offic: **F R I T**

FRITTILLARIA Ger: præcox
purpurea variegata B: P: *Hist. Oxon:*
vulgaris Park: parad: Meleagris five
Fritillaria saturation & dilution I. B.
The most common Fritillary, or Checker-
ed Daffodil.

Fritillaria præcox alba B: P: *Hist:*
Oxon: Ger: alba Park: parad: alba al-
tera I: B: The white Fritillary.

Fritillaria Hispanica umbellifera Park:
parad. Ger: *The Spanish Fritillary with*
the flowers standing as it were in an Um-
bell.

Fritillaria flore duplici albicante
Park: parad: *The double blush Fritillary.*

Fritillaria alba polyanthos *The white*
Fritillary with many flowers:

Fritillaria serotina floribus ex flavo
virentibus B. P. *Hist: Oxon: Aquita-*
nica minor, flore luteo obsoleto Ger:
Meleagris five Fritillaria Aquitanica re-
flexis oris I: B: The lesser dark Fritillary.

S. FUMARIA officinarum & Diosco-
ridis B: P: vulgaris I. B. Park: purpu-
rea Ger: vulgaris latifolia filiquis curtis
non

non bivalvibuss *Hist : Oxon : Common*
Fumitory. Offic : Ann.

S. *Fumaria major scandens flore palli-*
diores I: Raj: The greater ramping Fu-
mitory. Ann:

S. *Fumaria clavicularis donata B: P: Hist:*
Oxon: alba latifolia Park: alba latifolia
claviculata Ger: Fumaria cum capreolis
I: B: Climbing Fumitory. Ann.

Fumaria filiquosa semper virens Cor-
nut: Hist: Oxon: Americana filiquosa
semper virens Park: Indian Fumitory:

Fumaria bulbosa radice cavâ major
B: P: radice cavâ flore purpureo I. B.
tuberosa major radice cavâ Hist: Oxon:
Radix cava major flore carneo Park:
parad. Radix cava major purpurea Ger:
Hollow-root with purple flowers.

Fumaria bulbosa radice cavâ flore al-
bo I. B. Radix cava major alba Ger:
major flore albo Park. parad: The white
Hollow-root.

G.

GALEGA I: B: *Ger. vulgaris B. P. Hist: Oxon: Park: Ruta capraria Gesn: Common Goats-rue. Offic:*

Galega flore albo Hort: Eyst: White flowered Goats-rue.

Galegæ affinis, Sesban Prosp: Alp: Egypt: Galega Ægyptiaca siliquis articulatis B. P. Sesban, sive Securidaca Ægyptiaca articulata Park: Hatchet-Vetch of Ægypt with joynted codd. Ann:

S. **GALLIUM** album I. B: *Ger: palustre album B: P: Gallij albi sive Molluginis vulgationis varietas major I: B: White Ladies-Bed-straw.*

S. **Gallium**, sive *Mollugo montana minor Gallio albo similis I: Raij: Small Mountain-Bastard-Madder.*

Gal-

- S. *Gallium luteum* Ger: *Park*: B. P. *verum Dioscoridis & Galeni* I: B: *Yellow Ladies-Bedstraw. Offic.*
- S. GENISTA spinosa major longioribus aculeis B. P. spinosa vulgaris Ger: spinosa major vulgaris sive *Scorpius Theophrasti*, quem *Gaza Nepam* transtulit *Park*: *Genistellæ spinosæ affinis*, *Nepa* quibusdam I. B. *Common Whins.*
- S. *Genista minor aspalathoides*, seu *Genista spinosa Anglica* B: P: *Genistella minor aspalathoides* I. B. *Genista aculeata* Ger: *Genistella aculeata* *Park*: *Needle-Furze, or Pettie-Whin.*
- S. *Genista* Ger: *angulosa & scoparia* B: P: *vulgaris & scoparia* *Park*: *angulosa trifolia* I. B. *Common-Broom. Offic.*
- S. *Genista tinctoria Germanica* B. P. *tinctoria vulgaris* *Park*: *Genistella tinctoria* Ger: *Tinctorius flos* I. B. *Dyers-Broom, Green-weed, or Dyers-weed.*

Genista tinctoria ramulis erectis
Dyers Broom with Upright branches.

GEN-

G E N T I A N A Asclepiadis folio
B. P. Park: folio Asclepiadis vulgo
 creditæ *I: B:* major secunda cæruleo
 flore *Clusij Ger: Swallow-wort-Gentian.*

Gentiana cruciata P: B. Park: minor
 nor cruciata *Ger: minor seu vulgi cru-*
ciata I: B: Cross-wort-Gentian.

Gentianella Alpina angustifolia mag-
no flore P. B. Alpina magno flore I:
B: verna major Ger: verna Park: parad.
Small Gentian of the Spring.

S. Gentianella autumnalis Centaurij
minoris foliis Park. fugax minor Ger:
Gentianellæ species quibusdam, an Cor-
do Pneumonanthe aut Gentiana fugax
altera Clusij? I: B: Dwarfse Autumnal
Gentian.

S. G E R A N I U M batrachoides *Gratia*
Dei Germanorum Lobelio P. P. ba-
trachoides I: B: Ger: batrachoides vio-
laceum Hist: Oxon: batrachoides flore
cæruleo Park: parad: The blew Crow-
foot Crans-bill.

Geranium batrachoides flore albo
Park: parad: The white Crow-foot-Crans-
bill. Ge.

Geranium batrachoides flore albo
& cæruleo vario *Park: parad: The*
party-coloured Crow-foot-Crans-bill

Geranium batrachoides folio Aco-
niti B: P: *Hist: Oxon:* batrachoides ali-
ud folio Aconiti nitente *Clusij. I: B:*
batrachoides minus *Park:* batrachoides
alterum *Ger: The lesser Crow-foot-Crans-*
bill.

Geranium annuum minus batracho-
ides Bohemicum purpuroviolaceum
Hist: Oxon: The lesser annual purple
flowered Crow-foot-Crans-bill of Bohemia.
Ann:

Geranium batrachoides odoratum
B. P. Hist. Oxon. batrachoides longius
radicatum *Ger:* batrachoides alterum
longius radicatum *Lobelij Park:* batra-
choides longius radicatum odoratum *I:*
B: Long-rooted Crans-bill.

Geranium montanum fuscum *B. P.*
phæum flore reflexo *I: B: phæum seu*
fuscum petalis reflexis *Hist. Oxon. fuf-*
cum sive maculatum Park: parad. Ger.
Swart-tawney or spotted Crans-bill.

S. Geranium sanguineum maximo flore
 B. P. Hist: Oxon: sanguinarium Ger :
 hæmatodes Park: parad: sanguineum
 five hæmatodes crassa radice I: B: The
 red Rose. Crans-bill.

Geranium hæmatodes flore variega-
 to Stript Rose-Crans-bill.

Geranium purpureum Moschoviti-
 cum Park: Hist. Oxon: Purple Musco-
 vy Crans-bill.

Geranium Romanum versicolor five:
 striatum Park. parad: Hist: Oxon: The
 variable stript Crans-bill.

Geranium tuberosum majus B.P. Hist:
 Oxon: tuberosum Ger: I. B. tuberosum
 vel bulbosum Park: parad. Bulbous, or
 Knobbed Crans-bill.

S. Geranium lucidum saxatile P. B.
 saxatile Ger Park: lucidum I: B: annu-
 um montanum rotundifolium saxatile
 lucidum Hist: Oxon: Shining Rock-
 Crans-bill. Ann.

S. Geranium folio Malvæ rotundo P: B.
 folio Malvæ rotundo majus Hist. Oxon:
 columbinum Ger: columbinum vulgare
 Park:

Park: folio rotundo multum serrato,
sive columbinum *I. B.* *Doves-foot*, or
Crans-bill. *Offic: Ann:*

S. *Geranium columbinum tenuius laci-*
niatum B. P. columbinum annuum mi-
nus tenuius laciniatum Hist: Oxon: co-
lumbinum magis dissectis foliis Ger:
malacoides laciniatum sive columbinum
alterum Park: Doves-foot with deeply-
cut-leaves. Ann.

S. *Geranium malacoides flore albo Hort.*
Reg: Bles. White flowered Doves-foot-Crans
bill. Ann.

S. *Geranium columbinum majus flore*
minore cærulescente I. Raij. Doves-foot
with a blew flower. Ann:

S. *Geranium columbinum dissectis fo-*
liis pediculis florum longissimis I. Raij.
columbinum annuum minus folio tenu-
is laciniato flore pediculo longissimo in-
sistente Hist: Oxon: Jagged Doves-
foot with flowers on long foot-stalks.
Ann.

Geranium Althææ folio B.: P: Hist:
Oxon: althæodes majus Park: mala-
K 2 coides

coides *Lob. Ger: malvaceum I: B: Crans-*
bill with Marsh-Mallow leaves. Ann.

Geranium pusillum supinum mariti-
um Betonicæ folio I. Raij. minimum
procumbens foliis Betonicæ Hist. Oxon:
Small Sea-Crans-bill, or Betony-leaved
Crans-bill. Ann:

Geranium latifolium acu longissimâ
B. P. latifolium annuum cæruleo flore
acu longissimâ Hist. Oxon. Creticum
Ger: Park. speciosum annuum longif-
simis rostris Creticum I: B: Candy-
Crans-bill. Ann.

Geanium Cicutæ folio moschatum
B. P. moschatum Hist. Oxon. Ger: Park.
moschatum, folio ad Myrrhidem acce-
dente, majus I. B. Musked-Crans-bill.
Offic. Ann:

S. *Geranium Cicutæ folio inodorum*
B. P: annuum Cicutæ folio inodorum
Hist. Oxon: Cicutæ folio minus & su-
pinum Ger: moschatum inodorum
Park: moschatum, folio ad Myrrhi-
dem accedente minus I: B: Unsavory
Crans-bill. Ann.

Ge-

S. Geranium moschatum inodorum flore albo *Park*: arvense album *Tab. Unsavoury Crans-bill with white flowers. Ann.*

S. Geranium Robertianum primum *B. P.* Robertianum flore dilute rubello *Hist. Oxon.* Robertianum *Ger*: Robertianum vulgare *Park.* Robertianum murale *I. B.* *Herbe-Robert. Offic. Ann:*

S. Geranium Robertianum flore albo *Herbe-Robert with white flowers.*

GINGIDIUM umbellâ oblongâ *B. P.* Gingidium Hispanicum *Ger*: Vifnaga *I. B.* Vifnaga, Gingidium appellatum *Park.* *Tooth-pick-Chervil. Ann:*

GLADIOLUS floribus uno versu dispositis major *B. P.* *Hist. Oxon.* Gladiolus sive Xiphion *I. B.* Narbonensis *Park. parad. Ger.* *The French Corn-Flagg.*

Gladiolus flore rubente *Park. parad. Blush Corn-Flagg.*

Gladiolus flore albo *Park. parad. White-flowered Corn-Flagg.*

Gladiolus floribus uno versu dispositis

tis minor *B. P. Hist. Oxon.*: purpureus
minor *Park. parad.*: *Small purple Corn-
Flagg.*

Gladiolus major Bizantinus B. P. Hist. Oxon.: *Bizantinus Park. parad.*: *Corn-
Flag of Constantinople.*

S. GLAUX maritima *B. P.*: exigua ma-
ritima *I. B. Ger.*: *Park.*: *sea Milk-wort,*
or black Salt-wort.

GLYCYRRHIZA vera sili-
quosa sive Germanica *B. P. Hist. Oxon.*:
vulgaris *Ger.*: vulgaris siliquosa *Park.*:
radice repente vulgaris Germanica *I. B.*
Common Liquorice. Offic.

S. Glycyrrhiza sylvestris floribus luteo-
palescentibus *B. P.* *Glauz vulgaris* le-
guminosa sive *Glycyrrhiza sylvestris*
Park.: *Fœnum græcum sylvestre* sive
Glycyrrhiza sylvestris quibusdam *I. B.*:
Hedysarum Glycyrrhizatum Ger.: *A-
stragalus luteus perennis procum-
bens vulgaris sive sylvestris. Hist.*
Oxon.: *Wild Liquorice, or Liquorice-
Vetch.*

GNAPHALIUM latifolium
Ame.

Americanum *B. P.* Americanum *I. B.*
Ger: Park: Everlasting, or American
Cud-weed.

5. *Gnaphalium vulgare majus B. P. minus* five *Herba impia Park: Filago* five *Herba impia Ger: Gnaphalium Germanicum I. B: Common Cud-weed, or Herbe-impious. Ann.*

5. *Gnaphalium majus angusto oblongo folio alterum B: P: rectum I. B: Anglicum Ger: Anglicum vulgare majus Park: Great English Cotton-weed. Ann:*

5. *Gnaphalium medium B. P. vulgare* five *secundum Ger: Gnaphalio vulgari similis I. B. Filago minor Park: Middle or black-headed Cud-weed. Ann:*

5. *Gnaphalium minus repens B: P: minimum I. B. minimum repens Park: Filago minor Ger. The least Cud-weed. Ann:*

Gnaphalium minus latioribus foliis B: P: Park. Ger: Gnaphalium unico cauliculo I. B: The lesser broad-leaved Cud-weed. Ann.

Gnaphalium roseum sylvestre *B. P.* roseum *Park. parad.* umbellatum minimum *I. B.* *The Cotton-Rose, or Rose-Cottonweed.*

S. Gnaphalium montanum flore rotundiore *B. P.* montanum album *Ger:* montanum sive *Pes Cati Park.* Pilosella minor quibusdam, aliis Gnaphalij genus *I. B.* *Mountain Cudweed, or Cats-foot. Offic.*

S. Gnaphalium montanum flore purpureo. *Purple-flowered mountain Cottonweed.*

S. GRAMEN agrorum *Lob:* agrorum venti spicâ *Park.* arundinaceum *Ger:* agrorum Lobelij *I. B.* segetum panicula arundinaceâ *B. P.* *Corn-reed-grass, or Bent.*

S. Gramen alopecuroides majus *Ger:* Alopecuro simile glabrum cum pilis longiusculis in spicâ, Onocordon mihi denominatum *I. B.* phalaroides majus Italicum *B. P.* phalaroides majus *Park:* *The most common Fox-tail-grass. Ann.*

Gra.

- S. Gramen alopecurinum minus *Ger* :
 alopecuroides spicâ longâ majus & mi-
 nus *Park*: typhoides spicâ angustiore
B: P. cum caudâ muris purpurascente
I: B: *The lesser Bastard Foxtail-grass.*
Ann.

Gramen alopecuroides spicâ rotun-
 diore *B P.* Gramen Alopecuros spicâ
 brevi *I: B:* Alopecuros *Ger*: genuina *Park.*
The true Fox-tail. Ann.

Gramen alopecuroides maximum,
 five Alopecuros altera maxima paludo-
 sa *I. B.* Alopecuros maxima *Anglica*
Park: altera maxima *Anglica* paludosa
Ger: Great English Marsh Fox-tail. Ann:

- S. Gramen aquaticum cum longissimâ
 paniculâ *I. B.* fluviatile *Ger: Park:*
 aquaticum fluitans multiplici spicâ *B: P:*
Flote-grass.

- S. Gramen aquaticum geniculatum spi-
 catum *B: P:* fluviatile spicatum *Ger:*
 cum parvâ caudâ muris, radice non no-
 dosâ repens *I. B.* *Spiked Flote-grass, or*
Water-grass.

- S. Gramen aquaticum majus *Ger:* pa-
 niculatum

niculatum aquaticum latifolium B. P.
majus aquaticum Lobelij I: B: harun-
dinaceum aquaticum Park: *Great water
Reed-grass.*

S. Gramen asperum I. B. spicatum folio
aspero B. P. pratense spicâ multiplici ru-
brâ Park: *Rough-grass.*

S. Gramen avenaceum dumetorum spi-
câ simplici I. Raij: *single spiked Hedge-
Oat-grass. Ann.*

S. Gramen avenaceum dumetorum
paniculâ sparsâ I. Raij. *Hedge Oat-
grass with a sparsed panicle. Ann:*

S. Gramen avenaceum procumbens pa-
niculis non aristatis I. Raij. *Small Oat-
grass without awns.*

S. Gramen avenaceum paniculâ flave-
scente locustis parvis I. Raij. *Oat-grass
with a yellow panicle.*

S. Gramen caninum arvense, five Gra-
men Dioscoridis B: P: caninum Ger: ca-
ninum vulgatius Park: repens, Officina-
rum forte, Triticeæ spicæ aliquatenus si-
mile I: B: *Common Couch-grass or Dogs-
grasse. Offic:*

Gra-

Gramen caninum supinum paniculatum dulce B: P: *I. B. exile tenuifolium canariæ simile, sive Gramen dulce* *Park: Sweet Dog-grass.*

Gramen caninum maritimum spicatum B. P. *caninum marinum* Ger: *caninum geniculatum maritimum spicatum* *Park: Sea Dogs-grasse, or Couch-grasse.*

Gramen caninum nodosum Ger: *nodosum* *I: B: caninum nodosum bulbosum vulgare* *Park: nodosum avenaceâ paniculâ* B: P: *Knotted Dogs-grass.*

Gramen cristatum *I: B: cristatum Anglicum* *Park: cristatum Baubini* Ger: *pratense cristatum, seu Gramen spicâ cristatâ leve* B: P: *Smooth Crested-grasse.*

Gramen cyperoides majus latifolium *Park: cyperoides* Ger: *cyperoides cum paniculis nigris* *I: B: cyperoides latifolium spicâ ruffâ sive caule triangulo* B: P: *Great Vernal Cyperus-grasse.*

Gra-

S. Gramen cyperoides majus angustifolium Park: cyperoides angustifolium spicâ spadiceo-viridi majus B. P. *The greater narrow-leaved Cyperus-grass.*

S. Gramen cyperoides ex monte Ballon spicâ divisiâ I. B. cyperoides palustre majus spicâ divisiâ B. P. cyperoides palustre minus Park: *Marsh Cyperus-grass with a divided head.*

Gramen cyperoides palustre elatius spicâ longiore laxâ I. Raj. *Cyperus-grass with a loose spike.*

S. Gramen cyperoides silvarum tenuius spicatum Park: *Slender-leaved Wood-Cyperus-grass.*

Gramen cyperoides palustre majus spicâ compactâ B. P. palustre cyperoides triquetrum spicâ integrâ I. B. palustre cyperoides Ger: cyperoides palustre majus Park: *The greater Marsh Cyperus-grass, or spiked Cyperus-grass.*

Gramen cyperoides spicâ pendulâ brevior B. P. cyperoides spicâ breviori pendulâ Park: *Graminis cyperoidis genus, Pseudo-cyperus Lobellio spicatus*

vell

vel paniculis pendentibus ex longis pediculis *I. B. Pseudocyperus Ger: Bastard Cyperus with short pendulous heads.*

Gramen cyperoides angustifolium paniculis plurimis sessilibus in foliorum alis I. Raij. Narrow-leaved Cyperus-grass with small panicles.

Gramen cyperoides pulicare I. Raij. Flea-grass.

Gramen exile duriusculum in muris & aridis proveniens I. Raij. minus duriusculum Ger: minimum Monspeliense I. B. Gramen paniculâ multiplici B. P. Park: Small hard-Grass. Ann.

Gramen nemorosum hirsutum Ger: nemorosum hirsutum majus Park: nemorosum hirsutum majus latifolium B: P: rore lucidum nemorense sive Luzulæ I. B. Common hairy Wood-grass.

Gramen junceum aquaticum Bauhini Park: junceum folio articulato aquaticum B: P: Gramen aquaticum Ger: Juncus foliaceus capsulis triangulis I. B. Rush-grass with pointed leaves.

Gra-

S. Gramen junceum parvum five Holostium Matthioli, & Gramen bufonium Flandrorum *Park*. Gramen junceum *Ger*: nemorosum calyculis paleaceis *B. P.* Holostium Matthioli junceum *I. B.* *Toad-grasse*.

S. Gramen junceum maritimum *Ger*: junceum foliis & spicâ Iunci *I. B.* junceum maritimum majus *Park*: Juncus parvus cum pericarpis rotundis *I*: *B*: *Rush-grasse with round seed Vessels*.

S. Gramen junceum spicatum seu triglochin *B. P.* triglochin *I. B.* triglochin Dalechampij *Park*: marinum spicatum *Ger*: *Arrow-headed-grass*.

S. Gramen spicatum alterum *B. P.* *Ger*: marinum spicatum alterum *Ger*: *Sea Spiked-grasse*.

Gramen murorum spicâ longissimâ *Ger*: spicâ nutante longissimâ *Park*: *Capons-tail-grasse*.

S. Gramen palustre echinatum *I. B.* *Ger*: aculeatum Germanicum *Park*: palustre aculeatum vel minus Germanicum *B. P.* *Hedge-hog-grasse*.

Gra-

Gramen paniceum spicâ divisâ *B. P.*
 Graminis genus quibusdam Gallis Dens
 canis secundus, five Panicum sylvestre
 spicâ divisâ *I. B.* Panicum vulgare
Ger. sylvestre herbariorum *Park.* *Grass*
with a divided Spike.

S. Gramen pratense paniculatum majus
B. P. pratense *Ger.* pratense vulgatus
Park. *The greater Meadow-grasse.*

S. Gramen pratense paniculatum mi-
 nus *B. P.* pratense minimum album
Park. minimum album *Ger.* minus al-
 bum & rubrum *I. B.* *The lesser Mea-*
dow-grasse.

S. Gramen pratense paniculâ sparsâ, ver-
 sus unam partem duriore *I. Raij.* *Mea-*
dow-grass, with harder sparsed panicles.

S. Gramen pratense paniculatum molle
B. P. *Park.* lanatum Dalechampij *I. B.*
 Gramen 6. cap. 22. lib. 1. *Ger.* *Soft-*
tufted Meadow-grass.

S. Gramen parvum præcox, spicâ laxâ
 canescente *I. Raij.* *Vernal-grass with a*
soft loose spike. Ann.

Gra-

Gramen paniculatum folio variegato *B: P: Ger: Park: parad: striis pictum* *I. B. Painted-grasse, or Ladies-laces,*

S. Gramen Parnassi *Ger: Parnassi vulgare Park: Parnassi flore albo simplici B. P. Parnassi Dodonæi, quibusdam Hepaticus flos I: B: Grasse of Parnassus.*

S. Gramen secalinum *Ger: secalinum majus Park: Rie-grass. Ann.*

S. Gramen sparteum spicatum foliis mucronatis vel spicâ secalinâ *B. P. Spartum spicatum, pungens Oceanicum I: B: marinum nostras Park: Anglicanum Ger: English Sea-Matweed, or Marram.*

Gramen sparteum pennatum *B. P. pinnatum, alijs Spartum I. B. plumarium minus Park: parad: Spartum Austriacum Ger. Feather-grass.*

S. Gramen pratense tomentosum paniculâ sparsâ *B: P: tomentosum Ger: Gnaphalium Tragi, sive Juncus bombycinus I. B. Gramen juncoides lanatum, vel*

vel *Juncus bombycinus vulgaris* *Park*:
Cotton grasse.

Gramen tremulum *I. B.*: *tremulum majus* *B. P.* *Phalaris pratensis* *Ger*:
Gramen tremulum, seu *Phalaris media Anglica prima* *Park*: *Quaking-grasse.*

Gramen tremulum maximum *B. P.*:
I. B. *tremulum maximum Hispanicum* *Park*: *Phalaris pratensis altera* *Ger*:
The greatest white Spanish Quakers, or Pearle-grasse. *Ann*:

Gramen typhoides maximum spicâ longissimâ *B. P.* *typhinum majus* *Ger*:
maximum *Park*: *Gramen cum caudâ muris majoris longâ, majus* *I. B.*: *The greatest Cats-tail-grasse.*

GRATIOLA *Ger*: *vulgaris* *Park*:
centauroides *B. P.*: *Digitalis minima*,
Gratiola dicta *Hist*: *Oxon*: *Hedge-Hyssop.*
Offic.

GROSSULARIA *simplici acino vel spinosa sylvestris* *B. P.*: *vulgaris* *Park*: *Uva crispa* *Ger*: *crispa sive Gros-fularia* *I. B.*: *Common Goos-berries.*

L

Gros-

Grossularia five Uva crispa alba maxima rotunda *The cristal round or Globe-Goos-berry.*

Grossularia maxima subflava oblonga *The great yellow long Goos-berry.*

Grossularia fructu quasi gemino sine acino *The square Goos-berry without a stone.*

Grossularia viridis hirsuta *Park: Small hairy or prickly Goos-berry.*

Grossularia rubra *Park: spinosa fructu obscure purpurascens I. B. spinosa sativa altera foliis latioribus B: P: Red Goos-berries.*

Grossularia multiplici acino five non spinosa hortensis rubra five Ribes Officinarum *B: P: Ribes vulgare fructu rubro Ger: Park: vulgaris acidus ruber I.B. Common red Currans, or Raspberries. Offic.*

Grossularia hortensis majore fructu rubro *B. P. Ribes fructu rubro majore Ger: Park: an Ribes flore rubente? I. B. The great red Curran.*

Grossularia hortensis fructu margaritis

simili B: P: Ribes fructu albo Ger:
rk: vulgaris acidus albas baccas ferens
B: *White Curran.*

Grossularia non spinosa fructu nigro
P: Ribes fructu nigro Ger: *Park:* ni-
um vulgo dictum, folio olente I: B:
mall black Curran.

Grossularia non spinosa fructu nigro
ajore. *Great black Curran.*

Grossularia, Ribes fructu rubro foliis
lvæ crispæ Hort: Reg: Bles: *The red Cur-*
ran with the Goose-berry leaf.

H.

HALIMUS sive Portulaca
marina B: P: vulgaris sive
Portulaca marina Ger: Por-
tulaca marina nostras *Park:*
narina fruticosa quæ Halimus secunda
Clusij I: B: Atriplex maritima angustif-
imo folio Hist: *Oxen: Common Sea-Pur-*
lane. L 2 Ha:

Halimus latifolius sive frutescent
P: Halimus Clusij **I:** **B:** latitolius sive
 tulaca marina incana major **Park:**
 plex latifolia seu Halimus fruticosus
 folius **Hist:** **Oxon:** The greater Out-lam
 or hoary Sea-Purslane.

S. **HEDERA** arborea **B:** **P:** corym
 fa **Ger:** arborea, sive scandens, & com
 bosa nigra **Park:** communis major &
 nor **I:** **B:** Berry-bearing Ivy. **Offic.**

S. Hedera major sterilis **B:** **P:** helix
Park: Barren or creeping Ivy.

S. Hedera terrestris vulgaris **B:** **P:** **P**
 terrestris **Ger:** Chamæ-cillus sive He
 ra terrestris, & Hedera sylvatica **Rom**
 norum **I:** **B:** Ground-Ivy. **Offic.**

Hedera trifolia Canadensis **Cornut:** it
 folia Virginiana **Park:** Three-leaved
 of Virginia.

Hedera quinquefolia Canadensis **C**
 nut: Virginiana quinquefolia **Park:** Virg
 niana **Ger:** Five-leaved Ivy of Virginia.

HEDYSARUM triphyllum Can
 dense **Cornut:** triphyllum Americ
 mum **Park:** Onobrychis Canadensis tri
 phyllo

phyllos articulato semine triquetro
*Hist: Oxon: American Trefoil-Hatchet-
 Vetch.*

HELEN IUM *Ger: vulgare B: P:*
Helenium sive Enula campana I: B:
Park: Elecampane. Offic:

Helenium Indicum maximum I. B.
Herba maxima I. B. Flos Solis major
Ger: Park: parad: The great Sun flower.
Ann:

Helenium Indicum tuberosum, Flos
Solis pyramidalis Ger: Battatas de Ca-
nadâ Park: Helianthemum Indicum tu-
berosum B. P. French Potato's, or Je-
rusalem-Artichocks.

HELICHRYSUM *sive Stæ-*
chas citrina angustifolia B. P. Stæchas
citrina tenuifolia Narbonensis I: B:
Stæchas citrina sive Amaranthus luteus
Ger: Chrysocome, sive Coma aurea,
& Stæchas citrina vulgaris Park: Golden
Tufts, or golden Cassidony.

HELIOTROP IUM *majus Dios-*
coridis B: P: majus Ger: Park: majus
flore albo I: B: The greater Turn-sole.
Ann.

Heliotropium tricocon B. P. I. B.
Ger: Park: The Colouring or dying Turn-
sole. Offic. Ann.

HELLEBORUS niger flore roseo
 B. P. niger flore albo, interdum etiam
 valde rubente I. B. niger verus *Ger: Park.*
True black Hellebore or Christmas-flower.
Offic:

S. *Helleborus niger sylvestris adulteri-*
nus & jam hyeme virens I: B: Hellebo-
raster maximus Ger. maximus sive Con-
fil go Park: Great Bastard black Hellebore,
or Bears-foot.

Helleborus niger hortensis flore vi-
ridi B. P. niger vulgaris flore viridi
vel herbaceo, radice diuturna I: B:
Helleborastrum Ger: Helleboraster mi-
nor flore viridante Park: Wild Bastard-
black-Hellebore.

Helleborus albus flore atrorubente
B P. I. B. albus præcox Ger: albus
præcox sive atrorubente flore Park:
Early white Hellebore with dark red
flowers.

Helleborus albus I. B. Ger. albus vulgaris Park: albus flore subviridi B. P. *Common white Hellebore. offic :*

S. Helleborine Ger : minor flore albo latifolia montana B. P. Helleborine Dodonæi I. B. *Common Bastard, or wild white Hellebore.*

Helleborus niger Saniculæ folio major B. P. Park: Sanicula foemina quibusdam, aliis Helleborus niger I. B. Astrantia nigra Lob: nigra, five Veratrum nigrum Dioscoridis Ger: *The greater purging Sanicle like-Hellebore.*

HESPERIS I. B. hortensis B. P. Hist: Oxan: Viola matronalis flore purpureo Ger: Park. *Purple flowered Dames Violet, or Queens-Gilloflower.*

Hesperis five Viola matronalis flore simplici albo, *Single white-flowered Dames Violet, or Queens-Gilloflower.*

Hesperis, five Viola matronalis flore pleno albo. Viola matronalis flore multiplici albo Cornut: flore albo pleno Ger: *Double white Dames-Violet, or Queens-Gilloflower.*

Hesperis, five Viola matronalis flore pleno purpureo. *Double purple Dames-Violet, or Queens Gilloflower.*

HIERACIUM majus folio Sonchi semine curvo *B. P.* Chondrillæ Creticæ nomine missa semine crispo *I: B:* Sonchus asper laciniatus *Creticus B. Prodr. Park: Prickly Sow-Thistle of Candy. Ann:*

Hieracium Apulum flore suaverubente *Col:* Dentis leonis folio flore suaverubente *B. P.* Intubaceum flore carneo *Park: Blush Garden-succory-like Hawk-weed. Ann.*

Hieracium Echioides capitulis Cardui Benedicti *B. P.* maximum, Buglossum Echioides quibusdam *I: B:* Buglossum luteum *Ger: Lingua Bovis Park: Yellow Bugloss, or Langue-de-boeuf. Ann:*

Hieracium Echioides capitulis Cardui Benedicti majus Arabicum folio sinuato *Great Arabian yellow Bugloss, or Lang-de-boeuf with cut leaves. Ann.*

Hieracium filiquâ falcatâ *B. P.* falcatum

tum Lobelij Ger : falcatum five stellatum *Park.* stellatum *I. B.* *Starry-headed Hawke-weed. Ann.*

Hieracium capitulum inclinans semine a lunco *B. P.* florem inclinans *I. B.* folio Hedipnoidis *Park.* *Yellow succory-like Hawke-weed. Ann.*

Hieracium Dentis leonis folio monoclonon glabrum *B. P.* *Un-branched smooth Hawke-weed with Dandelion-leaves.*

S. Hieracium Dentis leonis folio obtuso majus *B. P.* longius radiculatum *Ger. Park.* macrocaulon junceum five minus primum *Dodonæi I. B.* *Long-rooted Hawke-weed.*

S. Hieracium Chondrillæ folio radice succisâ majus *B. P.* minus præmorsâ radice *Park.* minus præmorsâ radice, five Fuchsi *I. B.* minus five leporinum *Ger.* *Yellow Divels-bit, or Hawke-weed with bitter-roots.*

Hieracium Castorei odore Monspe-liensium *I. Rair.* foliis Cichorei sylvestris villosis, odore Castorei *D. Mag-nol.* *Small rough Succory-leaved Hawke-weed,*

*weed, smelling of the Beaver-stones.
Ann.*

Hieracium lepto-macro-caulon Col:
Long small stalked Hawkweed. Ann:

- S. Hieracium murorum folio pilosissimo B: P: murorum Bauhini, quod est Pulmonaria Gallorum Lobelij Park. Pulmonaria Gallica, five aurea latifolia Ger: Pilosella major quibusdam, aliis Pulmonaria flore luteo I. B. *French or Golden Lungwort.*

Hieracium murorum five Pulmonaria Gallorum, macrocaulon, *Long-stalked French Lungwort.*

- S. Hieracium murorum laciniatum minus pilosum B. P. Pilosellæ majoris five Pulmonariæ luteæ species magis laciniata I. B. *French Lungwort with smoother and more cut leaves.*

Hieracium fruticosum latifolium foliis dentatis glabrum B: P: fruticosum latifolium glabrum Park: Hieracij Sabaudij varietas prima, Erinus quibusdam Matthioli dicta I: B: *The smoother broad-leaved bushy-Hawkweed.*

Hie.

Hieracium fruticosum angustifolium
 majus *B. P. Park.* intybaceum *Ger:* re-
 ctum rigidum, quibusdam Sabau-
 dum *I. B. Narrow-leaved bushy-Hawk-*
weed.

Hieracium fruticosum latifolium hir-
 sutum *B. P. Park.* Hieracij Sabaudij
 varietas altera *I. B. Bushy-Hawk-weed*
with rough broad leaves.

S. **Hieracium fruticosum minus** *B. P.*
Park: The lesser bushy-Hawkweed.

S. **Hieracium minus folio subrotundo** *B.*
P. minimum Clusij Hyoseris Taberna-
montani, & Gerardi Park. Hyoseris
maicula Ger: Small Swines-Succory.
Ann:

S. **H O L O S T E O** affinis, Cauda muri-
B. P. Holosteum Loniceri Cauda muris
vocatum Park: Cauda muris Ger: My-
osuros I. B. Mous-tail. Ann:

S. **H O R D E U M** distichum *I. B.*
Ger: Park: distichum, quod spica binos
ordines habeat, Plinio B. P. Common
Barly. Offic. Ann.

Hordeum polystichon *I. B. polysti-*
chum

chum hybernum *B. P.* polystichum vel
hybernum *Park: Winter or Square-Barly*
or *Bear-Barly. Ann:*

Hordeum nudum Naked Barley.
Ann.

H O R M I N U M *Sclarea dictum*
B. P. lativum vulgare five *Sclarea*
Park. Gallitrichum five *Horminum Ger:*
Gallitrichum lativum I. B. Garden-Clary.
Offic.

Horminum, Sclarea dicto congener
flore albicante Whitish-flowered Clary,
like Garden-Clary.

Horminum luteum glutinosum B. P.
luteum, five Colus Jovis Park: Colus
Jovis Ger. Galeopsis species lutea, vis-
cida, odorata nemorensis I. B. Yellow
Clary, or Jupiters-Distaffe.

Horminum sylvestre latifolium Tin-
gitanum Broad-leaved wild Clary of Tan-
gier.

Horminum sylvestre latifolium ver-
ticillatum B: P. sylvestre latifoli-
um Ger: Germanicum humile Park:
Gallitricho affinis planta, Horminum
syl-

sylvestre latifolium Clusio I. B. Low-German-Clary.

Horminum sylvestre Lavendulæ flore I: B: Park. Gallitrichis affinis, Marrubij si non genus aliquod, Sclarea Hispanica Tabernamontani I: B: Clary with Lavender-like flowers.

Horminum pratense foliis serratis B: P: sylvestre Ger: sylvestre vulgare Park. Gallitrichum sylvestre vulgò, si ve sylvestris Sclarea flore purpureo cæruleove magno I. B. Common wild-Clary. Offic.

Horminum folio Betonicæ Clary with Betony-like leaves.

Horminum sativum B: P: genuinum sativum Dioscoridis Park. sylvestre foliis purpureis Ger: Horminum comâ purpuroviolaceâ I. B. Clary with purple leaves. Ann.

HYACINTHUS comosus major purpureus B. P. Park: parad: Hist: Oxon. comosus maximus botryoides comâ cæruleâ I. B. The great purple Fair-haired Jacinth.

Hy-

Hyacinthus comosus major flore albo *The great white Fair-haired Jacinth.*

Hyacinthus comosus paniculâ cæruleâ *B. P. comosus Sanesius paniculâ violaceâ Hist: Oxon: Sanesius paniculâ comâ Col: comosus ramosus elegantior Ger: pennatus, sive comosus ramosus elegantior Park: parad, The fair Curled-hair Jacinth.*

Hyacinthus comosus ramosus purpureus *Ger: Park: parad: The Fair-haired branched Jacinth.*

Hyacinthus racemosus cæruleus major *B. P. racemosus major latifolius speciosior arbuteo flore cæruleo Hist: Oxon. botryoides cæruleus major Ger: botryoides cæruleus, amœnus Park: parad: botryoides vernus: minor, latifolius cæruleus, inodorus. I: B: The sky coloured Grape-flower.*

Hyacinthus racemosus albus *B: I: botryoides albus I: B: botryoides flore albo Park: parad. The white Grape flower.*

Hyacinthus racemosus cæruleus minor juncifolius *B. P.* racemosus minor juncifolius *Hist: Oxon.* botryoides cæruleus *Ger:* botryoides minor cæruleus obscurus *Park: parad:* vernus botryoides minor cæruleus angustioribus foliis odoratus *I. B:* *The dark blew Grape-flower.*

Hyacinthus racemosus moschatus *B. P.* racemosus seu botryoides major, seu *Muscari majus* obsoleto flore *Hist: Oxon.* botryoides major moschatus, si-
ve *Muscari flore cineritio* *Park: parad:* odoratissimus dictus *Tibcadi & Muscari* *I. B:* *Muscari Clusij* *Ger:* *The Ash-coloured Grape-flower, or Muscari.*

- S.* *Hyacinthus oblongo flore cæruleus major* *B. P.* floribus oblongis pendulis major *Anglicus* seu *Belgicus cæruleus* *Hist: Oxon:* *Anglicus* *Ger:* *Anglicus*, si-
ve *Belgicus* *I. B:* *Anglicus*, *Belgicus*, vel *Hispanicus*, *Park: parad:* *English Hares-Bells, or Spanish Jacinth.*

Hy-

S. Hyacinthus Anglicus albus *Ger: White English Hares-bell.*

Hyacinthus Anglicus flore carneo, *Blush-flowered English Hares-bell.*

Hyacinthus Hispanicus major flore campanulæ instar *Park: parad: The greater Spanish Bell-flowered-Jacinth.*

Hyacinthus campanularis Hispanicus flore patentiore *Spanish bell-flowered Jacinth with wider flowers.*

Hyacinthus Orientalis purpureus *B. P. The purple Oriental Jacinth.*

Hyacinthus Orientalis pallide cæruleus *The pale-blew Oriental Jacinth.*

Hyacinthus Orientalis saturate cæruleus *The deep blew Oriental Jacinth.*

Hyacinthus Orientalis flore albo *The white Oriental Jacinth.*

Hyacinthus Orientalis flore carneo *The blush Oriental Jacinth.*

Hyacinthus Orientalis flore duplici *B. P. Park: parad: flore duplici seu altero alteri innato, ex colore albo & cæruleo ad pediculum parum virescenti*
Hist:

Hist: Oxon: The black Oriental Jacinth once double.

Hyacinthus Orientalis serotinus striatus P. B. *Hist: Oxon: Hispanicus minor Orientalis facie Park: parad: minor Hispanicus Ger: minimus serotinus flosculis Hyacinthi Orientalis I: B: The little summer Oriental Jacinth.*

Hyacinthus stellaris bifolius Germanicus P. B. stellaris Germanicus præcox bifolus, & Hyacinthus stellaris præcox trifolius *Hist: Oxon: stellatus Fuchsj Ger: stellatus vulgaris, five bifolius Fuchsj Park. parad: stellatus bifolius & trifolius vernus dumetorum flore cæruleo & albo I. B. The common-blew Starry-Jacinth.*

Hyacinthus stellatus Martius five præcox cæruleus *Park: parad: The early blew Starry-Jacinth.*

Hyacinthus stellatus præcox flore albo *The early white Starry-Jacinth.*

Hyacinthus stellaris spicatus cinereus B. P. stellaris spicatus seu fastigiatus latâ depressâ spicâ *Hist: Oxon: stellatus mul-*
M tiflorus

tiflorus cineracei coloris *I. B.* stellatus Someri *Ger* : stellatus flore cinereo *Park: parad: The Ash-coloured Starry-Jacinth.*

Hycinthus stellaris cæruleus amœnus *B.* *P.* stellaris caulibus pluribus ex eodem bulbo ortis, singulis pluribus floribus oneratis *Hist: Oxon: stellatus Bizantinus nigrâ radice Park: parad: stellatus Bizantinus nigrâ radice flore cæruleo Ger: stellaris Bizantinus alter elegantissimus serotinus bullatus Lob. I. B. The Starry-Jacinth of Turkey with the black-root.*

Hycinthus stellatus monophyllus Lulitanicus *One-leaved Starry-Jacinth from Portugal.*

Hycinthus Indicus bulbosus stellatus *B: P: Peruanus Ger: stellatus Bæticus major, vulgo Peruanus Park: parad: stellatus Peruvianus multiflorus floribus cæruleis aut albis in rotundam metam fastigiatis Hist: Oxon: The great Spanish Starry-Jacinth, or of Peru.*

Hy-

Hyacinthus stellatus foliis & radice
Lilij B: P: *Hist*: Oxon. stellatus lilifolius
Ger: lilifolius stellatus I. B. stellatus
 Lilij folio & radice cæruleus *Park*:
parad: The blew Lilly-leaved starry Ja-
 cinth.

Hyacinthus stellatus Lilifolius albus
Park: *parad*: The white Lilly-leaved Ja-
 cinth.

HYOSCYAMUS niger *Ger*: vul-
 garis I. B. niger vel vulgaris B: P:
Park: Common black Henbane, *Offic*:
Ann.

Hyoscyamus albus I. B: *Park*: *Ger*:
 albus major B. P. White Henbane. *Offic*:
Ann:

Hyoscyamus Creticus *Park*: Creti-
 ticus luteus major B. P. Yellow Henbane
 of Candy. *Ann*:

HYPBOUM B: P: Hypecoon
 filiquis erectis articulatis incurvis *Hist*:
 Oxon. Hypecoon filiquosum I. B. Hy-
 pecoon legitimum Clusij *Park*: Cumi-
 num corniculatum sive Hypecoon Clu-
 sij *Ger*: Horned wild Cumin. *Ann*.

S. **HYPERICUM** *Ger.* vulgare *B.*
P. Hist: Oxon: Park: vulgare, five Her-
 ba perforata caule rotundo, foliis gla-
 bris *I. B. Common Saint-Johns-wort. Offic.*

S. *Hypericum minus supinum, vel supi-*
num glabrum B. P. Hist: Oxon: supi-
num glabrum Ger: minus supinum Park.
minimum supinum I. B. Small creeping
Saint-Johns-wort.

Hypericum supinum tomentosum mi-
nus, vel Monspeliacum B. P. tomento-
sum I. B: tomentosum Lobelij Ger: su-
pinum tomentosum minus Park: Wool-
ly Saint-Johns-wort.

S: *Hypericum minus erectum B. P. Park:*
minus erectum glabrum pulchrum Hist:
Oxon. pulchrum Tragi I. B: Ger: Small
upright Saint-Johns-wort.

S. *Hypericum Ascyrum dictum caule*
quadrangulo I. B. Ascyrum Ger: vulga-
re Park: Androsæmum Ascyrum dictum
caule quadrangulo glabro Hist: Oxon:
Common Saint-Peters-wort.

Hypericum frutescens Americanum
flore albo Park: Pruno sylvestri affinis
Ca.

Canadensis B. P. app: Tree or shrub-Saint-Johns-wort.

H y s s o p u s vulgaris Park: Arabum Ger: officinarum cærulea sive spicata B. P. vulgaris spicatus angustifolius flore cæruleo I. B. Common blew-flowered Hyssope. Offic:

Hyssopus flore albo Ger: Arabum flore albo Park: White-flowered Hyssope.

Hyssopus Arabum flore rubro Ger: Park: Red-flowered Hyssope.

Hyssopus versicolor Ger: versicolor foliis niveis Park: Party-coloured Hyssope.

Hyssopus foliis hirsutis Hairy-Hyssope.

Hyssopus angustifolia spicata B: P: Park: Narrow-leaved spiked Hyssope.

J.

S. **J** A C E A nigra pratensis latifolia
B. P. nigra Ger: nigra vulgaris
Park. nigra vulgaris capitata &
squammosa I: B: Black Knap-
weed.

S. Jacea pratensis latifolia flore al-
 bo *Common Knap-weed with white-*
flowers.

Jacea Lusitanica semper virens *Hist:*
Reg. Bles. Ever-green Knap-weed of Por-
tugal.

S. Jacea nigra laciniata *B. P. nigra*
vulgaris laciniata Park. major Ger:
Centaureum collinum Gesneri flo-
re purpureo I: B: Cut-leaved Knap-
weed.

Jacea cyanoides echinato capite *B: P:*
montana purpurea echinato capite
Park:

Park. The purple Mountain Thorny-headed Knap-weed.

Jacea marina Bætica Park: The Spanish Sea-Knap-weed.

Jacea lutea capite spinoso B. P. lutea capitulis spinosis Park: major lutea Ger: Centaurium collinum sive Jacea spinosa flore luteo I. B. Yellow Knap-weed with prickly heads.

Jacea sphærocephala spinosa Tingitana Prickly glob-headed Knap-weed of Targier.

Jacea incana Pini capite B. P. montana capite magno Strobili I. B. pumila Narbonensis Park: Pine-apple-headed Knap-weed.

Jacea Oleæ folio capitulis simplicibus B. P. Ptarmica Austriaca Ger: Ptarmica Austriaca Clusij Park: Xeranthemum aliud sive Ptarmica quorundam I. B. Sneez-wort of Austria Ann.

Jacea Oleæ folio flore minore B. P. Ptarmica Imperati sive minor Park:

Ptarmica Imperati an Ptarmicæ Austriacæ species ? Ger : Xeranthemum I. B. *Smaller Sneez-wort of Spain.*
Ann:

S. JACOBÆA Ger: vulgaris I: B: vulgaris laciniata B: P: vulgaris major Park. *Common Saint-James-wort.*
Offic:

S. Jacobæa Alpina laciniata flore Buphthalmi B. P. Pannonica latifolia I: B: vulgaris minor Park: *Broad-leaved Ragwort.*

Jacobæa Senecionis folio incano perenne I. Raij. *Perennial Ragwort with Groundsel-leaves.*

Jacobæa montana angustifolia lanuginosa non laciniata B. P. Pannonica folio non laciniato I. B. angustifolia Ger. angustifolia Pannonica non laciniata Park: *Mountain-Rag-wort.*

Jacobæa maritima B. P. marina Ger: marina, five Cineraria vulgaris Park: marina, five Cineraria I: B: *Sea Ragwort.*

J A S M I N U M vulgatus flore albo *B. P.* album *Ger: Park:* Jasminum, sive Gelseminum flore albo *I. B.* *Common white Jasmine. Offic:*

Jasminum luteum vulgo dictum baciferum *B. P.* Polemonium, sive Trifolium fruticans *Ger: Polemonium* sive Trifolium fruticans, vel Jasminum luteum vulgare *Park: Trifolium* fruticans quibusdam Polemonium flore luteo *I. B.* *Common yellow Jasmine.*

Jasminum Virginianum *Virginian Jasmine.*

Jasminum Persicum foliis laciniatis. *Syringa Persica*, sive Lilac Persicum incisus foliis, Jasminum Persicum dictum *Park: Agem Lilag Persarum Cornut: Ligustrum* foliis laciniatis *B: P: nigrum Prosp: Alpini de exot: The blew Persian Jasmine, or Pipe-tree with cut-leaves.*

Jasminum Persicum foliis non
la-

laciniatis *The blew Persian Jasmine with uncut-leaves.*

Iberis L. B. latiore folio B. P. latiore folio ferrato *Hist: Oxon: Iberis Cardamantica Lob: Ger: Sciatica-Cresses. Offic.*

I L E X aculeata cocciglandifera B. P. coccigera I. B. Ger: aquifolia, five coccigera *Park: The scarlet Holme-Oake, or Ever-green-Oake. Offic.*

S. *Ilex* aculeata baccifera folio sinuato B. P. *Agrifolium* Ger: *Agrifolium*, five *Aquifolium* *Park: Aquifolium*, five *Agrifolium* vulgo I. B. *The common Holly-Tree.*

Ilex aculeata baccifera folio sinuato, five *Agrifolium* foliis variegatis *Guilded, or stript Holly.*

IMPERATORIA I. B. Ger: major B. P. *Imperatoria*, five *Astrantia vulgaris* *Park: Master-wort, or Bastard Pellitory of Spain. Offic.*

INTYBUS fativa Ger: fativa
la-

latifolia five Endivia vulgaris B: P:
Intybum sativum latifolium I: B. En-
divia sativa *Park: Garden Endive. Offic.
Ann.*

Intybus crispa B: P: Intybum sativ-
um crispum I: B: Endivia crispa Ger :
Park : Curled Endive. Ann:

I R I S vulgaris Germanica, si-
ve sylvestris B: P: *Hist: Oxon:* vul-
garis Ger : purpurea five vulgaris
Park. vulgaris violacea five purpu-
rea hortensis & sylvestris I: B: *The
Common Flag-Flour-de-luce. Offic.*

Iris alba Florentina B: P: *Hist. Oxon.*
Park : parad : Florentina Ger : flore
albo I. B. *The white flowered, or Floren-
tine Flour-de-luce. Offic.*

Iris Susiana flore maximo ex albo
nigricante B. P. *Hist: Oxon:* latifo-
lia major Susiana, vel Chalcedo-
nica flore majore variegato, Clu-
sio prima I. B. Chalcedonica Ger :
Chalcedonica five Susiana major
Park :

Park : *parad :* The great Turkey Flour-de-luce.

Iris Dalmatica major B. P. Park : *parad. Ger: Dalmatica major flore vulgari minus violaceo I. B. The great Dalmatian Flour-de-luce.*

Iris lutea variegata Camerarij B. P. lutea variegata Ger: Park: parad : *lutea, foliis florum repandis variegatis I. B. Yellow variable Flour-de-luce.*

Iris lutea variegata Lobelij B: P: lutea variegata Lob: Ludg. Lobels yellow variable flour-de-luce.

Iris media longissimis foliis lutea B. P. angustifolia Tripolitana aurea Park: parad : *Tripolitana foliis longissimis flore aureo I. B. Tripolitana media inter latifolias & angustifolias Clus: The yellow Flour-de-luce of Tripoly.*

S. Iris palustris lutea sive Acorus adulterinus I. B. Hist: Oxon. palustris lutea Ger. Acorus adulterinus B: P: Acorus palustris , sive Pseudoiris , & Iris

Iris lutea palustris Park: *Yellow Water-Flag, or Flour-de-luce.* Offic:

Iris pratensis angustifolia non foetida altior B. P. *Hist: Oxon: angustifolia minor Pannonica; sive versicolor Clusij Park: parad: sylvestris Bizantina Ger: tenuifolia major flore cæruleo & striato I. B: The small variable Hungarian Flour-de-luce of Clusius.*

Iris angustifolia prunum redolens, minor B. P: graminea cui pereunt quotannis folia I. B: Chamæiris angustifolia minor Park: parad: tenuifolia Ger: The lesser Grasse Flour-de-luce.

Iris tuberosa folio anguloso B. P. tuberosa radice pendulâ folio anguloso, flore obscure viridi Hist. Oxon: tuberosa Ger. Park: parad. tuberosa Belgarum I. B. Velvet Flour-de-luce.

Iris bulbosa Persica Park: parad: bulbosa præcox minus odora Persica variegata Hist: Oxon: Persica præcox
va.

variegata *Baptist: Ferr: descr. The Persian Bulbous Flour-de luce.*

Iuris bulbosa latifolia caule donata B. P. bulbosa latifolia serotina caule donata Hist: Oxon: bulbosa major five Anglica cærulea Park: parad: bulbosa Anglica Ger: The blew English bulbous Flour-de-luce.

Iris Bulbosa latifolia candida B: P: bulbosa latifolia serotina caule donata Anglica flore albo Hist: Oxon: bulbosa major, five latifolia alba Park: parad. The great white bulbous Flour-de-luce.

Iris bulbosa major flore cæruleo, variegata, five Chamoletta Joh. Rea de florum culturâ The blew stript Flour-de-luce, or the Chamolet Flour-de-luce.

Iris bulbosa major flore purpureo versicolor Joh. Rea de florum culturâ The great purple variable bulbous Flour-de-luce, or the brown purpur Chamolet.

Iris bulbosa minor sive angustifolia alba Park: parad: The Smaller white narrow-leaved bulbous Flour-de-luce.

Iris bulbosa angustifolia tota aurea The gold-yellow narrow-leaved bulbous Flour-de-luce.

Iris bulbosa angustifolia lutea, Common-yellow narrow-leaved bulbous Flour-de-luce.

Iris bulbosa angustifolia labris luteis maculâ aureâ, bifidis & erectis pallide cæruleis Narrow-leaved bulbous Iris, with yellow falls, with a golden spot, arches and uprights pale blew.

Iris bulbosa angustifolia labris virescentibus maculâ aureâ, bifidis pallide cæruleis, erectis saturate cæruleis. Narrow-leaved bulbous Flour-de-luce with greenish falls, with a yellow spot, the arches pale, and uprights deep-blew.

Iris bulbosa angustifolia labris cæruleis maculâ aureâ bifidis & ere-

erectis cæruleis *Narrow-leaved bulbous Flour-de-luce, with blew falls with a golden spot, arches and uprights pure-blew.*

Iris bulbosa angustifolia labris albis maculâ luteâ, bifidis pallide cæruleis, erectis cæruleis amœnis. *Narrow-leaved bulbous Flour-de-luce with white falls, with a golden spot, arches pale, and uprights bright blew:*

ISATIS sativa vel latifolia, B: P: *Hist: Oxon: Isatis five Glaſtum ſativum I. B. Glaſtum ſativum Ger: Park: Woad. Offic. Ann.*

S. Juncus lævis paniculâ ſparſâ major B. P. *Park. lævis Ger: lævis paniculâ arundinaceâ I: B: Common ſoft-Ruſh.*

S. Juncus acutus paniculâ ſparſâ B. P. *acutus Ger: acutus vulgaris Park. Common hard Ruſh.*

S. Juncus maximus & Scirpus major B. P. *aquaticus maximus Ger: lævis maximus Park: maximus holoschoenos*

I:

I: B: Bul-Rush, or great Water-Rush.

- S.** *Juncus aquaticus minor capitulis Equiseti Ger: Park: capitulis Equiseti major B: P: capitulis longis, sive clavatus I. B. Club-Rush, or Aglet-headed-Rush.*

- S.** *JUNIPERUS Ger: vulgaris seu minor Park: vulgaris baccis parvis purpureis I B. vulgaris fruticosa B: P. Common Juniper. Offic:*

Juniperus minor montana folio latiore fructuque angustiore B: P: Alpina I. B. Park. Alpina minor Ger. Low Mountain-Juniper.

N

K.

K.

K A L I semper virens grandius perpetuum B. *Prodr:* geniculatum majus I: B: *Evergreen Glaswort.*

Kali geniculatum majus B.P. *Hist:* *Oxon:* Cali geniculatum sive Salicornia I: B: Salicornia, sive Kali geniculatum *Ger:* Park: *Glaswort, or Saltwort. Offic. Ann:*

Kali majus semine cochleato B: P: *Ger:* majus cochleatum Park: vulgare I.B. *Great Glaswort. Ann.*

Kali minus album semine splendente B. P. *Hist:* *Oxon:* minus *Ger:* minus album Park. minus, sive Sedum minus arborescens vermiculatum I: B: *White Glaswort. Ann.*

Kali spinosum cochleatum B: P: Kali
li

li affinis spinosa planta *Hist: Oxon:* Tragus, five Tragum Matthioli *Park:* Tragon Matthioli seu potius Tragus improbus Matthioli *Ger:* Tragus spinosus Matthioli, five Kali spinosum *I. B.* *Prickly Glass-wort. Ann.*

L.

LACTUCA sativa *B: P:*
Ger: Park: sativa vulgaris capitata & non capitata *I. B.*
Garden Lettuce. Offic. Ann:

Lactuca maculosa *B: P:* rubra *I. B.*
Red Lettuce. Ann:

Lactuca folio obscurius virente semine nigro *B. P.* Romana longa dulcis *I: B:* *Romane Lettuce. Ann.*

Lactuca capitata *B: P:* *Ger:* capitata vulgaris *Park:* *Common Cabbage-Lettuce. Ann:*

Lactuca foliis Endiviæ B. P. Intybacea Ger: *Lumbard-Lettuce.* Ann.

Lactuca crispa B: P: Ger: *Curled-Lettuce.* Ann:

Lactuca crispa altera B: P: Intybacea crispa Tab: *Curled Endive-Lettuce.* Ann:

S. *Lactuca sylvestris costâ spinosâ* B. P. *sylvestris laciniata* Park: *sylvestris foliis dissectis* Ger: *sylvestris, five Endivia multis dicta folio laciniato, dorso spinoso* I: B: *Cut-leaved wild Lettuce.* Ann.

S. *Lactuca sylvestris odore viroso* B: P: *sylvestris Endiviæ foliis, odore viroso* Park: *sylvestris lato folio, succo viroso* I. B. *sylvestris major odore Opij* Ger: *Strong-sented wild Lettuce.* Ann:

Lactuca montana purpuro-cerulea major B. P. *sylvatica purpurea* I: B: *sylvestris flore purpureo* Park *Sonchus sylvaticus* Ger: *Mountain Lettuce with purple flowers.*

S. *L A M I U M* album non foetens folio

lio oblongo B: P: album *Ger: vulgare album, five Archangelica flore albo* *Park: Galeopsis five Urtica iners floribus albis* I: B: *White Archangel.*
Offic.

Lamium album *Parietariæ facie* *Hort: Reg: Bles: White Archangel with leaves like Pellitory of the wall.*

Lamium maculatum & albâ lineâ notatum B. P. foliis maculatis *Park: Galeopsis foliis maculatis* I. B. *Archangel with spotted leaves.*

Lamium folio oblongo luteum B. P. luteum *Ger. Park. Galeopsis five Urtica iners flore luteo* I: B: *Yellow Archangel.*

Lamium luteum foliis maculatis *Yellow Archangel with spotted leaves.*

S. Lamium purpureum foetidum folio subrotundo, five *Galeopsis Dioscoridis* B. P. rubrum *Ger: vulgare folio subrotundo flore rubro* *Park: Galeopsis five Urtica iners folio & flore minore* I. B. *Red Archangel. Offic: Ann:*

S. Lamium folio caulem ambiente majus *B: P:* Galeopsis sive Urtia iners folio caulem ambiente *I. B.* Alsine Hederula folio major *Park:* Alsine hederula altera *Ger: Great Hen-bit. Ann.*

S. Lamium maximum sylvaticum *B. P.* Galeopsis vera *Ger: legitima Dioscoridis Park:* Galeopsis sive Urtica iners magna foetidissima *I: B: Hedge-Nettle.*

Lamium maximum sylvaticum alterum *B: P:* Pannonicum *Ger: Galeopsis Panonica Clusij Park: Hungarian Dead-Nettle.*

Lamium peregrinum sive Scutellaria *B. P.* peregrinum Scutellaria dictum *Park: Cassida Col: Strange Archangel.*

L A P P A T H U M præstantissimum Rhabarbarum officinarum dictum. *H. st: Oxon:* Rhaponticum folio Lapathi majoris glabro, Rha & Rheum Dioscoridis *B: P.* Rhaponticum *Prosp: Alp: de plantis exoticis* Rha verum Antiquorum *Ger: Hippolapathum maximum rotundifolium exoticum sive Rha-*

Rhaponticum Thracicum, sed verius
Rhabarbarum verum *Park. English*
Rhuebarb. Offic.

Lapathum hortense rotundifolium si-
vemontanum *B. P.* folio rotundo Alpi-
num *I. B. Hist. Oxon.* Hippolapathum
rotundifolium *Ger. Park. Bastard-Rhue-*
barb. or Monks-Rhuebarb. Offic.:

Lapathum hortense folio oblongo si-
ve secundum Dioscoridis *B. P. Hist.:*
Oxon: sativum seu Patientia *Park:* Hip-
polapathum sativum *Ger. Patience, or*
great Garden-Dock. Offic.:

S. Lapathum folio acuto plano *B. P.*
acutum *Ger. Hist. Oxon:* acutum sive
Oxylapathum *I. B.* acutum majus *Park:*
Sharp-pointed Dock. Offic.:

S. Lapathum folio acuto crispo *B. P.*
Hist. Oxon: acutum crispum *I. B:* acu-
tum minus *Park:* Lapathi acuti varie-
tas folio crispo *Ger. Sharp pointed-Dock*
with curled leaves.

Lapathum folio acuto rubente *B. P. Hist:*
Oxon: sanguineum, sive Sanguis Draconis
herba *I. B.* sativum sanguineum *Ger. Park:*
Blood-wort. La-

- S. *Lapathum minimum* B. P. *Hist: Oxon:* acutum *minimum I: B: Park. The Smallest sharp-pointed-Dock.*
- S. *Lapathum folio acuto flore aureo* B: P: aquaticum ramosum folio angusto acuto flore aureo *Hist: Oxon. Lapathum anthoxanthum I: B: Golden-flowered-Dock.*
- S. *Lapathum aquaticum folio cubitali* B: P: *Hist: Oxon.* maximum aquaticum, five *Hydrolapathum I: B: Hydrolapathum majus Park. magnum Ger: Great Water-Dock.*
- S. *Lapathum vulgare folio obtuso I: B: folio subrotundo B. P. sylvestre vulgatus Park: sylvestre folio minus acuto Ger: Round-leaved Wild-Dock.*
- S. *Lapathum pulchrum Bononiense sinuatum I. B. Lapathum ramis procumbentibus seminis involucro dentato foliis inferioribus fidium instar Hist: Oxon: Fiddle-Dock.*
- Lapathum hortenfe five Spinachia femine spinoso B. P. Hist: Oxon: Spinachia*

nachia *Ger: Park: Spinachia mas & foemina I. B. Common Spinage. Offic.*

Ann.

Lapathum hortense sive Spinachia femine non spinoso *I. B. Hist: Oxon. Spinachia rotunda Ger: Park: Spinachia femine non pungente folio majore rotundiore I. B. Spinage with smooth-seeds. Ann.*

S. Lapathum unctuosum *B: P: Park: Bonus Henricus I. B. Ger: Blitum perenne Spinachiae facie Hist: Oxon: Common English-Mercury. Offic.*

S. L A P P A major, Arcium Dioscoridis *B: P: Bardana major Ger: vulgaris major Park: Personata, sive Lappa major, aut Bardana I. B. The great Bur-Dock Offic. Ann.*

S. Lappa major montana capitulis tomentosis sive Arctium *B: P: Bardana major lanuginosis capitulis Park: Personata altera cum capitulis villosis I. B. Woolly-headed Bur-Dock. Ann.*

Lappa minor Xanthium Dioscoridis *B. P. Bardana minor Ger: Xanthium, si-*

five Lappa minor I: B: *Park: The lesser Bur-dock. Offic. Ann.*

L A R I X B. P. *Ger: Park: folio deciduo conifera I. B. The Larch-Tree. Offic.*

L A S E R P I T I U M foliis angustioribus dilute virentibus *D. Morison Sect: de plant: umbellif. Gallicum B. P. Park: e regione Massiliæ alatum I. B. Laserpitium Ger: French Laserwort. Offic.*

Laserpitium Libanotidi simile semine crispo *D: Morison sect. de plant: umbellif: Libanotidi Theophrasti quorundam valde similis, Costus amara dicta semine crispo I. B. Broad-leaved Laser-wort with curled rough-seed-filmes.*

L A T H Y R I S major B: P: Lathyrus, five Cataputia minor *Ger: major vulgaris, five Cataputia minor Park: Garden-spurge. Offic. Ann.*

L A T H Y R U S latifolius B. P *Hist: Oxon: major latifolius Ger. major perennis Park: major latifolius flore ma-*

S. majore purpureo speciosior *I. B.* *Everlasting Pease.*

Lathyrus sylvestris luteus foliis Viciæ
B: P: luteus sylvestris dumetorum I. B.
sylvestris & dumetorum flore luteo Hist:
Oxon: sylvestris flore luteo Ger: Park:
Tare-Everlasting.

Lathyrus sylvestris filiquis Pisi mino-
ris Hist: Oxon: Annual Chickling with
cods like small Pease. Ann:

Lathyrus arvensis, annuus, luteus si-
liquis hirsutis Hist: Oxon: filiquâ hirsu-
tâ I. B. angustifolius filiquâ hirsutâ
B: P: Rough-codded Annual-Chickling.
Ann.

Lathyrus Bæticus flore luteo Park:
Hist: Oxon. Spanish yellow-flowered
Chickling. Ann.

Lathyrus luteus, annuus, foliis Con-
volvuli minoris Hist. Oxon. Vicia lutea
foliis Convolvuli minoris B: P: Vicia
quæ Pitine Anguillaræ latâ filiquâ, flo-
re luteo I: B: Aphaca Ger: Park: Yellow
Vetchling. Ann.

Lathyrus Tingitanus filiquis Orobi,
flo-

flore amplo ruberrimo *Hist: Oxon: Great red-flowered Chickling of Tangiers with bunched cods. Ann.*

Lathyrus viciaoides floris vexillo phoeniceo, foliis labialibus subalbescen-
tibus filiquis *Orobi Hist: Oxon: Bæticus elegans* filiquis *Orbi Park: Spanish party-coloured Chickling. Ann.*

Lathyrus angustifolius leptomacrolobus semine rotundo flore rubello. *Hist. Oxon: Narrow-leaved annual Chickling with red-flowers and long small cods with round seed. Ann.*

Lathyrus angustifolius leptomacrolobus semine anguloso flore cæruleo *Hist: Oxon. Blew-flowered narrow-leaved annual Chickling, with long small cods and cornered seed. Ann:*

Lathyrus sylvestris minor B. P. Hist: Oxon: Catanance leguminosa quorundam L. B: Ervum sylvestre Ger: sylvestre, five Catanance Park: Crimson Grasse-Vetch. Ann.

L A V E N D U L A latifolia B. P. major five vulgaris Park: flore cæruleo

leo Ger: Pseudonardus quæ vulgo Spica I. B. *Broad-leaved Lavender.*
Offic.

Lavendula angustifolia B. P. minor
 five Spica Ger: Park. Pseudonardus quæ
 Lavendula vulgo I. B. *Small Lavender*
Spike.

LAUREOLA Ger: Park: semper
 virens flore viridi, quibusdam
 Laureola mas B. P. semper virens
 flore luteolo I. B. *Spurge-Lawrel.*
Offic.

Laureola folio deciduo flore purpureo
 B. P. folio deciduo five Mezereon
 Germanicum I. B. Chamælæa Germanica
 five Mezereon Ger. Germanica five
 Mezereon vulgo Park. *The common Mezeron-Tree.* *Offic.*

Laureola folio deciduo flore saturatiore.
The Mezeron with deeper-coloured flowers.

Laureola folio deciduo flore albo. *The white-flowered Mezeron.*

Laureola folio deciduo variegato. *The Mezeron with stript-leaves.*

LAU-

L A U R U S *I. B.* *Ger:* vulgaris *B.*
P. major sive latifolia *Park:* *The common*
Sweet-Bay. *Offic.*

Laurustinus *Ger:* sylvestris Corni fœ-
 minæ foliis subhirsutis *B. P.* tinus altera
I. B. **Laurustinus** cæruleâ baccâ *Lob.*
The wild-Bay.

Laurus Alexandrina *I. B.* **Alexandri-**
na genuina *Park:* **Alexandrina** fructu
 folio insidente *B. P.* **Hippoglossum** *Mat-*
thioli *Ger:* *Laurel of Alexandria.*
Offic.

Laurus Alexandrina fructu pediculo
 insidente *B. P.* **Bonifacia** sive **Bislin-**
gua *I. B.* **Hippoglossum** mas *Ger:*
Hippoglossum sive **Bislingua** *Park:*
Horse-tongue, or Tongue upon Tongue.
Offic.

L E N S *I. B.* minor *Ger:* *Park.* vul-
 garis minor *Hist. Oxon.* vulgaris *B. P.*
Common Lentiles. *Offic. Ann.*

S. **Lens palustris** *I. B.* *Ger:* palustris,
 sive aquatica vulgaris *Park:* **Lenticula**
 palustris vulgaris *B. B.* *Common Ducks-*
meat.

Lent-

Lenticula aquatica trifulca B. P. I. B.
Hederula aquatica Ger. *Ranunculus aqua-*
ticus hederaceus Park: *Ivy-leaved Ducks-*
meat.

L E P I D I U M *latifolium* B. P.
latifolium serratum Hist: *Oxon.* *Lepi-*
dum Pauli I. B. *Piperitis* sive *Lepidi-*
um vulgare Park: *Raphanus sylvestris*
officinarum, *Lepidium Æginetæ* Lobe-
lio Ger. *Dittander*, or *Pepper-wort*. *Offic.*

Lepidium glastifolium B. P. *glasti-*
folium perenne Hist. *Oxon.* non repens
 I. B. *annuum* Ger. Park: *Dittander*, or
Pepper-wort, with *Woad-leaves*, falsly cal-
 led *annual.*

Lepidium Dentillaria dictum B. P.
Lepidium Monspeliacum *Dentillaria* di-
 ctum Park: *Dentillaria Rondeletij* I. B.
Plumbago Plinij Ger. *Lead-wort*, or *French*
Dittander.

L E U C O R U M *bulbosum* vul-
 gare B. P. *bulbosum præcox* ma-
 jus, sex petalis æqualibus & albis Hist.
Oxon. *bulbosum hexaphyllum* unico
 flore, rarius binol. I. B. *bulbosum serotinum*
 Ger.

Ger: majus bulbosum serotinum *Park*:
The greater late-flowering Bulbous-Violet.

Leucoium bulbosum trifolium minus B.P. bulbosum minus præcox tribus petalis albis minoribus cingentibus terna minora herbacei coloris *Hist: Oxon*: bulbosum minus triphyllon *L. B.* bulbosum præcox minus *Ger: Park: Small early-flowering bulbous-Violet.*

Leucoium incanum majus B: P:
Hist: Oxon. purpureum, roseum & album hyemale diu durans *L: B:* simplex fativum diversorum colorum *Park: parad:* album, sive purpureum, sive violaceum *Ger: Garden Stock-Gilloflowers, single of divers colours. Ann.*

Leucoium incanum majus variegatum simplici flore B. P. Hist: Oxon: Stript single Stock-Gilloflower. Ann.

Leucoium incanum majus multiplex B: P: flore pleno diversorum colorum *Park: parad.* flore multiplici *Ger: Double Stock-Gilloflowers. Ann.*

Leu-

Leucoium album odoratissimum folio viridi *B. P.* flore albo odoratissimo folio lucide virente *Hist: Oxon: Sweet-smelling white Stock-Gilloflower with green shining leaves:*

S. Leucoium luteum vulgare B: P: Hist: Oxon: luteum, vulgo Cheiri flore simplici I. B. Keiri, five Leucoium vulgare luteum Park: Viola lutea Ger: Small Wall-flower. Offic.

Leucoium luteum pleno flore minus B: P: flore luteo minus hortense multiplex Hist: Oxon: luteum vulgare flore pleno Park: parad: Viola lutea multiplex Ger: Double Wal-flower.

Leucoium maritimum sinuato folio B. P. Hist: Oxon. maritimum magnum latifolium I. B. maritimum purpureum Lobelij Ger: marinum latifolium Park: Broad-leaved Sea-Stock-Gilloflower. Ann.

Leucoium maritimum angustifolium B: P: Hist: Oxon. I: B: marinum minus Park: marinum minus Lobelij, & Clusij Ger: Narrow-leaved Sea-Stock-Gilloflower. Ann.

Leucoium incanum filiquis rotundis
B: P. incanum filiquis tumidis subrotundis *Hist: Oxon:* marinum Patavinum **Lob.** marinum luteum majus *Ger:* cum filiquis rotundis flore luteo **I. B.** Thlaspi incanum marinum Hispanicum, Eruca peregrina **Clusij Park:** *The yellow Sea-Stock-Gilloflower.*

LIBANOTIS latifolia altera, five vulgatio **B: P:** Libanotis Theophrasti minor **Park:** *Ger:* Libanotis Theophrasti quorundam, five Sefeli Æthiopicum, Matthiolo Cervaria alba **I: B:** Sefeli Æthiopicum herba **Dod.** Laserpitium foliis latioribus lobatis **D. Morison** *sect. de plant. umbellif. Herbe-Frankinsence with broad leaves.*

Libanotis latifolia minor Montis aurei *The lesser French broad-leaved Herbe-Frankinsence.*

Libanotis latifolia Aquilegiæ folio **B. prodr. Park:** Ligustrum Rawolfij foliis Aquilegiæ **I: B:** Siler Aquilegiæ foliis **D. Morison** *sect. de plant. umbellif. Columbin-leaved Herbe-Frankinsence.*

- S. **LICHEN** five *Hepatica vulgaris*
Park: Lichen, five Hepatica fontana
I: B: Hepatica terrestris Ger: Lichen
petræus latifolius five Hepatica fontana
B: P: Common Ground-Liver-wort.
Offic:
- S. *Lichen petræus cauliculo calceato*
B. P. alter minor folio calceato Park:
Small Liver-wort, with crumpled
leaves.
- S. *Lichen petræus stellatus B. P. Lichen*
five Hepatica minor stellaris Park: He-
patica stellata Ger: Starry-headed Liver-
wort.
- S. *Lichen petræus umbellatus B. P: Li-*
chen five Hepatica minor umbellata
Park: Hepatica umbellata Ger: Round-
headed Liver-wort.
- S. *Lichen cinereus terrestris I. Raij Ash-*
coloured Ground-Liver-wort.
- LIGUSTICUM** vulgare, an
Libanotis fertilis Theophrasti ? B: P:
Levisticum vulgare Ger. Park: Ligu-
sticum vulgare foliis Apij I: B: Common
Lovage. Offic.

Ligusticum quod *Seseli* *Officinarum*
B. P. *Siler montanum officinarum* *Ger.*
Seseli five *Siler montanum* vulgare *I. B.*
Siler montanum, vulgo *Seselios* *Park:*
Mountain Siler.

LIGUSTRUM *I. B.* *Ger.* ; vul-
 gare *Park:* *Germanicum* *B. P.* *Common*
Privet. Offic.

LILIU *album* flore erecto &
 vulgare *B. P.* *album* vulgare & odo-
 ratum flore erecto *Hist:* *Oxon:* *album*
 vulgare *I. B:* *Ger:* *Park:* *Common white*
Lilly. Offic.

Lilium Canadense imperfectis floribus
 & irregularibus multis albis *Hist:* *Ox-*
on: *The double white Lilly without*
smell.

Lilium purpurocroceum majus *B. P.*
Hist. Oxon: *rubens* vel *croceum* majus
I. B: *aureum* *Ger:* *Park:* *Gold-red*
Lilly.

Lilium bulbiferum latifolium majus
B. P. Hist: *Oxon.* majus *bulbiferum* *I.*
B. Park: *parad.* *cruentum*, secundum

caulembulbulis donatum *Ger: The greatest bulbed red-Lilly.*

Lilium bulbiferum minus B: P: Hist: Oxon: Park: parad. The dwarfe bulbed-Lilly.

Lilium floribus reflexis montanum B: P: montanum minus Ger: flore nutante ferrugineo majus I: B: Lilium montanum sive silvestre minus Park: parad. The lesser mountain-Lilly.

Lilium Martagon montanum majus foliis reflexis Hist. Oxon: Martagon montanum majus Ger: Imperiale Hist. Imperiale sive Lilium montanum majus Park: parad: Lilium flore nutante maximum I: B: The Martagon Imperial.

Lilium floribus reflexis albis non punctatis B. P. montanum flore albo Ger. flore nutante albo I. B. Martagon flore albo Park: parad: The white Martagon without spots.

Lilium floribus reflexis albis punctatis B: P: Martagon flore albo maculato

Park: parad: The white spotted Martagon.

Lilium floribus reflexis purpuro sanguinem B: P: angustifolium purpuro sanguineum flore reflexo Hist. Oxon: flore miniato nutante sive Hemerocallis Chalcedonica aliquibus I: B: rubrum Bizantinum sive Martagon Constantinopolitanum Park. parad: Lilium Bizantinum Ger: The red Martagon of Constantinople.

Lilium Bizantinum flore dilute rubente Ger: The light red Bizantine Lilly.

Lilium miniatum odorum angustifolium B: P: Lilium, Martagon Pomponij Clus Hist. Oxon: Martagon Pomponeum, sive Lilium rubrum præcox, vel Lilium Macedonicum Park: parad: Lilium præcox nutante flore rubro tenuifolium I. B. The early-red Martagon, or Martagon Pompony.

Lilium flavum angustifolium B. P. Lilium Martagon flavum angustifolium Hist. Oxon: Lilium flore flavo pun-

punctato Ger: Martagon flore luteo
præcox I: B: Martagon luteum puncta-
tum Park. parad. The yellow spotted Mar-
tagon.

Lilium five Corona Imperialis B: P:
Hist: Oxon: Corona Imperialis Ger. Park:
parad: Corona Imperialis, five Tu-
sai aliis I. B. The common Imperial
Crown.

Lilium five Corona Imperialis flore
multiplici Joh. Rea Flor. The double
Crown Imperial.

Lilium, five Corona Imperialis flo-
re luteo Joh. Rea Flor. The yellow
Crown Imperial.

Lilium five Corona Imperialis flore
luteo striato Stript-yellow Crown Im-
perial.

Lilium Persicum B: P. Hist: Oxon.
Ger: Park: parad. Persicum five Susia-
num I. B. The Persian Lilly.

Lilium luteum Asphodeli radice B.
P. Hist: Oxon: luteum non bulbo-
sum

sum Ger: Liliū Asphodeli radice luteum, sive Lilioasphodelus quorundam flore luteo I. B. Liliaasphodelus luteus Park: *parad: The yellow day-Lilly.*

Liliū rubrum Asphodeli radice B. P. *Hist: Oxon: radice Asphodeli phoeniceum sive Lirioasphodelus quorundam I. B. non bulbosum phoeniceum Ger: Liliaasphodelus phoeniceus Park: parad: The Gold-red Day-Lilly.*

S. Liliū convallium album B: P: convallium flore albo Park: convallium Ger: convallium vulgo I: B: *The white flowered Lilly of the Valey. Offic.*

Liliū convallium flore rubente B. P. I: B: Ger: Park: *Red-flowered Lilly of the Valley.*

L I M O N I U M Ger: majus vulgare Park: maritimum majus B: P: majus multis, aliis Behen rubrum I: B: *Sea-Lavender. Offic.*

Li-

Limonium minus maritimum Oleæ folio *B: P:* parvum *Narbonense* Oleæ-folium *Lob. minus I: B:* parvum *Ger: Narbonense parvum Park: Small Sea-Lavender.*

S. LINARIA vulgaris lutea flore majore *B. P. Hist: Oxon.* vulgaris nostras *Park: lutea vulgaris I: B: Ger: Common Toad-flax. Offic:*

Linaria purpurea major odorata B.P. Hist: Oxon. purpurea magna *I. B.* altera purpurea *Dod. Great purple sweet-smelling Toad-flax.*

Linaria cærulea repens I: B: Park. cærulea procumbens *Hist: Oxon:* purpurocærulea repens *Ger:* purpurea parva *I: B: Small blew-flowered Toad-flax.*

Linaria annua angustifolia flore majore luteo *Hist: Oxon: Narrow-leaved Annual Toad-flax with large yellow flowers Ann:*

LINGUA CERVINA officinarum *B: P: Phyllitis Ger, Phyllitis* five *Lingua cervina vulgi I. B. Phyllitis*

litis, five *Lingua cervina vulgaris* Park.
Common Harts-tongue. Offic.

Lingua cervina multifido folio B: P:
Phyllitis multifida Ger: polyschides I. B.
laciniata Park: *Jagged, or Fingeread*
Harts-tongue.

S. **L I N U M** I: B: sativum B. P. *Hist*
Oxon: Ger: Park: Manured-Flax. Offic.
Ann:

Linum sylvestre angustifolium flore
magno B: P: *Hist: Oxon: sylvestre*
angustifolium cæruleo flore major Park:
sylvestre floribus cæruleis Ger: *Perennia*
wild-Flax.

S. *Linum pratense flosculis exiguis* B: P:
Hist: Oxon: sylvestre catharticum Ger:
Chamælinum Clusij flore albo, five Lin:
num sylvestre catharticum Park: *Alfimo*
verna glabra flosculis albis vel potius Lin:
num minimum I. B. *Dwarfe wilde-Flax*
or Mill-mountain: Ann.

Linum umbilicatum Park: *Strang*
wild white-flowered Flax Ann.

L I T H O S P E R M U M *arundin*
naceum forte *Dioscoridis & Plinii*

B: P: Lachrimæ Job. Ger: Park: Lachrima Jobi multis, five Milium arundinaceum I. B. *Job's Tears. Ann.*

Lithospermum majus erectum B. P. vulgare minus Park: minus Ger: Lithospermum, five Milium Solis I. B: *Common Grommil. Offic.*

S. Lithospermum minus repens latifolium B. P. flore purpureo, semine Anchusæ I. B. majus Ger: vulgare majus Park: *The smaller creeping Grommil.*

S. LOLIUM album Ger: Park: gramineum spicatum caput tentans I. B. Gramen loliaceum spicâ longiore B: P: *Darnel. Offic. Ann.*

Lolium rubrum Ger: rubrum five Phœnix Park: Phœnix Lolio similis I: B: Gramen loliaceum angustiore folio & spicâ B. P. *Red Darnel-grass. Ann.*

S. LONCHITIS aspera B. P. aspera major Ger: aspera major Matthioli Park: altera cum folio denticulato, five Lonchitis Matthioli I. B. *Great bastard Spennwort.*

Lonchitis aspera Ger: *aspera minor*
Park: *minor* B: P: *altera folio Polypo-*
dij I: B: *Rough Spleen-wort, or common*
bastard Spleen-wort.

L o r u s fructu *Cerasi* B: P: *Lo-*
tus arbor Ger: *Park*. *Lotus arbor fructu*
Cerasi I: B: *The Nettle-tree.*

Lotus hortensis odora B. P. *fatival,*
odorata, annua, flore cæruleo I. B. *Trii-*
folium odoratum Ger: *Park*: *Melilotus*
major odorata *Violacea* Hist: *Oxon*: *Sweet*
Tre-foil. Offic. Ann:

Lotus corniculata filiquis singularibus
 vel binisternisve I. B. *annua* ὀλιγοκέρατος
 filiquis singularibus, binis ternisve Hist:
Oxon. *Small hairy long coddled Tre-foil.*
Ann.

Lotus pratensis filiquosus luteus B. P.
pratensis Monspeliensium *Park*. filiquo-
 sa lutea *Monspeliensis* I. B. *lotus*
 ὀλιγοκέρατος τετραγωνόλοβος *perennis* *Monspeli-*
ensis flore luteo Hist: *Oxon*: *Yellow-*
flowered squar-coddled Tre-foil of Mompe-
lier.

Lotus maritima filiquosa folio pingui
 gla-

glabro *D. Magnol. Squar-codded Sea-Trefoil with thick smooth leaves.*

Lotus ruber filiquâ angulosâ *B. P.* lotus ὀλιγοκέρατος τετραγωνολοβος annua Cretica flore sature rubro, seu holoserico coccineo *Hist. Oxon:* Lotus filiquâ quadratâ *Ger:* quadripinnatis filiquis *Park:* flore fusco tetragonolobos *I. B. Square-codded Pease. Ann:*

S. Lotus pentaphyllos flore majore luteo splendente *B: P:* Loti corniculati major species *I. B. Trifolij filiquosi varietas major Ger: Great Bird-foot-Trefoil.*

S. Lotus five Melilotus pentaphyllos minor glabra *B. P.* lotus πολυκέρατος lutea minor, foliis & filiquis glabris brevioribus & crassioribus, *Hist: Oxon:* Lotus corniculata glabra minor *I. B. Trifolium filiquosum minus Ger: Birds-foot-Tre-foil, or small codded-Tre-foil.*

Lotus pentaphyllus minor glabra foliis longioribus & angustioribus *Small codded Tre-foil with long narrow leaves.*

Lo-

Lotus pentaphyllus filiquosus villosus *B. P.* **Lotus πολυκέρατος** frutescens hirsuta alba major latifolia, filiquis tenuibus curtis erectis *Hist: Oxon: Hoary shrub-like Claver, with small short upright cods.*

Lotus πολυκέρατος frutescens incana alba filiquis curtis crassioribus & brevioribus *Hist: Oxon.* **Oxytriphylum** alterum **Scribonij Largi** *Ad: Lob:* **Lotus hæmorrhoidalis** major, & **Trifolium hæmorrhoidale** majus *Park:* **Trifolium album** rectum, hirsutum valde *I. B. The greater Pile-Trefoil.*

Lotus filiquosus glaber flore rotundo *B. P.* **Lybica Dalechampi** *Hist. Lugd.* **Trifolium hæmorrhoidale** alterum minus, sive **Lotus Lybica Dalechampi** *Park.* **Trifolium rectum** **Monspessulanum** *I. B. The lesser Pile-Trefoil.*

Lotus filiquis Ornithopodij *B. P. I. B.* **Lotus πολυκέρατος** annua procumbens latifolia filiquis **Ornithopodij** *Hist: Oxon. Claver with Bird-foot cods. Ann.*

Lotus pentaphyllos vesicaria *B. P.*
Anthyllis leguminosa vesicaria *Hispanica Park: Hist: Oxon:* **Trifolium halicacabum** sive **vesicarium** *I. B. Bladder Trefoil. Ann.*

Loto affinis vulneraria pratensis *B. P. Hist: Oxon:* **Vulneraria rustica** *Gesneri I. B.* **Anthyllis leguminosa** *Ger: leguminosa vulgaris Park: Kidney Vetch.*

LUPINUS **fativus** flore albo *B. P. P: vulgaris seu fativus albus Hist: Oxon: vulgaris flore & semine albo fativus I. B. White Lupins. Hist: Ann.*

Lupinus peregrinus major, vel villosus cæruleus major *B. P. Hist: Oxon: cæruleus maximus Park: major flore cæruleo Ger: Indicus Cornut: exoticus hirsutissimus I. B. Great Blew-Lupins. Ann.*

Lupinus sylvestris flore cæruleo *I. B. sylvestris angustifolius flore cæruleo Hist. Oxon: flore cæruleo Ger. sylvestris purpureo flore, semine rotundo vario I. B. Small blew Lupins. Ann.*

Lupinus sylvestris flore aureo **B. P.** flavo flore *Clus. Hist. Oxon.* flore luteo *Ger. Park.* sylvestris luteo flore semine compresso vario **I. B.** *Yellow Lupins. Ann.*

LUPULUS mas & foemina **B. P.** **I. B.** sativus & sylvestris *Park.* salicarius *Ger.* Convolvulus perennis heteroclitus, floribus herbaceis capulis foliaceis Strobili instar *Hist. Oxon. Hops male and female. Offic.*

S. LUNARIA minor *Ger. Park.* botrytis **I. B.** racemosa minor vel vulgaris **B. P.** *Small Moon-wort.*

S. LUTEOLA *Ger.* vulgaris *Park.* Luteola herba Salicis folio **B. P.** Lutea Plinij quibusdam **I. B.** *Weld, or Dyers-weed. Ann.*

LYCHNIS hirsuta flore coccineo major **B. P.** Chalcedonica flore miniato simplici *Ger. Park. parad.* Flos Constantinopolitanus miniatus **I. B.** *Single scarlet Flower of Constanti-nople.*

Lychnis Chalcedonica flore carneo *Ger.*

Ger. Park. parad: *Flesh-coloured Flower of Constantinople.*

Lychnis Chalcedonica flore albo Ger: Park: parad. *White-coloured Flower of Constantinople.*

Lychnis Chalcedonica flore miniato pleno Park: parad: Ger: *Double scarlet Flower of Constantinople.*

Lychnis coronaria Dioscoridis sativa B. P. coronaria sive cotonaria sativa Hist: Oxon. coronaria vulgaris Park: coronaria vulgo I. B. coronaria rubra Ger: *Red Rose-Campion.*

Lychnis coronaria alba Ger: coronaria alba simplex Park: parad. *The single white Rose-Campion.*

Lychnis coronaria albescens maculata Park: parad. *Spotted whitish Rose-campion.*

5. Lychnis sylvestris alba simplex I. B: sylvestris hirsuta perennis alba simplex Hist. Oxon: sylvestris flore albo Ger: Park: Ocymoides album multis I. B: *The white Champion.*

P

Lychn

Lychnis sylvestris five *aquatica* purpurea simplex B. P. *sylvestris* minus hirsuta flore rubello simplici *Hist. Oxon.* *sylvestris* rubello flore Ger. *sylvestris* flore rubro Park. *Ocymoides purpureum* multis l. B. *Single red wild-Campion.*

Lychnis purpurea multiplex B. P. Ger. *sylvestris* flore rubro pleno Park. *parad. Red Batchelours-Buttons, or double red wild-Campion.*

S. *Lychnis sylvestris hirsuta annua* flore minore carneo *Hist. Oxon. Annual! wild Champion with small flesh-coloured leaves.*

S. *Lychnis segetum major* B. P. *Lychnis hirsuta segetum major* *Hist. Oxon.* *Lychnoides segetum* five *Nigellastrum* Park. *Pseudomelanthium* l. B. Ger. *Cockle. Ann.*

Lychnis sylvestris latifolia calyculis turgidis striatis B. P. *Hist. Oxon.* *sylvestris calyculis striatis* Park. calyculis striatis, secunda Clusij Ger. *Muscipulan*

cupula majore calyce turgido ventricoso I. B. *Wild Champion with straked husks.*

Ann:

S. *Lychnis sylvestris* quæ *Behen album* vulgo B. P. *sylvestris perennis* quæ *Behen album* vulgo *Hist: Oxon.* *Behen album* *Ger: Behen album officinarum* I: B: *Papaver spumeum* sive *Behen album* vulgo *Park: Spatling-Poppy.*

Lychnis sylvestris quæ *Behen album* foliis hirsutis. *Spatling Poppy with rough leaves.*

Lychnis frutescens myrtifolia *Behen albo* similis B. P. *sylvestris glabra frutex myrtifolia* *Behen albo* similis *Hist: Oxon.* *Ocymoides fruticosum* *Cam: Skrubby Myrtle-leaved Champion like Spatling-Poppy:*

Lychnis segetum rubra foliis *Perfoliatæ* B: P: *segetum Vaccaria dicta* *Hist: Oxon: segetum Vaccaria rubra dicta* *Park. Vaccaria* I: B: *Ger: Cow-Basil. Ann.*

Lychnis noctiflora B: P: *Park. frutescens noctiflora* *Hist: Oxon: Ocymoides*

des non speciosum I. B. Park: *Night-flowering Campion.*

S. *Lychnis maritima repens* B: P: perennis angustifolia marina annua procumbens *Hist: Oxon:* marina repens alba Park: marina Anglica Ger: marina Anglica I: B *English Sea-Campion.*

Lychnis montana viscosa alba latifolia B. P. *sylvestris* seu montana latifolia viscosa, florum petalis supra albis subtus virescentibus, interdum se contrahentibus *Hist: Oxon:* *sylvestris* nona Clusij Ger: *Polemonium petraeum* Gesneri I. B. *Lychnis sylvestris minor alba* Park: *The smaller white wild-Campion.*

Lychnis viscosa purpurea latifolia laevis B: P: segetalis major glabra viscosa latifolia *sylvestris* *Hist. Oxon:* *Muscipula* Lobelij Ger: *Muscipula Lobelij* five Ben rubrum *Monspeliensium* Park: *parad. Centaurium minus* adulterinum, quibusdam *Lychnidis viscidæ* genus I: B: *Lobels Catchflie with red flowers* Ann:

Lychn-

Lychnis viscosa alba latifolia lævis.
Muscipula flore albo Hort. Eyst. Lob-
bells Catchflie with white flowers. Ann.

S. *Lychnis sylvestris viscosa rubra angu-*
stifolia B. P. Park: sylvestris angustifolia viscosa præcox rubra foliis caryo-
phylleis Hist: Oxon. Odontidi five
Flori cuculi affinis, Lychnis sylvestris
prima Clusij in Pannonicis, quarta in
Hist: post, I. B. Red German-Catch-
flie.

S. *Lychnis sylvestris viscosa angustifo-*
lia alba. German-Catchflie with white
flowers.

Lychnis sylvestris lanuginosa minor
B. P. Park: minor hirsuta seu lanugino-
sa minor Hist: Oxon: sylvestris hirta
minima Lob. Ger: Small hairy-Campion.
Ann.

Lychnis sylvestris lanuginosa minor
flore variegato. Small hairy-Campion,
with party.coloured flowers. Ann.

Lychnis segetum meridionalium annua
hirta floribus albis uno versu dispositis
Hist: Oxon: Annual hairy-Campion with
white flowers on one side of the stalk. Ann.

Lychnis minima rigida Cherleri I. B.
Cherlerus, his small stiff-Campion..

S. *LYSIMACHIA* *lutea major*
quæ Dioscoridis B. P. lutea I: B:
Ger. lutea major vulgaris Park: Blat-
tariæ affinis planta major flore lu-
teo Hist: Oxon: Common yellow Loose-
strife.

Lyfimachia lutea corniculata B: P:
app. lutea corniculata non papposa
Virginiana major Hist: Oxon: lutea
Virginiana Ger. lutea filiquosa Vir-
giniana Park. parad. The Tree-Prime-
rose. Ann.

Lyfimachia lutea corniculata non
papposa Virginiana minor Hist: Oxon.
The lesser Tree-Primrose.

S. *Lyfimachia filiquosa hirsuta mag-*
no flore B: P: Lyfimachia nostras
papposa filiquosa hirsuta magno flo-
re

re *Hist: Oxon* : filiquosa hirsuta major
flore purpureo I: B: filiquosa Ger:
Great hairy-codded Willow-herbe.

- S. *Lyfimachia filiquosa hirsuta parvo*
flore B. P. *Lyfimachia nostras pappo-*
sa filiquosa hirsuta parvo flore Hist.
Oxon : filiquosa hirsuta flore minore I.
B. 12: sive silvatica Ger: *The lesser hairy*
codded Loose-strife.

- S. *Lyfimachia filiquosa glabra major B:*
P: *Lyfimachia nostras papposa filiquo-*
sa glabra major Hist. Oxon. filiquo-
sa major *Park: lævis I: B: campestris*
Ger: *The greater smooth-leaved codded*
Loose-strife.

- S. *Lyfimachia filiquosa glabra minor*
B: P: *Lyfimachia nostras filiquosa pap-*
pposa glabra minor Hist: Oxon: fili-
quosa glabra media sive minor Ger:
Filius ante patrem minor Gesn. col. The
lesser, or middle smooth-leaved codded
Willow-herbe.

Lyfimachia filiquosa glabra minor
la-

latifolia Joh. Raij. *The lesser smooth broad leaved codded-Willow-herb.*

S. *Lyfimachia filiquosa glabra minor angustifolia* Ger: *Lyfimachia filiquosa glabra angustifolia* B:P: *The least smooth codded Willow-herbe.*

S. *Lyfimachia Chamænerion dicta latifolia* B: P: *Lyfimachia nostras filiquosa papposa dicta Chamænerium latifolium* Hist: Oxon: *Lyfimachia speciosa quibusdam Onagra dicta filiquosa* I. B. *Chamænerion* Ger: *Chamænerion flore Delphinij* Park: *pa ad. Rose-Bay Willow-herbe.*

S. *Lyfimachia spicata purpurea forte Plinij* B. P. *purpurea spicata* Ger: Park: *purpurea quibusdam, spicata* I. B. *Blattaria rubra spicata major glabra communis folio acuto* Hist: Oxon: *Purple spiked Loose-strife. Offic.*

S. *Lyfimachia purpurea spicata trifolia caule hexagono* Spigel: *isagog: Three leav-*

leaved purple spiked Loose-strife with six square-stalks.

Lyfimachia spicata cærulea B. P. cærulea Ger: cærulea spicata Park: Veronica spicata recta, profunde ferrata, quam Lyfimachiam cæruleam quidam vocant I: B: Veronica spicata major recta cærulea Hist. Oxon. Blew spiked Loose-strife.

- S. Lyfimachia cærulea galericulata, vel Gratiola cærulea B. P. Tertianaria, aliis Lyfimachia galericulata I: B: Gratiola latifolia Ger: cærulea five latifolia major Park: Hooded Willow-herbe, or Loose-strife.

M.

MAJORANA vulgaris *B. P.*
 æstiva vulgaris *Park*: major
Ger: Ordinary sweet *Marjoram*
Offic.

Majorana latifolia aurea *Park*: Yellow
 or gilded *Marjoram*.

Majorana latifolia sive major Angli-
 ca *Ger*: *Park*: Origanum onites: &
 Matth. *B. P.* Pot-*Marjoram*.

S MALVA sylvestris folio rotundo *B.*
P. sylvestris perennis procumbens flore
 minore albo folio rotundo *Hist. Oxon.*
 sylvestris minor *Park*: sylvestris pumila
Ger: vulgaris flore minore folio rotun-
 do *L. B.* Small wild-Mallow, or dwarfe-
 Mallow.

S. Malva sylvestris folio sinuato *B. P.*
 sylvestris procerior seu elatior recta-
 ve,

ve, flore majore subrubente aut purpureo venis saturate purpureis picto, folio sinuato *Hist: Oxon: sylvestris Ger: vulgaris Park: vulgaris flore majore folio sinuato I. B. Common Mallow. Offic:*

Malva sylvestris folio sinuato flore albo. *Common Mallow with white flowers.*

Malva perennis Hispanica flore carneo amplo *Hist: Oxon: Hispanica flore carneo amplo Park: parad: The Spanish blush Mallow. Ann.*

Malva foliis crispis *B. P. annua foliis crispis Hist. Oxon: Malva crispa I: B. Ger: Park. Crisped, or curled-Mallow. Ann:*

Malva annua trimestris flore cum unguibus purpureis seminibus multis nigris rotundis subter membranaceis duplicatis orbiculis latentibus *H. st. Oxon. Malva trimestris Clus. trimestris sive æstiva Park: trimestris flore cum unguibus purpureis I: B: æstiva Hispanica Ger: The Spanish Mallow, or summer Mallow. Ann.*

mal

Malva annua rotundifolia, floribus omnium minimis albis pentapetalis verticillatim genicula ambientibus, & semibus arcte iisdem verticillatim adherentibus *Hist: Oxon.* *Small annual round leaved Mallow*, with very small white flowers, and seeds going round about the Joints of the stalks, and sticking closely to them. *Ann.*

Malva arborea Veneta dicta parvo flore B: P: *maritima arborea Veneta dicta parvo flore* *Hist: Oxon:* *arborea* *Park: l. B.* *The Tree Mallow, or Venice Sea-tree-Mallow.* *Ann. Offic.*

S. *Malva maritima arborea nostras Britanica* *Hist: Oxon:* *arborea marina nostras* *Park. English Sea-tree-Mallow.* *Ann.*

Malva rosea folio subrotundo B: P: *rosea folio subrotundo flore simplici* *Hist: Oxon:* *rosea sive hortensis* L: B: *hortensis* Ger: *rosea simplex* *Park.* *Single Hollibocks of many several colours.*

Mal-

Malva rosea folio subrotundo flore pleno *B. P. Hist: Oxon:* rosea multiplex *Ger: Park: Double Hollilocks of many several colours.*

Malva rosea folio *Ficus B: P:* rosea peregrina folio *Ficus obscure viridi Hist. Oxon.* rosea simplex peregrina *Tab. Ger:* folio amplo *Ficus profunde laciniato I: B: Jagged strange Hollibock.*

MALUS Dod. Hist. Ludg. The Apple-Tree. Offic.

Malus cotonea vulgaris Ger: Park. The common Quince-Tree. Offic.

Malus Armeniaca major Ger: Park: The great Apricock-Tree. Offic.

Malus persica Dod. persica molli carne vulgaris & alba B. P. The common Peach-Tree. Offic.

Malus punica I. B. punica sativa B. P. Park: Granata, sive punica Ger: The Pomegranate-Tree. Offic:

Malus punica sylvestris Ger: Ba-laustium majus sive Malus punica syl-

sylvestris major Park: *parad:* *Balaustia*
flore pleno majore B: P: *Balau-*
stia Hispanica I: B: *The greater wilde,*
or double-blossomed Pomegranate-tree.

Offic:

M A N D R A G O R A fructu rotun-
do B. P. mas I: B: Ger: Park. *The male*
Mandrake. *Offic:*

Mandragora fructu pyri B: P: *foemi-*
na I: B: Ger: Park: *The female Man-*
drake.

M A R R U B I U M *Cardiaca dictum*
B: P: *Cardiaca* I. B. Ger: Park. *Com-*
mon Mother-wort.

Marrubium Cardiaca dictum foliis
eleganter crispis. *Mother-wort with fine*
curled-leaves.

S *Marrubium palustre glabrum* B. P.
aquaticum Ger: *aquaticum vulgare*
Park: *aquaticum quorundam* I. B. *Com-*
mon Water, or Marsh-Hore-hound.

Marrubium aquatile foliis tenui-
us dissectis Hort: Reg: Bles: *Water-*
Hore-hound with smaller cut-leaves.

mar-

S. *Marrubium nigrum foetidum* Ballo-
te Dioscoridis *B: P: nigrum foetidum*
Ballote dictum *Park: nigrum sive Bal-*
lote I. B. nigrum Ger. Park: Black or
stinking Hore-hound. Offic:

Marrubium nigrum longifolium B. P.
Ger. Park: Herba venti Monspeliensibus
1. B. Black French Hore-hound with
long leaves.

S. *Marrubium album vulgare B. P. Park:*
album I. B. Ger. Common white Hore-
hound. Offic.

Marrubium album angustifolium pe-
regrinum B. P. Creticum Ger. Park:
album angustiore folio 1. B. Sweet Can-
dy Hore-hound.

Marrubium ex Alepo verticillis lon-
gis pediculis innitentibus Strange Hore-
hound of Alepo with long stalked-seed
vessels.

M A R U M *Ger: vulgare Park:*
Sampfuchus, sive Marum, Masti-
chen redolens B: P: Herbe-Mastick.
Offic.

M A T R I C A R I A *Ger: vulgaris*
Park.

Park: B: P: *Matricaria* vulgo, minus
Parthenium I. B. *Common Fever-few.*
Offic.

Matricaria flore pleno B. P. I. B. *Ger.*
Park: *Double Fever-few.*

Matricaria nuda Hort. Reg. Bles. bul-
 latis floribus *Park:* *Naked Fever-*
few.

M E L A M P Y R U M purpurascen-
 te comâ B. P. purpureum *Ger:* *Melam-*
pyrum multis, five *Triticum* vacci-
 num I: B: *Cratægonon* flore vario *Park.*
Party-coloured Cow-Wheat. Ann:

Melampyrum cæruleâ comâ B: P:
 cæruleum *Ger:* *Melampyro* affinis *Pa-*
rietaria cærulea quorundam I. B. *Blew*
Cow-Wheat, Ann.

S *Melampyrum* cristatum I: B: *Crested*
Cow-Wheat. Ann.

S. *Melampyrum* luteum latifolium B.
 P. sylvaticum flore luteo, five *Sa-*
tureia lutea sylvestris I: B: *Cratægo-*
non vulgare *Park:* *Common Cow-Wheat.*
Ann:

MELILOTUS officinarum Germaniæ **B. P.** vulgaris *Park*: Germanica *Ger*: Trifolium odoratum, seu Melilotus vulgaris flore luteo *L. B.* Trifolium odoratum seu Melilotus fruticosa lutea vulgaris vel officinarum *Hist. Oxon. Common Melilote. Offic. Ann.*

Melilotus major candida *Trag.* flore albo *Park*: Trifolium odoratum, seu Melilotus fruticosa candida major *Hist. Oxon. Great white flowering Melilote. Ann.*

Melilotus Italica folliculis rotundis **B. P.** Italica *Ger*: *Park*: magno semine rotundo rugoso *L. B.* Trifolium odoratum seu Melilotus lutea seminis pericarpio magno, rugoso, rotundo, albo. *Hist. Oxon. Italian-Melilote. Ann.*

Melilotus lutea filiculis longioribus *Dod. descr.* Trifolium odoratum seu Melilotus lutea filiculis longioribus *Hist. Oxon.* Trifolium odoratum seu Melilotus quarta vulgaris flore luteo *L. B.* Melilote with longer codds. *Ann.*

Melilotus lutea minor floribus & filiculis minoribus spicatum & dense dispositis. *Hist: Oxon.* Small yellow Melilote with lesser flowers and seeds set in a thick spike. *Ann.*

M E L I S S A hortensis B: P: vulgaris Ger. Park: vulgaris odore Citri I: B: Garden Baum. *Offic:*

Melissa peregrina folio oblongo B: P: Turcica multis dicta I: B: Turcica flore cæruleo Ger: Park: Blew-flowered Turkey-Baum. *Ann.*

Melissa Turcica flore albo Ger: Park: White-flowered Turkey-Baum. *Ann.*

M E L O hortensis B. P. *Hist. Oxon.* Ger. Park. Melones I. B. Common Melons. *Offic: Ann.*

M E N T H A hortensis corymbifera B: P: corymbifera sive Costus hortensis I. B. Balsamita mas Ger: Costus hortorum major Park: Costmary. *Offic.*

Mentha hortensis verticillata Ocy-mi odore B: P: verticillata minor acuta

ta non crispa, odore Ocymil: **B:** Romana angustifolia sive cardiaca *Park.* **Mentha cardiaca** *Ger: Heart-Mint, or Spear-Mint.*

Mentha rotundifolia spicata altera **B:** **P:** **Mentha fativa rubra** *Ger: fusca sive vulgaris Park: Red, or brown Mint. Offic.*

Mentha angustifolia spicata **B:** **P:** **spicata folio longiore acuto glabro nigriore** **L:** **B:** **Mentha cruciata** *Ger: Park: Cross-Mint.*

Mentha crispa verticillata **B:** **P:** **crispa** *Park: Curled-Mint.*

Mentha rotundifolia palustris sive aquatica **B:** **P:** **aquatica sive Sisymbrium** **L:** **B:** *Ger: aquatica rubra Park: Water-Mint. Offic:*

Mentha sylvestris folio longiore **B:** **P:** **Mentastrum** *Ger: hortense sive Mentha sylvestris Park: spicatum folio longiore candicante* **L:** **B:** *Long-leaved Horse-Mint.*

Mentha sylvestris rotundiore folio **B:** **P:** **Mentastrum folio rugoso rotundiore spontaneum, flore spicato, odore gravi** **L:** **B:** *Round-leaved Horse-Mint.*

Men-

Mentha tuberosâ radice B: P: *Menthastrum tuberosâ radice* I: B: *Menthastrum tuberosum* Clusij *Ger: Menthastrum tuberosum* Clusij *Park: Clusius His knobbed wild-Mint.*

Mentha montana verticillata B: I: *Menthastrum montanum* sive *Pannonicum* *Park: montanum primum* Clusij *Ger: montanum folio coloris viridis* I: I: *Hungarian Wild-Mint.*

S: *Mentha cataria vulgaris & major* I: P: *felina, sive cataria* *Ger: Nepeta major* *Park: Mentha cataria* I: B: *The greatest Cat-Mint. Offic:*

Mentha cataria minor B: P: *Nepeta minor* *Park: The lesser Cat-Mint.*

MERCURIALIS testiculata sive *mas* Dioscoridis & Plinij B: P: *Hist. Oxon: mas* I: B: *Ger: vulgaris mas* *Park: Male French Mercury. Offic: Ann:*

Mercurialis spicata sive *foemina* Dioscoridis & Plinij B: P: *Hist: Oxon: foemina* I: B: *Ger: foemina vulgaris* *Park: Female French-Mercury. Ann:*

S: *Mercurialis montana testiculata*

B. P. Hist. Oxon. sylvestris Cynocrambe dicta vulgaris mas *Park.* Cynocrambe mas *Ger :* mas, sive Mercurialis mas repens **I. B. Male Dogs-Mercury. Offic.**

S. Mercurialis montana spicata **I. B. Hist. Oxon.** sylvestris Cynocrambe dicta vulgaris foemina *Park.* Cynocrambe foemina *Ger :* foemina sive Mercurialis repens **I. B. Female Dogs-Mercury.**

MESPILUS **I. B.** fativa *Ger.* vulgaris sive minor *Park.* Germanica folio laurino non serrato **B. P. The common Medlar-tree. Offic.**

Mespilus Apij folio laciniato **B. P.** Mespilus Aronia *Ger.* Aronia veterum **I. B.** Aronia sive Neapolitana *Park.* The Medlar of Naples.

Mespilus Apij folio sylvestris non spinosa, sive Sorbus torminalis **B. P.** Sorbus torminalis *Ger :* torminalis sive vulgaris *Park.* torminalis, & Crataegus Theophrasti **I. B. The common Service-tree.**

S. Mespilus Apij folio sylvestris spinosa,
five Oxyacantha *B. P.* Oxyacanthus *Ger.*
Oxyacanthus vulgaris, five Spinus albus
I. B. Spina appendix vulgaris *Park.* *The*
White-Thorne, or Haw-Thorn-Tree.

S. M E U M *Ger.* : vulgatus *Park.* fo-
liis Anethi *B. P.* Meum vulgare , fi-
ve Radix urfina *I. B.* : Common Spignel.
Offic.

M I L I U M semine albo *B. P.*
vulgare album *Park.* Milium *I. B.*
Ger. : Common White Millet. *Offic.*
Ann.

Milium semine nigro *B. P.* : *I. B.*
nigrum *Ger.* : *Park.* Black Millet. *Ann.*

Milium arundinaceum subrotundo
semine Sorgo nominatum *B. P.* : Meli-
ca five Sorghum *Ger.* : *Park.* Sorghi *I. B.*
Turkie-Millet. Ann.

S. M I L L E F O L I U M vulgare
album *B. P.* vulgare *Park.* terrestre
vulgare *Ger.* : Milletolium stratiotes pen-
natum terrestre *I. B.* : Common Yarrow,
or Milfoil. Offic.

mil-

S. Millefolium vulgare purpureum minus *B. P.* vulgare rubrum *Park.* flore rubro *Ger.* *Purple-flowered Tarrow*, or *Milfoil.*

Millefolium purpureum majus *B. P.* flore rubro maximum *Park.* *Great purple Milfoil, or Tarrow.*

Millefolium maximum umbellâ albâ *B. prodr.* *The greatest white-flowered Tarrow, or Milfoil.*

Millefolium nobile *Trag.* Achillea sive Millefolium nobile *Ger.* Achillea sideritis, sive nobilis odorata *Park.* Achillea Millefolia odorata *L. B.* Tanacetum minus album odore Camphoræ *B. P.* *Achilles Milfoil.*

Millefolium luteum *Ger.* *Park.* tomentosum luteum *B. P. I. B.* *Yellow Tarrow, or Milfoil.*

S. Millefolium aquaticum, sive Viola aquatica caule nudo *B. P.* aquaticum dictum Viola aquatica *L. B.* aquaticum floridum, sive Viola aquatica *Park.* Viola palustris *Ger.* *Water Violet, or Milfoil.*

S. *Millefolium aquaticum* flosculis ad foliorum nodos B. P. *aquaticum minus* I: B: *Park*: *aquaticum sextum*, sive *Myriophyllum aquaticum minus* Clusij Ger: *Small Water-Milfoil.*

S. *Millefolium aquaticum pennatum* spicatum B: P: *Park*: *pennatum aquaticum* I: B: *Feathered Water-Milfoil.*

S. *Millefolium aquaticum lenticulatum* B. P. *palustre galericulatum* Ger: *aquaticum flore luteo galericulato* I: B: *Park*. *Hooded Water-Milfoil.*

S. *Millefolium aquaticum* foliis *Abrotani*, *Ranunculi* flore & capitulo B. P. *aquaticum Ranunculi* flore & capitulo *Park*: *Millefolium* sive *Maratriphyllum*, flore & semine *Ranunculi* *aquatici*, *Hepaticæ* facie Ger. *Ranunculus aquatilis* omnino *tenuifolius* I. B. *Crow-foot Water-Milfoil.*

M O L Y latifolium luteum odore Allij primum B: P: *Hist. Oxon*: lu-

luteum Botanicorum latifolium odore Allij *L. B.* latifolium flore luteo
Ger. Park: Broad-leaved yellow Moly.

Moly angustifolium umbellatum B. P. angustifolium umbellatum album
Hist: Oxon: Moly Dioscoridis parvum quibusdam L. B. Moly Dioscorideum Park: parad: minus flore albo
Ger. Dioscorides his Moly, or narrow-leaved white-flowered Moly.

Moly Dioscorideum flore carneo
Dioscorides his Moly with blush flowers.

Moly pixidatum argenteum Hispanicum Park: parad: The Spanish Silver-cupped Moly.

Moly serotinum coniferum Park: parad: an Moly atropurpureum Swert:?
Hist: Oxon: The late pine-Apple Moly.

Moly latifolium Liliflorum B. P.
Moly Homericum vel potius Theophrasti Park: parad: Homericum
Ger: Moly Theophrasti magnum L. B.
 Or-

Ornithogalum Indicum latifolium floriferum sphaericum colore colossino aut albo *Hist. Oxon: Homers Moly.*

Morus *Ger: nigra I. B. Park. fructu nigro B. P. The black Mulberry-tree-offic.*

S. **Muscus** terrestris clavatus B: P: clavatus five **Lycopodium** *Ger: Park: terrestris repens a Trago pictus I. B. Club-Mosse, or Wolves-Clawes.*

S. **Muscus** clavatus foliis Cupressi B: P: *Ger: clavatus cupressiformis Park: terrestris ramosus pulcher I. B. Cypresse-Mosse, or Heath-Cypresse.*

S. **Muscus** erectus abietiformis *J. Raij*
Muscus terrestris rectus I: B: *Upright Firr-Moss.*

S. **Muscus** pixioides, terrestris B: P: pixioides, five pixidatus I: B: *Ger: Park: Cup, or Chalice-Mosse.*

S. **Muscus** terrestris vulgaris minor **Adianthi aurei capitulis** *I. Raij. The lesser Earth-Mosse, with heads like Golden Maiden-hair.*

S. *MYAGRUM* filiquâ longa *B: P:*
Myagro affinis planta filiquis longis *I.*
B. Camelina Ger: Camelina sive *Mya-*
grum alterum amarum *Park: Eruca syl-*
vestris latifolia folio integro flore luteo
minore Hist: Oxon. Treacle-worm-seed.
Ann:

Myagrum fativum B. P. majus seu
fativum Hist: Oxon: Myagrum Ger:
sylvestre sive Pseudomyagrum Park.
Myagrum dictum Chamelina I: B: Gar-
den Gold-of-pleasure. Ann:

Myagrum monospermum latifolium
B: P: monospermum I: B: monosper-
mum majus Park. Raphanistrum mo-
nospermum latifolium filiculis fungosis
glabris auriculatis Hist: Oxon: One grain-
ed Gold-of-pleasure. Ann.

Myagro similis filiquâ rotundâ *B: P:*
Park. Myagro affinis herba capitulis ro-
tundis I. B. Raphanistrum filiquâ mi-
nore, rotundâ rugosâ, asperâ Hist:
Oxon: Round-podded like Gold-of-plea-
sure. Ann.

M Y R R H I S major vel *Cicutaria odorata* *B. P.* major vulgaris, five *Cerefolium majus* *Park.* magno semine sulcato, longo *I. B.* *Cerefolium magnum* five *Myrrhis Ger.* *Great sweet Garden Chervil*, or *Myrrh. Offic.*

S. *Myrrhis sylvestris* seminibus lævibus *B. P.* *sylvestris* *Park.* *Cicutaria vulgaris* *I. B.* *alba Lugdunensis* & *Cicutaria palustris Camerarij Ger.* *Wild Cicely.*

Myrrhis annua nodosa semine aspero *Hort. Reg. Bles.* *Annual Chervil with knotty joynts, and rough seeds. Ann.*

S. *Myrrhis sylvestris* seminibus asperis *B. P.* *sylvestris Neapolitana* atque etiam *Anglicana* *Park.* *Chærefolium quintum* five *Myrrhis nova* *Æquicolorum Columnæ Ger.* *Small Hemlock-Chervil with rough seeds. Ann.*

N.

N A R C I S S U S latifolius
 omnium maximus, amplo ca-
 lice flavo sive Nonparielle
Park: parad. Narcissus om-
nium maximus Ger. Narcissus Nonpa-
rel Joh. Rea Flor. The great None-
such Daffodil, or Incomparable-Daffo-
dil.

Narcissus Nonparel flore sive calice
pleno Joh. Rea Flor. The Incomparable
Daffodil with a double flower, or cup.

Narcissus medioluteus vulgaris Park:
parad. medioluteus Ger: The common
white Daffodil called Primrose-peer-
esse.

Narcissus albus multiplex Park. pa-
ad. Joh. Rea Flor. The double white
Daffodil.

Nar.

Narcissus mediopurpureus ferotinus *Park. parad.* albus circulo purpureo *B. P.* mediopurpureus *Ger*
l. B. flore simplici uno mediopurpureo *Hist. Oxon.* The late purple-ringed Daffodil.

Narcissus mediopurpureus multiplex *Park. parad.* *B. P.* mediopurpureus flore pleno *I: B: Ger:* The double purple-ringed Daffodil.

Narcissus Africanus aureus major *Park. parad. Joh. Rea Flor.* flore simplici multiplicato, luteus totus polyanthos de Argiers *Hist. Oxon.* The great yellow Daffodil of Africa.

Narcissus Narbonensis major ampliflore *Park. parad.* The French Daffodil with great flowers.

Narcissus Narbonensis sive medioluteus præcox *Park. parad.* The early French Daffodil.

Narcissus angustifolius sive juncifolius maximus amplo calice *Park. parad.* The great Junquilia with a large flower or cup.

Narcissus angustifolius luteus semper florens Caccini *Park: parad: The yellow Italian Daffodil of Caccini.*

Narcissus juncifolius luteus vulgaris major *Park: parad. The ordinary Junquilia, or Rush-leaved-Daffodil.*

Narcissus juncifolius flore pallide flavo. The Rush-leaved Daffodil, or Junquilia, with pale yellow flowers.

Narcissus juncifolius luteus flore pleno *Park: parad: juncifolius multiplex* *Ger: The double Junquilia, or Rush-Daffodil.*

Narcissus, sive Pseudonarcissus aureus Hispanicus maximus *Park: parad. Joh. Rea Flor. great yellow Spanish bastard Daffodil.*

Narcissus, sive Pseudonarcissus Hispanicus maximus albidus *Park: parad: The greatest Spanish whitish bastard-Daffodil.*

Narcissus sive Pseudonarcissus Pyrenæus

us Hispanico similis *Park. parad. The Mountain bastard-Daffodil.*

Narcissus sylvestris pallidus calice luteo *B. P. Pseudonarciscus Anglicus Ger: Anglicus vulgaris Park: parad: Bulbocodium vulgatus I: B: The common English bastard Daffodil.*

Narcissus parvus totus luteus *B: P: Pseudonarcissus Hispanicus luteus minimus Park. parad: Bulbocodium minus I. B. The least Spanish bastard-Daffodil.*

Narcissus, sive Pseudonarcissus aureus maximus flore pleno, sive roseus *Tradescanti Park: parad: maximus flore pleno Joh. Rea Flor. Narcissus roseus Tradescanti Ger: The greatest double yellow bastard-Daffodil, or John Tradescant his great Rose-Daffodil.*

Narcissus, sive Pseudonarcissus aureus Anglicus maximus *Park: parad: Pseudonarcissus minor flore pleno*

no *Joh. Rea Flor.* Master Wilmers great double *Daffodil.*

Narcissus, five *Pseudonarcissus Anglicus* flore pleno *Park. parad: Joh. Rea Flor.* *Pseudonarcissus* flore pleno *Ger.* The double English bastard *Daffodil*, or *Gerards double Daffodil.*

Narcissus five *Pseudonarcissus Gallicus* minor flore pleno *Park: parad: The lesser French double bastard Daffodil.*

Narcissus montanus juncifolius calice aureo *B. P. Hist. :Oxon:* *Pseudonarcissus juncifolius luteus* minor *Park: parad.* *Narcissus montanus juncifolius minimus Ger:* *Bulbocodium tenuifolium* flore luteo *L. B. The lesser yellow bastard Funquilia.*

Narcissus maritimus B. P. *Pseudonarcissus marinus albus Pancratium* vulgo *Park: parad: Pancratium Lob. marinum Ger.* *Monspessulanum*, multis *Scilla alba parva L. B.* *Lilionarcissus albus maritimus minor Hist. Oxon: The white Sea bastard Daffodil.*

R

Nar-

Narcissus marinus, sive tertius Matthioli *Park: parad:* tertius Matthioli *Ger: Illyricus Liliaceus B: P: Lilionarcissus albus maritimus major Hist. Oxon. Pancratij Monspeliani vel Hemerocallidis Valentinae facie, Lilionarcissus vel Narcissus tertius Matthioli I: B: The great white Sea Daffodil, or Matthiolus his third Daffodil.*

N A S T U R T I U M hortense vulgatum *B. P. Ger. Park: vulgare I: B: vulgare seu hortense tenuiter divisum Hist. Oxon: Common Garden-Cresses. Offic. Ann:*

Nasturtium hortense crispum *B. prodr. Ger: hortense crispum latifolium Hist. Oxon: crispum latifolium Park: crispum Joh. Bauhini I. B. Curled Garden-Cresses. Ann.*

Nasturtium hortense latifolium *B. Prodr. Hist: Oxon. hortense latifolium Hispanicum Park. Nasturtium Hispanicum Ger: latifolium Dioscorideum Joh. Bauhini I. B. Broad-leaved Garden Cresses, or great Spanish-Cresses- Ann.*

Na-

S. Nasturtium pratense magno flore B.
 P. pratense magno flore simplici Hist.
Oxon: pratense majus, five Cardamine
 latifolia *Park* Cardamine *Ger.* Iberis
 Fuchsj, five Nasturtium pratense sylve-
 stre I. B. *Ladies Smocks, or Cuckow-*
flowers. Offic.

S. Nasturtium pratense magno flore,
 five Cardamine flore albo. *Ladies-*
Smocks with white flowers.

S. Nasturtium minimum annuum flo-
 re albo Hist: *Oxon:* Sium minimum,
 Noli me tangere, dictum, five impa-
 tiens, Nasturtij sylvestris folio *Park*. Car-
 damine impatiens, vulgo Sium minus
 impatiens *Ger:* Sisymbrij Cardamines
 species quædam insipida I. B. *Impatient*
Ladies-smock, or Cuckow-flower. Ann.

S. Nasturtium aquaticum supinum B:
 P: aquaticum supinum flore albo Hist.
Oxon: aquaticum vulgare *Park:* aqua-
 ticum, five Cratævæ Sium *Ger.* Sisym-
 brium Cardamine, five Nasturtium
 aquaticum I. B. *Common Water-Cresses.*
Offic:

S. Nasturtium aquaticum majus & amarum *B. P. Hist. Oxon:* aquaticum amarum *Park:* Sium Matthioli & Italogorum *Ger.* Sisymbrium Cardamine si-
ve Nasturtium aquaticum flore majore elatius *I: B: Bitter Cresses.*

S. Nasturtium aquaticum minus *B. P. Hist. Oxon:* Sisymbrium aquaticum minus *Cam:* Sisymbrium Cardamine dictum hirsutum minus flore purpureo *I: B: Cardamine quarta Dalecham-
pij Hist. Lugd: Cardamine impatiens
altera hirsutior J. Ray The other impa-
tient Cuckow-flower, or Ladies-Smock.*

S. Nasturtium sylvestre tenuissime divi-
sum *B. P. sylvestre tenuissime divi-
sum seu Nasturtium κυρίοφυλλον* flore lu-
teo minimo *Hist: Oxon.* Sophia Chi-
rurgorum *Ger: Park.* Seriphium Germa-
nicum siue Sophia quibusdam *I. B. Flix-
weed. Offic. Ann:*

Nasturtium Indicum majus *B. P. Hist: Oxon:* Indicum *Ger: Park: parad:* Indi-
cum folio peltato scandens *I: B: Indian
Cresses. Ann:*

N I C O T I A N A major latifolia *B.*
P. Hist: Oxon: major sive Tabacum
 majus *I. B.* Tabacco latifolium *Park.*
pirad: Sana sancta Indorum *Ger: Lob.*
Broad leaved Tobacco. Ann.

Nicotiana minor *B: P:* minor cap-
 sulâ rotundâ priapi forma, floribus lu-
 teis minoribus, foliis subrotundis ob-
 scure virentibus, glutinosis *Hist: Oxon.*
 Tabacco Anglicum *Park.* Priapeia, qui-
 busdam **Nicotiana** minor *I. B.* **Hyoscy-**
amus luteus *Ger. English Tobacco. Offic.*
Ann.

N I G E L L A arvensis cornuta *B. P.*
 arvensis *Park.* Melanthium sylvestre *Ger.*
 sylvestre sive arvense *I. B.* *Field Nigella.*
Ann.

Nigella latifolia flore majore simpli-
 ci cæruleo *B: P:* Hispanica *Park.* Hispanica
 flore amplo *Ger. Great Spanish*
Nigella. Ann.

Nigella flore majore pleno cæruleo
B. P. **Nigella** sive Melanthium Damascenum
 flore pleno *Ger. Damascena flo-*

re multiplici *Park. parad:* Melanthium
capite vel calyce & flore majore pleno
*I. B. Double blew Nigella, or the Fen-
nel-flower.*

N U M M U L A R I A *Ger. vulgaris*
Park: major lutea *B. P. major flo-
re luteo Hist. Oxon:* Nummularia si-
ve Centimorbia *I. B. Money-wort, or
Herbe-two-pence. Offic.*

Nummularia minor flore purpura-
scente *B. P. Hist: Oxon:* *Ger:* *Park.*
rubra *I. B. small purpleflowered Money-
wort.*

N U X J U G L A N S five regia vul-
garis *B. P. Nux Juglans Ger: Juglans*
vulgaris *Park:* Nux, forte Persica, for-
te Euboica Theophrasti, regia Diosco-
ridis & Galeni, Persica & Basilica Pli-
nij *I. B. The Common Walnut-tree.*
Offic:

Nux Juglans fructu majore, & pu-
tamine fragili. *The great thin-shelled Wal-
nut.*

S. N Y M P H Œ A major alba *B. P.*
al-

alba I. B. Ger. alba major vulgaris
Park: The great white Water-Lilly.
Offic.

S. Nymphæa major lutea B. P. *Park:*
 lutea I. B. Ger: *The great yellow Water-*
Lilly.

S. Nymphæa lutea minor flore fimbria-
 to B. P. I. B: *The lesser Water-Lilly with*
fringed-flowers.

S. Nymphæa alba minima B. P: alba
 minima sive Morsus ranæ *Park: mi-*
 nor sive Morsus ranæ I. B. Morsus
 ranæ Ger: *The least Water-Lilly, or*
Frog-bit.

O.

OCHRUS five *Ervilia* Ger :
 Ochrus folio integro capre-
 olos emittente I. B. Ochrus
 five *Ervilia* flore & fructu
 albo Park: Lathyri species quæ *Ervi-*
lia sylvestris Dodonæo I. B. Lathyrus
 folio integro producente bina foliola,
 capreolos emittentia Hist: Oxon: *The*
white winged wild pease. Ann.

O C Y M U M vulgatus B. P. Park:
 magnum Ger. medium vulgatus & ni-
 grum I. B. *Common Basil.* Offic: Ann.

S: O E N A N T H E aquatica B. P.
 Oenanthe five *Filipendula aquatica* I:
 B: *Filipendula aquatica* Ger: *Filipen-*
dula aquatica prima five major Park:
Water Drop-wort.

Oe-

S. *Oenanthe* Apij folio succo viroso D.
Morison sect. de plant. umbel. Chæ-
rephylli foliis B: P: Cicutæ facie Lobe-
lij Park: succo viroso, Cicutæ facie
Lobelio I. B. Filipendula Cicutæ facie
Ger: Hemlock Drop-wort.

OLEA sylvestris folio molli incano
 B. P. *Olea Bohemica Matth. Oleaster*
Cappadocicus Park: Zizypha Cap-
padocica Ger: Ziziphus Cappadocica,
quibusdam Olea Bohemica I: B: The
Bastard, or Sweet wild Olive.

ONOBRYCHIS foliis *Viciæ* fru-
 ctu echinato major B. P. major filiculis
 echinatis cristatis in spicâ digestis *Hist:*
Oxon: Onobrychis five Caput gallina-
ceum Ger: vulgaris Park: Polygalon
Gesneri I: B: Cocks-head, or Saint-
foin.

Onobrychis semine clypeato aspero
 major B. P. major perennis filiculis ar-
 ticulatis asperis, clypeatis, recta junctis
 flore ruberrimo *Hist: Oxon: Hedyсарum*
clypeatum Ger: clypeatum vulgare park:
Astragalus Romanus, five Hedyсарum
 clv.

clypeatum filiquâ asperâ I. B. *Thee French Honeysuckle.*

Onobrychis semine clypeato aspero, sive Hedyfarum clypeatum flore albo *White-flowered French Honeysuckle.*

Onobrychis arvensis, sive Campanula arvensis erecta B. P. Campanula glabra minor arvensis Hist: Oxon: Speculum Veneris Ger: Speculum Veneris majus Park: Avicularia Sylvij quibusdam, floribus purpuroviolaceis I. B. *The great Corn-Violet, or Venus-looking-Glasse. Ann.*

Onobrychis Viola pentagonia perfoliata, Hort. Reg. Bles. Campanula pentagonia perfoliata Hist: Oxon: *Thorough-leaved Venus Looking-Glasse. Ann.*

S. OPHIOGLOSSUM I. B. Ger: vulgatum B. P. Ophioglossum sive Lingua serpentina Park: *Common Adders-tongue. Offic.*

S. OPHRYS bifolia B. P. Ger: major quibusdam I. B. Bifolium sylvestre vulgare Park: *Two-blade.*

S. **ORCHIS** morio mas foliis macu-
latis **B: P: park:** Cynosorchis morio mas
Ger: Orchis major tota purpurea ma-
culoſo folio **I. B. The male Fools-Stones.**
Offic.

S. Orchis morio foemina **B. P. Park:**
minor purpurea & aliorum colorum cum
alis virentibus **I. B. Cynosorchis morio**
foemina **Ger: The female Fools-Stones.**
Offic.

S. Orchis muscae corpus referens minor
galea & alis herbidis **B. P. Orchis my-**
odes **Ger: myodes minor Park: myo-**
des galea & alis herbidis **I. B. The Flie-**
Orchis.

S. Orchis fucum referens major foliolis
superioribus candidis & purpurascen-
tibus **B: P: Orchis sphegodes, sive fu-**
cum referens **Park: Orchis fuciflora ga-**
lea & alis purpurascens. **I. B. Orchis,**
sive Testiculus vulpinus secundus sphe-
godes **Ger: Common humble-Bee Saty-**
rion.

S. Orchis spiralis alba odorata **I: B:**
Triorchis Ger: Triorchis alba odora-
ta

ta major & minor *B. P. Park: Triple Ladies-Traces.*

S. Orchis alba bifolia minor calcar oblongo *B. P. Orchis Serapias*, bifolia vel trifolia minor *Park: Orchis hermaphroditica Ger: alba calcar oblongo I. B. Butter-flie-Satyrion.*

S. Orchis palmata pratensis latifolia longis calcaribus *B. P. palmata major mass: five Palma Christi mas Park. palmata non maculata I. B. Palma Christi mass Ger: The great male handed-Orchis, or Satyrion-Royal.*

S. Orchis palmata pratensis maculata *B. P. palmata foemina*, five Palma Christi foemina maculato folio *Park. Orchis palmata speciosiore thyrso, folio maculato I. B. palma Christi foemina Ger: The Female handed Orchis, or female Satyrion Royal.*

S. Orchis palmata minor calcaribus oblongis *B. P. palmata rubella cum longis calcaribus rubellis I. B. palmata minor flore rubro Park. Orchis Serapias minor nitente flore Ger: Red handed Orchis with long spurs.*

Or-

S. Orchis abortiva fusca B. P. arbortiva ruffa, five Nidus avis *Park.* Satyrion abortivum, five Nidus avis *Ger:* Orobanche affinis, Nidus avis I. B. *Birds-nest, or mishapen Orchis.*

S. ORIGANUM sylvestre Cunila bubula Plinij B: P: vulgare spontaneum I. B. Anglicum *Ger:* Majorana sylvestris *Park. Wild, or field-Marjoram. Offic.*

Origanum sylvestre foliis variegatis *Wild Marjoram, with party-coloured-leaves.*

Origanum fistulosum Canadense *Cornuti:* Origanum fistulosum Cornuto, sed potius Mentastrum fistulosum Americanum *Park. app. Wild Mint of America.*

ORNITHOGALUM umbellatum medium album angustifolium B: P.: umbellatum minus candidum vulgare *Hist: Oxon:* Ornithogalum vulgare *Ger, Park:* vulgare & verius majus & minus I. B. *The common Star of Bethlehem.*

Or-

S. **ORNITHOGALUM** luteum **B.**
P: *Park. parad.* luteum majus floriferum
Hist: Oxon. luteum, sive *Cæpe agraria*
Ger: Bulbus sylvestris *Fuchsj.* flore luteo, sive *Ornithogalum luteum* **I: B:** *Yellow Star of Bethlehem.*

Ornithogalum latifolium & maximum **B. P.** spicatum maximum floribus albis innumerabilibus *Hist: Oxon:* maximum album *Park. parad:* *The greatest white Star-flower, or Star of Bethlehem.*

Ornithogalum majus spicatum flore albo **B: P:** spicatum album *Park. parad:* spicatum *Ger.* spicatum majus lacteo flore *Hort: Eyst. Hist: Oxon.* spicatum flore albo *Monsp. ffulanum* **I: B:** *The great white spiked Star of Bethlehem.*

Ornithogalum exoticum, magno flori, minore innato **B: P:** exoticum seu *Neapolitanum* flore minore, majori innato *Hist: Oxon:* *Ornithogalum Neapolitanum* *Park. parad: I. B. Ger.* *The Star-flower of Naples.*

Or-

Ornithogalum angustifolium majus floribus ex albo virescentibus *B: P:* spicatum majus angustifolium floribus ex albo virescentibus *Hist. Oxon.* **Asphodelus bulbosus Galeni** sive **Ornithogalum majus** flore subvirescente *Park. parad:* **Asphodelus bulbosus Dodonæi**, sive **Ornithogalum spicatum** flore virente *I. B.* *The bulbous Asphodil, or green Star-flower.*

S. **ORNITHOPODIUM majus** *B. P. Hist. Oxon. Ger. Park.* **Ornithopodium** flore flavescente *I: B:* *The great Birds-foot.*

S. **OROBANCHE major**, garyophyllum olens *B: P:* **Orobanche** sive **Rapum Genistæ** *Ger: Park:* **Orobanche** flore majore *I: B:* *Broom-Rape.*

OROBUS filiquis articulatis semine majore *B: P:* sativus sive **Ervum** semine anguloso, filiquis inter grana & grana junctis *Hist. Oxon.* **Orobus** annuus receptus herbariorum *Lob. Ger. vulgaris herbariorum Park:* **Orobus** sive **Ervum multis** *I. B.* *Ordinary bitter-Vetch.*
Offic. Ann. **Oro-**

Orobus sylvaticus *Viciae foliis* B: P: sylvaticus *Viciae foliis*, filiquis pro-pendibus floribus purpurascens *Hist: Oxon: Pannonicus secundus Clus: Astragaloides Ger: Astragaloides herbariorum Park: Astragalus major Fuch-sio I. B. Base Milk-Vetch.*

Orobus sylvaticus nostras *Joh. Raij English Wood-Milk-Vetch.*

OXYACANTHA Dioscoridis, five *Spina acuta pyri folio* B. P. **Oxy-acantha Theophrasti** *Ger: Pyracantha Park. Pyracantha quibusdam I. B. The Ever-green-Thorne.*

P.

PÆONIA folio nigricante splendido, quæ mas B. P. mas I. B. Ger: *Park: parad: The male Peony. Offic.*

Pæonia communis vel foemina Ger: foemina vulgaris I: B: foemina flore simplici vulgaris *Park: parad: The single female Peony.*

Pæonia foemina flore pleno rubro majore B: P: foemina multiplex Ger: foemina vulgaris flore pleno rubro *Park: parad: Pæonia flore pleno rubro I. B. The great double female Peony.*

Pæonia foemina flore pleno albicante *Park: parad. flore exalbido pleno major & minor B. P. The double blush Peony.*

PANAX Pastinacæ folio, an Syriacum Theophrasti *B. P.* panax Herculeum majus *Ger:* Heracleum alterum sive peregrinum Dodonæi *Park:* Sphondylion vel potius Pastinacæ Germanicæ affinis, Panax vel Pseudocostus flore luteo *I. B.* *Hercules his* *All-heall.* *Offic.*

PANICUM Germanicum sive paniculâ minore *B: P:* vulgare *I. B.* *Ger:* album vulgare *Park:* *Ordinary Panick.* *Offic. Ann.*

PAPAVER hortense semine albo *B. P.* hortense simplex semine albo *Hist:* *Oxon:* sativum album simplex *Ger:* *Park:* *Single white Garden Poppie.* *Offic. Ann.*

Papaver hortense nigro semine *B: P:* hortense simplex semine nigro *Hist:* *Oxon.* sativum nigrum simplex *Ger:* *Park:* *Single black Garden Poppies.* *Offic. Ann:*

Papaver cristatum floribus & semine album *B. P.* *Hist.* *Oxon:* fimbriatum album *Ger:* *White Jagged Poppie.* *Ann.*

Papaver cristatum floribus rubris semine nigro *B. P. Hist: Oxon.* sativum rubrum *Dalechampi Hist: Lugd. Red jagged Poppie. Ann.*

Papaver laciniatum rubrum unguibus purpureis *Hort: Eyst: Red jagged poppie with a purple bottom. Ann.*

Papaver flore multiplici purpurascens *Hort: Eyst: Double purple-flowered Poppie. Ann.*

Papaver flore miniato pleno *Hort: Eyst: Double Scarlet-coloured Poppie. Ann.*

Papaver flore pleno argentei coloris *Hort: Eyst: Double silver-coloured Poppie. Ann.*

Papaver flore pleno album *B. P. Hist: Oxon.* multiplex album *Park: parad. album polyanthon, five multiflorum Lob. Ger: Double white Poppie. Ann.*

Papaver flore pleno rubro *Hort: Eyst: multiplex rubescens Ger: Park:*

parad. Double red , or blush Poppies

Ann:

Papaver flore pleno incarnato Hort

Eyst: Double incarnate Poppies. Ann.

*Papaver flore pleno laciniato elegant
ter striato Double jagged finely stript Popp
pies. Ann.*

S. *Papaver erraticum majus B: P: e
raticum sive rhœas flore phœniceo ma
jore simplici Hist. Oxon: rubrum carn
pestre I: B: Papaver rhœas Ger: errat
cum, rhœas, sive sylvestre Park: Corn
Poppie, or Corn-Rose. Offic. Ann:*

*Papaver erraticum majus, sive rhœ
florum unguibus albis , Corn-Popp
with white bottoms:*

*Papaver erraticum majus sive rhœ
flore carneo Flesh-coloured Corn-Poppie
Ann.*

*Papaver erraticum flore pleno B::
Hist: Oxon: rhœas flore multiplici Gl
Park: parad: Double-flowered Corn-Popp
Ann.*

Papaver spinosum B: P: I. B. Ger: spinosum Americanum Park: spinosum luteum foliis albis venis notatis Hist. Oxon: *Thorny-Poppie of America.* Ann.

Papaver corniculatum luteum B: P: I. B. Park: Hist: Oxon: cornutum flore luteo Ger: *Yellow flowered Horned-Poppie.*

Papaver corniculatum violaceum B. P. I. B. Park: cornutum flore violaceo Ger: Hist: Oxon: *Violet-coloured Horned-Poppie.* Ann.

PARIETARIA I: B: Ger: vulgaris Park: Officinarum & Dioscoridis B: P: Hist: Oxon: *Pellitory of the wall.* Offic.

PASTINACA latifolia sativa. B. P. Ger: Park: sativa latifolia Germanica flore luteo I. B. *Common Garden-Parsnep.* Offic. Ann.

Pastinaca tenuifolia sativa radice luteâ B. P. sativa tenuifolia lutea Ger. Park: sativa sive **Carota lutea** I. B. *The yellow-rooted Carrot.* Offic. Ann.

Pastinaca tenuifolia sativa radice Mali aurantij coloris. The Orange Carrot. Ann.

Pastinaca tenuifolia sativa alba B. IF sativa five Carota alba I: B: The white rooted Carrot. Ann.

Pastinaca tenuifolia sativa radice atrorubente B: P: sativa tenuifolia atrorubens Ger: Park: sativa five Carota rubra I. B. Red rooted Carrot.

S. *Pastinaca tenuifolia sylvestris Dico-
coridis vel Daucus Officinarum B. IF
sylvestris tenuifolia Ger. Park: sylve-
stris five Staphylinus Græcorum I: IF
The common wild-Carrot, or Birds nest
Offic. Ann.*

S. *PEDICULARIS pratensis lutea
vel Crista galli B: P: Pedicularis v
Crista galli lutea Park: Crista galli
Ger: Crista galli foemina I: B: Yellow
Rattle, or Cocks-Comb. Ann.*

S. *Pedicularis pratensis purpurea B: IF
pratensis rubra vulgaris Park: Pedicu-
laris Ger: Pedicularis, quibusdam Cris-
ta galli flore rubro I. B. Red Rattle
grass. Ann.*

S. *Pedicularis Gerardi* flore albo *White flowered Rattle-grasse. Ann.*

S. *Pedicularis palustris rubra elatior*
J. Raij Great Red Rattle, or Lousewort. Ann.

PENTAPHYLLOIDES fragariae folio *Hort. Reg. Bles.* majus erectum flore luteo, ternis foliis, *Fragariae instar, hirsutis Hist: Oxon: Straw-berry-leaved Cinquefoil.*

Pentaphylloides fruticosum J. Raij maximum rectum fruticosum Ebora-cense Hist: Oxon: Tree, or shrub-Cinquefoil.

S. *PENTAPHYLLUM* vulgatissimum *Park: Pentaphyllum sive Quinquefolium vulgare repens I. B. Pentaphyllum minus procumbens flore luteo vulgare radículas emittens ex geniculis Hist: Oxon. Quinquefolium majus repens I. B. vulgare Ger: Common Cinquefoil, or Five-leaved-Grasse. Offic.*

S. *Pentaphyllum incanum repens*
Alpinum Park: minus incanum
 S 4 Al.

Alpinum flore aureo radículas in terram demittens *Hist: Oxon:* Quinquefolium minus repens **Alpinum aureum** *B: P:* minus flore aureo *Ger:* Alpinum splendens flore aureo *I: B:* *Small Golden-flowered Cinquefoil.*

Pentaphyllum majus erectum *I: B:* *Ger. Park:* Pentaphyllon seu potius Heptaphyllum majus luteum montanum flore majore *Hist: Oxon:* Quinquefolium rectum luteum *B. P* *Great Upright-Cinquefoil.*

S. Pentaphyllum erectum foliis profunde sectis subtis argenteis flore luteo *I. B., Hist: Oxon.* rectum minus *Park:* Quinquefolium erectum folio argenteo *B. P.* Quinquefolium Tormentillæ facie *Ger: Tormentil-Cinquefoil.*

S. Pentaphyllum rubrum palustre *Ger:* Pentaphyllum seu Heptaphyllum majus rubrum rectum palustre *Hist: Oxon:* Pentaphyllum vel potius Heptaphyllum flore rubro *I. B. Marsh-Cinquefoil.*

S. **PEPLUS** five *Esula rotunda* *B.*
F. I. B. Ger: Esula rotunda five Peplus
Park: Petty-Spurge. Ann.

PEPO oblongus *B: P: Hist: Oxon:*
maximus oblongus Ger: Park: The great
long Pompion. Offic. Ann.

Pepo compressus major *B: P: Indi-*
cus compressus maximus Lob: Hist: Ox-
on: maximus rotundus Ger: Great round
Pompion. Ann.

Pepo seu *Melopepo verrucosus Hist:*
Oxon: Cucurbita verrucosa Park. Ger.
Ludg: The rudged Gourd, or Me-
kin.

PERFOLIATA *vulgatissima,*
five arvensis B: P: vulgaris Ger: Park:
Perfoliata simpliciter dicta, vulgaris,
annua I. B. Common Thorrow-wax. Offic.
Ann.

PERICLYMENUM *Ger: non*
perfoliatum Germanicum B. P. Pericly-
menum five Caprifolium vulgare Park:
Periclymenum plurimis, five Caprifo-
lium non perfoliatum I. B. Common wild
Hony-suckle. Offic:

Periclymenum perfoliatum **B. P.** *Ger:*
I: *B:* *perfoliatum* five *Italicum* **Park:**
Italian Hony-suckle, or double, or thorough-
leaved Hony-suckle.

Periclymenum perfoliatum seroti-
num flore rubro **Hort. Reg. Bles.** *Late-*
flowering red thorough-leaved Hony-
suckle.

S. **P E R S I C A R I A** *mitis maculosa*
 & non maculosa **B: P:** *Hist: Oxon:* ma-
 culosa *Ger:* *mitis* **I: B:** *vulgaris mitis*
 five maculosa **Park:** *Dead, or spotted*
Arsmart. Offic. Ann.

S. *Perficaria urens* five *Hydropiper*
B. P. *acris* five **Hydropiper** *Hist: Ox-*
on: I. B. *vulgaris acris* five minor **Park.**
Hydropiper *Ger:* *Hot Arsmart. Offic.*
Ann.

S. *Perficaria minor* **B. P.** *minor* five
pufilla procumbens *Hist: Oxon.* *pufil-*
la repens *Ger:* *Park: Small creeping* *Ar-*
smart.

S. **P E T A S I T I S** *Ger:* *vulgaris* **Park:**
major & vulgaris **B. P.** *vulgaris rubens*
 ro-

rotundiore folio **I. B.** *The common Butter-Bur.* **Offic.**

Petasitis minor **B: P:** *Park:* flore albo *Hort:* *Eyst:* albus anguloso folio **I:** **B:** *The Lesser, or white-flowered Butter-Bur.*

PEUCEDANUM majus *Italicum* **B: P:** **I. B.** *Park:* majus **Ger.** *Italian Sow-Fennel.*

Peucedanum Germanicum **B. P.** minus *Germanicum* **I: B:** vulgare *Park:* *Peucedanum* **Ger:** *Common Sow-Fennel,* **Offic.**

PHALANGIUM parvo flore ramosum **B: P:** *Hist:* *Oxon:* parvo flore ramosius **I: B:** ramosum **Ger:** *Park:* *Small-branched Spider-wort.*

Phalangium magno flore **B: P:** *Phalangium Allobrogicum* magno flore, seu flore *Lilij* *Hist:* *Oxon:* *Allobrogicum* *Park:* *parad.* *Phalangium Antiquorum* **Ger:** *Phalangium flore Lilij* **I, B.** *Savoy Spider-wort,*

Pha-

Phalangium Virginianum Tradescanti *Ger*: ephemerum Virginianum Iohannis Tradescanti *Park* : Phalangium Virginianum foliis latioribus radice repente flore tripetalo cæruleo *Hist*: *Oxon*. Allium seu Moly Virginianum *B*: *P*: *app*: *Tradescant his Virginian Spider-wort*.

Phalangium Virginianum flore albo *White flowered Virginian Spider-wort*.

PHALARIS *I. B.* *Ger*. vulgaris *Park*: major semine albo *B. P.* *Common Canary-Grass*. *Offic. Ann*.

Phalaris minor semine nigro *Hort. Reg*: *Bles. Canary-Grass with lesser black seed. Ann*:

PHASEOLUS flore puniceo *Cornut*: Indicus flore coccineo seu puniceo *Hist*: *Oxon*: Americanus flore coccineo *Ger*: *Park*: *Scarlet Beans. Ann*.

Phaseolus albus *Ger. Park*: *White Kidney-Beans. Offic. Ann*.

Pha.

Phaseolus five Smilax hortensis rubra
Ger: Red Kidney-Beans. Ann.

Phaseolus fructu eleganter maculato. *Fine-spotted Kidney-Beans. Ann.*

Phaseolus minor fructu albo umbilico maculâ nigrâ notato, vel fructu renali parvo albo, umbilico circa hilum maculâ nigrâ insignito *Hist: Oxon. Small white Kidney-Bean with a black spot in the middle. Ann.*

P H I L L Y R E A folio Ligustri
B. P. laticusculo folio I. B. latiore folio
Ger: angustifolia prima Park: The broader-leaved Mock-privet.

P I C E A *Park: major Ger: major*
prima five Abies rubra B. P: Picea Latinorum, five Abies mas Theophrasti
I. B. The Pitch-Tree.

S. P I L O S E L L A major repens
 hirsuta *B. P. majore flore, five vulgaris repens I: B: repens Ger: minor vulgaris repens Park: Common Mouseear. Offic.*

Pilosella Indica *Cornut:* major *Park:*
parad. *Hieracium hortense latifolium*
 sive *Pilosella major* *Ger.* *Golden Mouse-*
ear.

S. *PIMPINELLA* saxifraga major
 umbellâ candidâ *B. P.* Saxifraga hirci-
 na major *Park:* saxifraga *Ger:* Saxi-
 fraga hircina major *I: B:* *Great Burnet*
Saxifrage. Offic.

S. *Pimpinella* saxifraga major altera *B:*
P: saxifraga major nostras *Park.* Saxi-
 fragia hircina minor foliis Sanguisorbæ
I: B: *The lesser round-leaved Burnet saxi-*
frage.

S. *Pimpinella* saxifraga minor *B: P:*
 saxifraga hircina minor *Park:* Saxifra-
 gia hircina minima, *Pimpinella* cris-
 pa *Tragi I. B.* *Small Burnet Saxi-*
frage.

Pimpinella maxima *Canadensis* *Corn-*
nut: maxima *Americana* *Park:* *Great*
American Burnet.

Pimpinella sanguisorba major *B: P:*
Sanguisorba major flore spadiceo *I. B.*
 major vulgaris *Park:* sylvestris *Ger:* *Great*
Burnet. pim-

Pimpinella sanguisorba minor laevis
B. P. hortensis Ger: vulgaris minor Park:
Sanguisorba minor I. B. Small Burnet, or
Garden-Burnet. Offic:

Pimpinella agrimonoides Hort. Reg.
Bles: Burnet with Agrimony-leaves.

P I N U S *fativa B: P: fativa si-*
ve domestica Ger: urbana siue do-
mestica Park: Pinus officulis duris
foliis longis I: B: The Pine-Tree.
Offic.

Pinus sylvestris B: P: Pinafter Au-
striacus major albus Clus: I. B. The wild
Pine.

P I S T A C I A *sylvestris B: P: Nux*
vesicaria Ger: Park: Staphylodendron
I. B. The Bladder-Nut.

Pistacia Virginiana sylvestris trifolia
Hort: Reg: Bles: The three-leaved Blad-
der-Nut of Virginia.

P I S U M *majus quadratum B: P:*
majus flore albo Hist: Oxon: majus Ger:
Rouncival-Pease. Ann.

Pisum umbellatum B. P. *Hist: Oxon:* Ger: umbellatum sive roseum *Park. parad:* comosum erectius I. B. *Rose-Pease, or tufted, or Scottish-Pease Ann.*

Pisum fructu majore albo ovato Hist: Oxon. Egg-Pease. Ann.

Pisum leptolobum, seu sine cortice aut membranâ duriore *Hist: Oxon: Pisa sine cortice duriore B: P: Pisum sacharatum Park: parad: excorticatum Ger: sine tunicis durioribus in filiquâ magnâ albâ I. B. Sugar-Pease. Ann.*

S. *Pisum arvense B: P: minus Ger: Pisa arvensia I: B: Field-Pease. Offic. Ann.*

Pisum vesicarium fructo nigro albâ maculâ notato B: P: cordatum vesicarium Park: Halicacabum peregrinum Cor Indum I: B: Halicacabum peregrinum Ger: Halicacabum peregrinum vesicarium fructu nigro albâ maculâ notato Hist. Oxon: The Bladder heart-like spotted-Pease. Ann.

S. *P L A N T A G O* latifolia finuata B.
P. latifolia Ger: latifolia vulgaris *Park.*
 major folio glabro non laciniato ut plu-
 rimum I: B: *Great Plantain, or Way-*
bread. Offic.

S. *Plantago latifolia incana* B: *P: inca-*
na Ger. major incana *Park:* major hir-
 suta, media a nonnullis cognominata I.
B. Hoary Plantain.

S. *Plantago latifolia incana spicâ albâ*
Hoary Plantain with a white spike.

Plantago rosea I. B. Ger: *Park:* latifo-
 lia rosea floribus quasi in spicâ disposi-
 tis B: *P: Rose-Plantain.*

Plantago angustifolia paniculis La-
gopi B. P. *Park:* quinquenervia cum
 globulis albis pilosis I: B: *Hares-foot*
Plantain. Ann.

S. *Plantago angustifolia major* B: *P.*
quinquenervia Ger: quinquenervia mas-
 jor *Park:* lanceolata I: B: *Ribwort, or*
lesser Plantain. Offic.

Plantago marina Ger: marina vulgaris
Park: *Coronopus maritima* major B: *P:*

Coronopus maritima nostras L: B: *Common Sea-Plantain.*

S. *Plantago aquatica latifolia* B: P: *aquatica* L: B: *aquatica major* Ger: *Park's Great Water-Plantain.* *Offic.*

S. *Plantago aquatica angustifolia* B. P.: *aquatica minor* Park: *aquatica humiliss* Ger: *aquatica humilis angustifolia* L B: *The lesser Water-Plantain, or Dwarf Water-Plantain.*

S. *Plantago aquatica stellata* B: P: *aquatica minor stellata* Ger: *aquatica minor muricata* Park: *Damasonium stellatum* Dalechampij L: B: *Starry-headed Water-Plantain.*

PLATANUS Dod. L. B. Ger: *Platanus Orientalis* verus Park. *The True Oriental-Plane.*

Platanus Occidentalis aut *Virginien-sis* Park. *The Plane-tree of the west parts of Virginia, or the Occidental-Plane.*

POLIUM montanum luteum B: P.: Ger: *montanum vulgare* Park: *Ordinary Poley-mountain.*

Polium montanum album B: P: Ger: *Po-*

Polium Monspeffulanum *I. B.* *Polium montanum Monspeliacum* *Park: White Poley-mountain.*

S. *POLYGALA vulgaris* *B: P: minor Park: cærulea Ger: Polygala tetrapetala filiculosa bicapsularis longo & angusto folio minor Hist. Oxon. Polygalon multis I: B: Blew Milk-wort. Ann.*

S. *Polygala rubra* *Ger: minor rubra Park: Red Milk-wort. Ann.*

Polygala alba *Ger: Park White Milk-wort. Ann.*

POLYGONATUM *Ger: vulgare Park: latifolium vulgare B: P: Polygonatum, vulgò Sigillum Solomonis I. B. Solomons Seal. Offic.*

Polygonatum latifolium flore majore odore *B. P. majus flore majore Park: latifolium secundum Clusij Ger: Polygonatum floribus ex singularibus pediculis I. B. The great flowered Solomons-seal.*

Polygonatum latifolium Hellebori albi foliis B: P: maximo folio Park: amplitudinis foliorum Ellebori albi I: B: The greatest-leaved Solomons-seal.

Polygonatum latifolium maximum
B. *P. majus* **Park:** majus vulgari simile
I. B: *The great Solomons-seal.*

Polygonatum angustifolium non ramosum **B. P:** minus **Ger:** angustifolium **I. B. Park:** *Narrow-leaved Solomons-seal.*

S. **POLYGONUM** latifolium **B.**
P. vulgare latifolium **Hist:** *Oxon.* mas vulgare **Ger:** mas vulgare majus **Park:**
 Polygonum sive Centinodia **I. B.** *Common Knot-grass.* **Offic. Ann.**

Polygonum minus candicans **B. P:**
 montanum minimum niveum & sericeum **Lob:** *Hist:* *Oxon:* montanum **Ger:**
 montanum niveum **Park:** *Paronychia Hispanica Clusij,* sive *Anthyllis nivea* **I. B.** *White mountain-Knot-grasse.*
Ann:

S. Polygonum angustissimo, & acuto vel
 gramineo folio, minus repens **B. P:** Polygonum polyspermum **Knawel** dictum
 flosculis viridibus **Hist:** *Oxon:* tertium **Dodonæi** sive tenuifolium **I. B.** *Germanicum,* **Knawel Germanorum** **Park:** *felinoides*

noides five Knawel *Ger: German Knot-grass, or Knawel. Ann.*

S. *Polygonum minimum, five Millegrana minima B: P: Hist: Oxon. Millegrana Ger: minima five Herniaria minor Park: The least Rupturewort, or Allseed. Ann.*

S. *POLYPODIUM I. B. Ger: vulgare B: P: Park: Common Polypody. Offic.*

POPULUS alba Ger: Park: alba, Αευκὴ Theophrasti I. B. alba quæ Αευκὴ ab albedine dicitur, foliis majoribus B: P: The white Poplar-tree.

Populus alba foliis minoribus B: P: Ger: Park: The smaller-leaved Poplar.

Populus nigra B: P: Ger: Park: nigra, five Αἰγύσιος Dioscoridis & Theophrasti I. B. The black Poplar-tree. Offic.

S. *Populus tremula B: P: Lybica Ger: Lybica Plinij, Κερκὴς Theophrasti I. B. The Aspen-tree, or Quaking-Asp.*

PORRUM I. B. Park: capitatum Ger: commune capitatum B. P. Hist: Oxon: Common Leeks. Offic. Ann.

Porrum foliis eleganter variegatis
adinftar Graminis striati. *A Leek with
party coloured leaves, like Ladies-laces.
Ann.*

Porrum sectivum juncifolium *B. P.*
sectivum, Schænoprassum quibusdam
*I. B. Schænoprassum Ger. Park. Cēpa
sectilis juncifolia perennis Hist. Oxon.
Cives.*

PORTULACA latifolia sive fativa
*B. P. Hist. Oxon. fativa Park. dome-
stica Ger. hortensis latifolia I. B. Garden-
Purslane. Offic. Ann.*

Portulaca hortensis folio flavo. *Hort.
Reg. Bles. latifolia, sive fativa foliis fla-
vis Hist. Oxon. Golden-Purslane. Ann.*

Portulaca angustifolia sive sylvestris
*B. P. Hist. Oxon. sylvestris Ger. Park.
sylvestris minor spontanea I. B. Wild-
Purslane. Ann.*

S. POTAMOGEITON Salicis fo-
lio *B. P. angustifolium, seu Salicis fo-
lio Hist. Oxon. angustifolium Ger. Po-
tamogeiton, sive Fontalis Persicariæ fo-
liis*

liis major longifolia *Park: Narrow-leaved Pondweed.*

- S. *Patamogeiton* foliis angustis splendentibus *B: P: Hist. Oxon.* longis acutis foliis *Ger: Fontalis major lucens I. B. Long-leaved shining Pondweed.*

- S. *Potamogeiton* foliis latis splendentibus *B: P: Hist. Oxon.* tertia *Dodonæi Ger: altera Dodonæi I. B. Small Pondweed, or thorow-leaved Pond-weed.*

- S. *Potamogeiton rotundifolium B: P: majus rotundifolium Hist. Oxon.* rotundiori folio *I. B. latifolium Ger: Fontalis major latifolia vulgaris Park: Broad-leaved Pond-weed.*

- S. **POTENTILLA** *B: P: Park: Potentilla, five Argentina I. B. Argentina Ger: Pentaphylloides minus supinum seu procumbens foliis alatis argenteis & ferratis flore luteo Hist. Oxon. Silver-weed, or Wild-Tansie. Offic.*

PRUNUS *Dod. &c. The Plum-tree. Offic.*

- S. *Prunus sylvestris B: P: I B. Ger: Park: The Swe-tree. Offic.*

PSEUDODICTAMNUS verticillatus inodorus B: P: Pseudodictamnus Park: Pseudodictamnum Ger: Dictamnium adulterinum quibusdam verticillatum, vel potius Gnaphalium Veterum I. B. *Bastard Dittany.*

PSYLLIUM majus erectum B: P. I. B. vulgare Park: Psyllium seu Pulicaris herba Ger: *Common Flea-wort.* Offic. Ann.

Psyllium Dioscoridis, vel Indicum crenatis foliis B: P: Indicum foliis crenatis I. B. Park: *Indian Flea-wort, with dented leaves.* Ann.

Psyllium majus supinum B: P: I. B: majus semper virens Park: semper virens Lobelij Ger: *Ever-green Flea-wort.*

PULEGIUM I: B: latifolium B. P. regium Ger: vulgare Park: *Common Penny-royal.* Offic:

Pulegium angustifolium B: P: Ger: angustifolium seu cervinum Park: cervinum angustifolium I. B. *Hart Penny-royal.* Offic.

PULSATILLA folio crassiore & ma.

maiore flore **B. P.** folio crassiore flore
maiore dilutior *Hist: Oxon: vulgaris*
Ger: Park: purpurea I: B: The purple Pas-
que-flower.

S. PYROLA *I. B. Ger: rotundifolia*
major **B. P.** nostras vulgaris *Park: Com-*
mon Winter-green. Offic.

S. Pyrola *Alfines flore Europæa B. P.*
Park: Herba trientalis I: B: Winter-green
with Chickweed-flowers.

PYRUS *Dod: sativa B. P. The Pear-*
tree. Offic.

Q.

Q.

QUADRIFOLIUM
hortense album B: P: Qua-
drifolium phæum fuscum
Park: Lotus quadrifolia Ger:
Trifoliis affinis, Quadrifolium phæum
Lobelij I: B: Trifolium pratense dege-
nerans in Quadrifolium phæum seu fuscum
*Hist. Oxon. Four-leaved, or purple-
Grasse.*

S. QUERCUS latifolia mas quæ bre-
vi est pediculo B: P: latifolia *Park: vul-*
garis *Ger: vulgaris pediculis brevibus I:*
B: The Common Oake-tree: Offic.

R:

R.

S. **R**ANUNCULUS nemorofus Moschatelina dictus
B: P: Ranunculus Moschatelina, five Moschatella dictus

Hist: Oxon: nemorofus Moschatella dictus *Park.* Moschatelina foliis Fumariæ bulbosæ, de quâ *Cordus* I: B: Radix cava minima viridi flore *Ger: The Musk-wood-Crow-foot.*

S. Ranunculus pratensis radice verticilli modo rotundâ B: P: *Hist: Oxon:* tuberosus major I: B: bulbosus *Ger: Park: Round-rooted, or Bulbous Crow-foot.*

Ranunculus bulbosus flore pleno B: P: maximus Anglicus *Ger: Anglicus maximus multiplex Park: parad: maximo tubere, flore magno pleno. I: B: The Garden double*

double yellow Crowfoot, or Batchelours-Buttons.

S. Ranunculus pratensis erectus acris
B: P: *Hist: Oxon:* pratensis erectus acris
vulgaris *Park:* Ranunculus surrectis cau-
liculis *Ger:* rectus non repens flore sim-
plici luteo I: B: *Upright Meadow-Crow-*
foot.

S. Ranunculus pratensis erectus acris flo-
re pleno *Double-flowered Upright Mea-*
dom Crow-foot.

S. Ranunculus pratensis repens hirsutus
B. P. *Hist: Oxon.* pratensis repens *Park:*
pratensis etiamque hortensis *Ger:* repens
flore luteo simplici I. B. *Common Crow-*
foot, or Butter-cups:

Ranunculus montanus lanuginosis fo-
liis Ranunculi pratensis repentis B: P:
Park: Ranunculus magnus valce hirsu-
tus flore luteo I: B: *Woolly Mountain-*
Crow-foot.

S. Ranunculus nemorosus vel sylvaticus
folio rotundo B. P: *Hist: Oxon:* nemo-
rosus dulcis secundus *Tragi Park:* ro-
tun-

tundifolius vernus sylvaticus *I. B.* auricomus *Ger: Sweet Wood-Crow-foot.*

S. Ranunculus montanus *Aconiti folio* flore luteo globofo *B: P: glabofus Ger: Park: parad: flore globofo, quibusdam Trollius flos I: B: The Glob-Crow-foot.*

Ranunculus montanus *Aconiti folio,* flore albo minore *B: P: Ranunculus albus simpliciflore I: B: Alpinus albus Ger: montanus albus minor simplex Park: The lesser single white Mountain Crow-foot.*

Ranunculus folio *Aconiti flore albo* multiplici *B: P: albus multiflorus Ger. albus flore pleno Park: parad. albus flore denso I: B: Double white Crow-foot.*

Ranunculus stellatus echinatus *Creticus B: P: Hist: Oxon: echinatus Creticus Park: palustris echinatus I: B: Prickly Crow-foot of Candy. Ann.*

Ranunculus arvensis echinatus *B: P: Hist: Oxon. arvorum Ger: Park: arvensis echinatus I: B: Rough-headed, or Corn Crow-foot. Ann.* Ra-

Ranunculus hirsutus annuus flore minimo Job. Raij *arvensis annuus hirsutus flore omnium minimo luteo* Hist: Oxon. *Field Crow-foot with a smal flower.* Ann.

Ranunculus lanuginosus angustifolius grumosa radice minor B. P. Hist. Oxon. *Illyricus* Ger: *Illyricus minor* Park, *Illyricus radicibus bulbosis, foliis longis* I: B: *Crow-foot of Illyria.*

Ranunculus montanus folio gramineo B: P: Hist. Oxon. *gramineus* Lobelij Ger: *gramineus flore luteo simplici* Park: *pumilus gramineis foliis* I. B. *Yellow single grass-leaved Crow foot.*

S. *Ranunculus palustris Apij folio levis* B: P: Hist. Oxon. *palustris rotundifoliis* Ger: *palustris Sardonius levis* Park, *palustris flore minimo* I. B. *Round-leaved Marsh Crow-foot.* Ann.

S. *Ranunculus longifolius palustris major* B: P: Hist. Oxon. *flammeus major* Ger. *palustris flammeus major* Park: *Ranunculus longo folio maximus, Lingua* Plinij I. B. *Great Spear-wort.*

Ra-

- S.** *Ranunculus longifolius palustris minor* *B. P. Hist. Oxon.* flammeus minor
Ger: palustris flammeus minor, sive angustifolius *Park:* longifolius, aliis *Flammula I. B. The lesser Spear-wort.*
- S.** *Ranunculus palustris ferratus B. P.* palustris longifolius minor ferratus *Hist. Oxon:* flammeus ferratus *Ger: Park:* *Dented Spear-wort.*
- S.** *Ranunculus aquaticus folio rotundo & capillaceo B: P: Hist. Oxon.* aquaticus *Hepaticæ facie Park.* aquatilis albus tenuifolius *I: B: Water Crow-foot with various leaves.*
- S.** *Ranunculus aquaticus hederaceus Hist. Oxon.* aquaticus hederaceus luteus *B. P.* hederaceus rivulorum se extendens, atrâ maculâ notatus *I: B: Ranunculi aquatilis varietas altera Ger: Ivy-leaved Water-Crow-foot.*
- S.** *Ranunculus aquaticus Cotyledonis folio B: P: Hist: Oxon.* Cotyledon aquatica *I: B: Cotyledon aquatica acris Septentrionalium Lob. Cotyledon palustris Ger: Park: Marsh Penny-wort.*

RAPHANUS niger major rotundus *Hist. Oxon:* niger rotundiore radice *Park. The rounder-rooted black Radish. Ann.*

Raphanus niger radice longâ pyramidalis *Hist. Oxon:* pyriformis five radice nigrâ *Ger. The black, or Pear-fashion Radish. Ann.*

Raphanus *I. B:* minor oblongus *B. P:* *Hist. Oxon:* sativus vulgaris *Ger. Park: Common Garden-Radish. Offic. Ann.*

S. **Raphanus** rusticanus *B. P:* *Hist. Oxon:* *Ger. Park:* sylvestris five *Armoracia* multis *I. B:* *Horse-Radish. Offic.*

S. **Raphanus** aquaticus foliis in profundas lacinias divisis *B. P:* *Hist. Oxon.* aquaticus *Ger. Park:* aquaticus *Taberna-montani I. B:* *Water-Radish.*

S. **RAPISTRUM** flore luteo *B. P:* *I. B:* arvorum *Ger. Park:* Sinapi arven-se præcox semine nigro *Hist. Oxon: Char-lock, or Wild-Mustard. Ann.*

S. **Rapistrum** flore albo siliquâ articu-
la

tâ **B: P:** album articulatum *Park:* flore albo striato, Sinapi album agreste *Trago I: B:* Raphanistrum flore albo striato filiquâ articulatâ striatâ minore *Hist: Oxon. White flowered Charlock with joynted cods. Ann.*

S. Rapiſtrum luteum filiquâ glabrâ articulata *J. Raij* Rapiſtrum alterum arborum *Park:* Raphanistrum filiquâ articulatâ glabrâ majore & minore *Hist. Oxon. Yellow Charlock with ſmooth joynted cods. Ann.*

Rapiſtrum maximum monospermum *Cornut:* maximum rotundifolium monospermum *Hispanicum Park:* Raphanistrum monospermum maximum rotundifolium capsulâ rotundâ glabrâ *Hist. Oxon. Spanish one-grained-Charlock. Ann.*

R A P U M fativum rotundum *I. B.* rotundum majus & minus *Ger:* Rapa fativa rotunda *B. P. Hist. Oxon. Round rooted Turnep. Offic. Ann.*

Rapum fativum oblongum *I. B:* radi-
U ce

ce oblongâ Ger: Rapa sativa oblonga
seu foemina B: P: *Hist: Oxon. Long-rooted Turnep. Ann.*

Rapum luteum Hort. Reg. Bles. *The yellow-rooted Turnep. Ann.*

RAPUNCULUS esculentus B: P: *Hist: Oxon: esculentus vulgaris Park: vulgaris campanulatus I: B: Rapuntium parvum Ger: Rampions. Ann.*

Rapunculus spicatus B. P. corniculatus spicatus seu alopecuroides *Hist: Oxon: spicatus alopecuroides Park: spicatus sive comosus albus & cæruleus I: B: Rapuntium majus Ger: Long Fox-tail Rampions.*

S. Rapunculus Scabiosæ capitulo cæruleo B. P. Park: ramosus corniculatus Scabiosæ capitulo cæruleo *Hist: Oxon: Scabiosa 12, sive minima hirsuta Ger: Scabiosa globularis quam ovinam vocant I: B: Hairy Sheeps-Scabious, or Rampion with Scabious heads. Ann.*

S. RASEDA vulgaris B. P. Plinij *Ger:*

lun

lutea I: B: minor seu vulgaris *Park: Base-Rocket. Ann:*

Reseda alba I: B: maxima *Ger: Crambling-Rocket. Ann.*

RHAMNUS catharticus B. P. I: B: solutivus *Ger: solutivus five Spina infectoria vulgaris Park: Buck-Thorn, or common purging-Thorn. Offic.*

Rhamnus catharticus minor B: P: solutivus minor *Ger: solutivus minor Pannonicus Park: Rhamnus solutivus pumilus Pannonicus primus Clusij I: B: The lesser Purging-Thorn of Hungary.*

Rhamnus Salicis folio angusto, fructu flavescente B. P: primus *Dioscoridis Lobelio, five littoralis Park: secundus Clusij Ger: Rhamnus, vel Oleaster Germanicus I. B. Sallow-Thorn, or Sea-Buck-thorn.*

S. *RHODIA RADIX* B: P: I: B: *Ger: Park: Rose-root. Offic.*

Rhus Virginianum B. P. app. *Park: Virginian Sumach, or Buck-horn-tree.*

Rhus myrtifolia *Monspeliaca* B. P.

myrtifolia *Ger*: Rhus Plinij putata
I: *B*: Plinij myrtifolia *Park*. *Mirtle-*
leaved Sumach.

S. Rhus myrtifolia Belgica *B*. *P*. sylve-
 stris five Myrtus Brabantica vel Angli-
 ca *Park*: Myrtus Brabantica, five Elæ-
 agnus Cordi *Ger*: Gale, frutex odora-
 tus Septentrionalium *I*. *B*. Gaule, *sweet*
Willow, or Dutch Myrtle.

R I C I N U S major vulgaris *B.P.* *I.B.*
 Ricinus five Palma Christi *Ger*: Ricinus
 five Cataputia major vulgator *Park*:
The ordinary Palma Christi, or great Spurge
Offic. Ann.

S. R O S S O L I S folio rotundo *B. P.*
I: *B*: *Ger*: *Park*: *Round-leaved Sun-dew.*
Offic: Ann.

R O S A rubra *B: P:* *Ger. I. B. An-*
glica rubra Park: parad. Joh. Rea Flor.
The Red Rose. Offic:

Rosa Mundi *Joh. Rea Flor. The Rose*
of the World, or the stripped Red-
Rose.

Rosa Hungarica *Park: parad. Joh.*
Rea Flor. The Hungarian Rose:

Ros

Rosa Provincialis flore rubro *Joh.*
Rea Flor. Provincialis rubra *Park. pa-*
rad. The red-Province-Rose.

Rosa Belgica sive vitrea flore rubro
Joh. Rea Flor. The red Belgick-Rose, or
the Marygold-Rose.

Rosa holoserica multiplex *Park. pa-*
rad. Joh. Rea Flor. Rosa holoserica *Ger:*
The double Velvet-Rose.

Rosa marmorea *Joh. Rea Flor. The*
marble-Rose.

Rosa Francofurtensis *Park. parad. Joh.*
Rea Flor. The Franckford-Rose.

Rosa Cinamomea *Joh. Rea Flor.* Cina-
 momea multiplex *Park. parad.* odore
 Cinamomi flore pleno *B: P:* Cina-
 momea flore pleno *Ger:* Rosa minor rubel-
 lo multiplicato flore asperis spinis arma-
 ta *I: B: The double Cinamon-Rose.*

Rosa Cinamomea simplex *Park. pa-*
rad: Cinamomea flore simplici *Ger:* o-
 dore Cinamomi flore simplici *B. P.* Ci-
 namomea floribus subrubentibus spino-
 sa *I. B. The single Cinamon Rose.*

Rosa Damascena *Park parad. Damasce-*

na vulgaris *Joh. Rea Flor.* Provincialis five Damascena *Ger.* purpurea *B. P.* Rosa rubello flore majore multiplicato five pleno, incarnata vulgo *I. B.* *The common Damask-Rose.*

Rosa Damascena versicolor *Joh. Rea Flor.* versicolor *Park. parad. B. P.* Rosa Prænestina alba & versicolor *I. B.* *The party-coloured Rose, of some York and Lancaster.*

Rosa Crystallina *Park. parad. Joh. Rea Flor.* *The Cristal-Rose.*

Rosa Damascena variegata elegantior *J. Rea Flor.* *The Elegant variegated Damask-Rose, or Mistress Hearts-Rose.*

Rosa Provincialis five Hollandica Damascena *Park. parad.* Damascena provincialis *Joh. Rea Flor.* Hollandica, five Batava *Ger.* maxima multiplex *B. P.* Hollandica rubella plena, quibusdam Centifolia spinoso frutice *I. B.* *The great double Damask-Province, or Holland-Rose.*

Rosa mensalis *Joh. Rea. Flor.* *The monethly Rose.*

Ro-

Rosa belgica five vitrea flore rubicante
Joh. Rea Flor. The Blush-Belgick-
 Rose, called by some, The white Pro-
 vince-Rose, and the Batavick-Rose.

Rosa Belgica flore rubicante pleno
 minor, *Rosa Madama dicta.* A lesser
 kind of the Blush Belgick Rose, called *Rosa*
Madama.

Rosa lutea simplex B:P: *Park: parad:*
Joh. Rea Flor: *Rosa lutea* Ger: I.B. The
 single yellow Rose.

Rosa lutea multiplex P.B: Ger: lutea
 flore pleno I. B. *Joh. Rea Flor.* lutea
 multiplex five flore pleno *Park: parad.*
 The double yellow Rose.

Rosa punicea Cornut: *Austriaca* flo-
 re phoeniceo *Joh. Rea Flor:* sylvestris
Austriaca flore phoeniceo *Park: The Ver-*
million-Rose of Austria.

Rosa alba vulgaris major P. B. alba
 Ger: alba vulgaris *Joh. Rea Flor.* An-
 glica alba *Park: parad.* candida plena
 I: B: The common white Rose, or English
 white Rose. *Offic.*

Rosa alba flore duplici major. Rosa candida semiplena I: B: *The greater white Rose with two range of leaves.*

Rosa alba flore duplici minor. *The lesser white Rose with two range of leaves.*

Rosa incarnata Park. parad. Joh. Rea Flor. *The carnation-Rose, or blush-Rose.*

Rosa moschata simplici flore B: P: Ger: moschata simplex Park: parad. moschata minor simplici flore I. B. *The single musk-Rose.*

Rosa moschata flore pleno B: P: Joh. Rea Flor. moschata multiplex Park: parad: Ger: moschata minor flore pleno I. B. *The double musk-Rose.*

Rosa Hispanica moschata simplex Park: parad. Hispanica moschata Joh. Rea Flor. *The Spanish musk-Rose.*

Rosa sylvestris pomifera major B: P: pomifera major Joh. Rea Flor. Park. parad.

rad. Rosa pomo spinoso folio hirsuto

I: B: *The great Apple-Rose.*

- S. Rosa sylvestris vulgaris flore odorato incarnato B: P: sylvestris inodora, sive canina *Park.* caninā inodora *Ger:* sylvestris alba cum rubore, folio glabro I: B: *The ordinary wild Briar-bush. offic.*

- S. Rosa sylvestris inodora sive canina flore albo. *The ordinary wild Rose, or Briar-bush with white flowers.*

- S. Rosa sylvestris nostras flore albo odoratissimo. *A Scottish wild Rose with most fragrant white flowers.*

Rosa sylvestris minor rubello flore B.P. rubello parvo flore simplici non spinosa I. B. *The small red Rose without prickles.*

Rosa parvo rubello flore foliis lucentibus. An Rosa sylvestris Virginienſis *Park: & The Rose with shining-leaves, perhaps the Virginian Briar-Rose of Parkinson.*

- S. Rosa sylvestris foliis odoratis B: P: sylvestris odora *Ger:* sylvestris odora sive
Eg-

Eglenteria simplex *Park: parad.* Rosa foliis odoratis *Elegantina dicta I. B: The single Eglantine, or sweet-Briar-Bush.*

Rosa sylvestris odora five *Eglenteria flore duplici Park: parad :* *Eglenteria flore duplici Joh. Rea Flor. sylvestris odora flore duplici Ger: Eglentina flore pleno I. B The double Eglantine.*

S: Rosa sylvestris pomifera minor *P. B. Pimpinellæ folio Ger. Rosa Pimpinella five pomifera minor Park: pumila spinosissima foliis Pimpinellæ glabris flore albo I. B. The Pimpinel-Rose.*

S. Rosa *Pimpinellæ foliis minor nostras flore eleganter variegato. The lesser Scottish Burnet, or Pimpinel-Rose with fine-stript flowers.*

Rosa arborescens non descripta. *An undescribed Tree-Rose.*

ROSMARINUS hortensis angustiore folio *P. B. coronarius Ger. coronarius fruticosus I. B. Libanotis coronaria five Rosmarinum vulgare Park. Common Rosemary. Offic.*

Ros-

Rosmarinus hortenſis folio aureo
Hort. Reg. Bles. Rosmarinum ſtriatum
ſive aureum Park: Gilded-Rosema-
ry.

Rosmarinum ſylveſtre minus noſtras
Park. Viti Idææ affinis Polifolia mon-
tana I. B. Myrtus tenuifolia Thalij. Wild
Rosemary.

R U B I A tinctorum ſativa *B. P. tin-*
ctorum Ger: ſativa, an ſylveſtris Mon-
ſpellulanus minor I. B: major ſativa ſi-
ve hortenſis Park: Common Madder.
Offic.

Rubia minor e rupe Sancti Vincentij.
Aleſſer kind of Madder from Saint Vincents
Rock.

Rubia erecta quadrifolia I. B: Narrow-
leaved Croſſe-wort-Madder.

S. Rubia parvo flore cæruleo ſe ſpar-
gens I. B. Rubeola arvenſis cærulea re-
pens B: P: minor pratenſis cærulea Park:
Small creeping Field-Madder. Ann.

Rubia cynanchica B: P: I. B. Ger:
Gallium tetraphyllum montanum cru-
ciatum Col. Squinancy-wort.

Ru

Rubia angustifolia spicata B: P:
Park: Narrow-leaved spiked Madder.
Ann:

S. *RUBUS* Ger: vulgaris, five Ru-
 bus fructu nigro B. P. major vulgaris
*Park: major fructu nigro I: B: The com-
 mon Bramble, or Black-berry-bush* Offic.

*Rubus minor fructu cæruleo I. B. re-
 pens fructu cæsius B: P: Ger: minor Cha-
 mærubus, five Humirubus Park Small
 Bramble, or Dew-berry.*

S. *Rubus Idæus spinosus* B. P. Idæus
 Ger: *Park: Idæus spinosus fructu rubro
 I: B: Red Rasp-berry, or Hind-berry.*
 Offic.

*Rubus Idæus fructu albo B. P. Ger:
 Park. Idæus spinosus fructu albo I. B.
 The White Rasp-berry.*

S. *Rubus saxatilis* Ger: *Alpinus saxati-
 lis Park: Alpinus humilis I. B. Chamæ-
 rubus saxatilis B. P. The Stone-Bramble.*

RUSCUS B: P: I: B: *Park, Rus-
 cus five Bruscus Ger: Butchers-Broom.*
 Offic.

RURA hortensis latifolia B: P: hor-
 tensis

tenfis major latifolia *Hist* : *Oxon* : hortensis *Ger* : hortensis vel sativa *L. B.* hortensis major *Park* : grave olens hortensis *Dod. Garden-Rue. Offic.*

Ruta sylvestris magno flore albo *B. P.* Syriaca sylvestris Harmala dicta flore magno albo *Hist* : *Oxon.* sylvestris Syriaca five Harmala *Park.* Ruta quæ dici solet Harmala *L. B.* Harmala *Ger* : *Assyrian wild-Rue. Offic.*

S.

S A B I N A folio Tamarisci Dioscoridis *B. P.* vulgaris *Park.* sterilis *L. B.* *Ger. Common Savine. Offic.*

S A L I X vulgaris alba arborescens *B.* *P.* maxima fragilis alba hirsuta *L. B.* arborea angustifolia alba vulgaris *Park* ; *Salix Ger: The common white-Willow.*

Sa-

- S. *Salix vulgaris rubens* B: P: *The common red Willow.*
- S. *Salix spontanea fragilis amygdalino folio non auriculata* L: B: *The Crack-Willow.*
- S. *Salix folio laureo, five lato glabro odorato* J. *Raij Bay-leaved Willow, or Sweet-Bay-Willow.*
- S. *Salix pumila brevi angustoque folio incano* B: P: *humilis repens* Ger. *angustifolia repens* Park: *The creeping Dwarf-Willow.*
- S. *Salix folio ex rotunditate acuminato* B: P: *caprea latifolia* Ger: *latifolia oblongior* Park. *inferne hirsuta* L. B. *Common Sallow.*
- S. *Salix latifolia rotunda* B. P: Park: *caprea rotundifolia* Ger: *Round-leaved-Sallow.*

Salix fativa lutea folio crenato B: P: *lutea tenuior fativa viminea* L: B: *aquatica* Ger: *aquatica humilis* Park. *The Osier.*

SALVIA major, an *Sphacelus*
The-

Theophrasti? B: P: major vulgaris Ger.
 Park. latifolia I: B: *Common Sage. Offic.*
 Salvia nigra B: P. nigra vel rubra I. B.
Red Sage.

Salvia variegata vulgaris Ger. albis
 foliis I. B. *Common painted Sage, or green-*
stript Sage.

Salvia variegata elegans Ger. versicolor
 Park. *Fine-stript Sage, or red-*
stript Sage.

Salvia foliis aureis *Gilded-Sage.*

Salvia latifolia serrata B. prodr. maxima
 sive latifolia Park: serrata crispa I. B.
 an? Salvia Alpina Ger. *Great Sage with*
dented-leaves.

Salvia minor aurita & non aurita B.
 P. minor auriculata I. B. minor pinna-
 ta, Park. minor Ger: *Small Sage, or Sage*
of vertue.

Salvia minor altera B. P. salvia Absinthium
 redolens I. B. minor altera flore
 rubente Park. Salvia absinthites Ger :
Worm-wood-Sage.

Salvia baccifera B. P. gallifera Cretica
 I. B. Cretica pomifera & non
 po-

pomifera Ger : major Cretica latifolia
& angustifolia aurita & non aurita pomifera Park. *Apple-bearing Sage of Candy, and Candy Sage without Apples.*

Salvia Cretica five pomifera flore albo *White-flowered Sage of Candy, or Apple-bearing Sage.*

S. S A M B U C U S Ger. vulgaris Park:
I: B: fructu in umbellâ nigro B. P. *Common Elder. Offic:*

Sambucus fructu in umbellâ viridi B:
P: fructu albo Ger : Park: *Elder with whitish-green-berries.*

Sambucus racemosa rubra B:P: Park:
racemosa acinis rubris I. B. racemosa vel cervina Ger. *Red-berried Elder.*

Sambucus foliis laciniatis B. P: Ger :
Park: laciniata I. B. *Cut-leaved Elder.*

Sambucus humilior frutescens foliis eleganter variegatis. *Skrub-dwarfe-Elder, with fine party coloured leaves:*

S. S A M B U C U S humilis five Ebulus B:
P:

P. Ger. Park: Ebulus five Sambucus herbacea **I. B. Dwarfse Elder, or Walwort. Offic.**

S. Sambucus aquatica flore simplici **B. P.** aquatica **I. B.** aquatilis five palustris **Ger:** palustris five aquatica **Park. Marsh, or water-Elder.**

Sambucus aquatica flore globoso pleno **B. P.** rosea **I. B. Ger: Park: Rose-Elder.**

S. S A N I C U L A officinarum **B. P.** **Hist. Oxon:** mas Fuchsi, five Diapensia **I. B.** Sanicula, five Diapensia **Ger:** vulgaris, five Diapensia **Park: Common Sanicle. Offic:**

Sanicula montana rotundifolia major **B: P:** guttata **Ger:** guttata major **Park:** parad: Alpina guttata **I: B:** Spotted Sanicle.

Sanicula montana rotundifolia minor **B: P:** minor minus guttata **Park:** parad: The lesser spotted Sanicle.

Sanicula montana crenata umbilico rubro **Hort. Reg. Bles.** Sedum ferratum flore rubente maculato **Park: parad:**

The Princes-Feather, or *None so pretty*, with a red poyntel in the middle of the flower.

Sanicula montana crenata umbilico pallido Hort. Reg. Bles. The Princes-Feather, or *None so pretty with a pale poyntel in the middle of the flower.*

Sanicula Alpina vel Auricula Urſi variorum colorum. Bears-ears of divers colours.

Sanicula montana latifolia laciniata B:P: Hiſt. Oxon: Alpina ſive Cortuſa Matthioli Park. Alpina Cluſij ſive Cortuſa Matthioli Ger: Cortuſa I. B. Bears-ear-Sanicle.

Sanicula ſive Cortuſa Americana fruticoſa Park. montana Americana ſive Cortuſa Americana Stapel: in Theophr: Shrube-Saniele of America.

S. . *Sanicula montana flore calcar ſi donato B: P: Pinguicula Gefneri I. B. Pinguicula ſive Sanicula Eboracenſis Ger: Park. Viola paluſtris Pinguicula dicta Hiſt: Oxon: Butter-wort, or Yorkſhire Sanicle.*

SAPONARIA Ger: vulgaris *I. B.*
Park: major levis *B: P:* *Lychnis Saponaria dicta vulgaris major simplex Hist.*
Oxon. Common Sope-wort. Offic.

Saponaria flore pleno Cornut. Ger:
Park. Lychnis Saponaria dicta major vulgaris multiplex Hist: Oxon: Double Sope-wort.

SATUREIA hortensis, sive Cuni-
 la sativa *Plini B: P:* hortensis *Park.*
 sativa *I: B:* sativa hortensis *Ger: Summer-Savory. Offic. Ann.*

Satureia montana B. P. durior I: B:
 hortensis *Ger: vulgaris Park. Winter-Savory.*

S. **SAXIFRAGA** rotundifolia alba
B. P. alba Ger: alba vulgaris Park: alba radice granulosa I. B. Common White-Saxifrage. Offic.

S. *Saxifraga rotundifolia aurea B: P:*
 aurea *Ger: Park. aurea Dodonæi I: B:*
Golden Saxifrage.

S. *Saxifraga foliis pediculis oblongis insidentibus I. Raij. Golden Saxifrage with long-foot-stalks.*

S. Saxifraga Anglica facie Sefeli praten-
sis *Ger: Sefeli pratense nostras Park:*
Saxifraga Anglorum foliis Foeniculi la-
tioribus, radice nigrâ, flore candido, se-
mine Foeniculi, similis Silao *I. B. Meadow*
Saxifrage.

S. Saxifraga palustris Anglica *Park: Al-*
fine palustris foliis tenuissimis, sive Saxi-
fraga palustris alfinefolia *Ger: English*
Marsh-Saxifrage.

S. **SCABIOSA** pratensis hirsuta quæ
officinarum *B. P. vulgaris pratensis Park:*
major vulgaris *Ger: major communior*
hirsuta folio laciniato & non laciniato
I. B. Common field-Scabious. Offic.

Scabiosa capitulo globoso minor *B.*
P. minor sive Columbaria Ger: minor
vulgaris *I. B: minor campestris Park:*
The lesser field-Scabious.

Scabiosa montana calidarum regio-
num, major Lobelio *I. B: montana alba*
Ger: Pannonica flore albo Park: fruti-
cans angustifolia alba *B. P. White Hun-*
garian Scabious.

Scabiosa Alpina foliis Centaurij mayo-

ris B: P: montana maxima Ger: Park :
The great mountain Scabious.

Scabiosa latifolia rubra non laciniata
 secunda B. P. latifolia rubro flore I. B.
 rubra Austriaca Ger. Park. parad: Red
Scabious of Austria.

Scabiosa peregrina rubra capitulo ob-
 longo B. P. Indica rubra Ger: Park, pa-
 rad: rubra peregrina, quibusdam In-
 dica I. B. *Indian Scabious with red flowers.*
Ann.

Scabiosa Indica flore variegato. Party
coloured Indian Scabious. Ann.

Scabiosa Indica prolifera. Childing
Indian Scabious. Ann.

Scabiosa peregrina capitulo oblongo
 flore, albo Promontorij Bonæ spei. *White*
flowered Indian Scabious from the Cape of
good-hope. Ann.

Scabiosa stellata folio laciniato major
 B. P. Hispanica major Park. Ger: major
 cum semine pulchro I: B: *Great Spanish*
Scabious. Ann.

Scabiosa Virgæ pastoris folio B.
 P. latifolia peregrina. Tab. *Scabious*

with leaves like the small wild Teasel.

Scabiosa arborea *Prosp. Alp. de exot.* arborea *Cretica Ponæ Park*: fruticosa folio non dissecto peregrina *I. B.* peregrina *Ger.* stellata folio non dissecto *B. P. Shrub-Scabious of Candy.*

Scabiosa maritima parva *I. B.* *Small Sea-Scabious.*

Scabiosa argentea angustifolia *B. P.* *Park*: graminea argentea *I. B.* *Silver-leaved Scabious.*

S. SCANDIX semine rostrato vulgaris *B. P.* vulgaris sive Pecten Veneris *Park*: Pecten Veneris *I. B.* Pecten Veneris sive Scandix *Ger.* *Venus-Combe, or Shepherds-Needle. Ann.*

Scandix *Cretica* major *B. P. Park*: Pecten Veneris *Creticus I. B.* *The greater Shepherds-Needle of Candy. Ann.*

SCILLA vulgaris radice rubrâ *B. P.* *Hist. Oxon.* ruffa magna vulgaris *I. B.* rubra sive Pancratium verum *Park*: *parad.* Pancratium *Clusij Ger.* *Great Squil, or Sea-Onyon. Offic.*

S C O L Y M U S chrysanthemus annuus *Hort. Reg. Bles. The annual Golden Thistle. Ann.*

S C O R D I U M B. P. I. B. Ger: legitimum *Park: Water-Germander. Offic.*

S. Scordium alterum five *Salvia agrestis* B: P: *Scorodonia*, five *Salvia agrestis* Ger. *Scorodonia* five *Scordium alterum* quibusdam & *Salvia agrestis* *Park: Scordotis*, five *Scordium folio Salviæ* I: B: *Wood-Sage. Offic.*

S C O R P I O I D E S *Bupleuri folio* B: P: Ger: *Scorpioides Bupleuri folio corniculis asperis, hirsutis minus contortis* *Hist Oxon: Scorpioides Bupleuri folio major* *Park: Scorpioides* I: B: *The greater rough Caterpillers, or Scorpion-grass. Ann.*

Scorpioides filiquâ crassâ Boelij Ger: app. *Scorpioides Bupleuri folio corniculis crassioribus, mollioribus, seu magis spongiosis, lituui instar in se contortis & convolutis* *Hist: Oxon: Scorpioides major* *Park: parad. The great Caterpillar. Ann.*

Scorpioides **Portulacæ folio** **B: P:**
Telephium Dioscoridis, seu **Scorpioides**
 ob filiquarum similitudinem *Ejusdem.*
Scorpioides **Portulacæ folio**, corniculis
 articulatis, longioribus, ac tenuiori-
 bus. *Hist: Oxon: Scorpioides Matthi-*
oli Ger. Scorpioides Matthioli sive Por-
tulacæ folio Park. Telephium Scorpi-
oides I: B: Matthiolus his Scorpion-grass,
Ann.

Scorpioides minima **Viciæ foliis** *Hist:*
Oxon: The least Scorpion-grass with Vetch-
leaves. Ann.

SCORZONERA **latifolia sinuata**
B: P: Viperaria sive **Scorzonera** **His-**
panica *Ger. Hispanica major Park. Tra-*
gopogon Hispanicum sive Escorzonera,
aut Scorzonera I. B. Spanish Vipers-
grass. Offic.

Scorzonera foliis nervosis **B: P: mi-**
nor angustifolia **Pannonica** *Park: Ger-*
manica angustifolia Tab. Viperaria
humilis Ger: The small Hungarian Vipers
grass.

S. SCROPHULARIA **nodosa foetida**
B:

B. P. perennis radice nodosâ foetidâ
Hist. Oxon: major *Ger:* major vulga-
ris Park: vulgaris & major *I. B. Common*
Figg-wort. Offic:

S. *Scrophularia aquatica major B: P:*
perennis radice fibrosâ Betonicæ foliis
Hist. Oxon: maxima radice fibrosâ *I:*
B: Betonica aquatica Ger. aquatica ma-
ior Park. Water-Betony, or Water-Figg-
wort. Offic:

Scrophularia flore luteo B: P: Park.
Ger. annua folio Lamij flore luteo Hist:
Oxon: lutea magna amplis foliis I: B:
Yellow-flowered Figg-wort. Ann:

Scrophularia folio Urticæ B. P. an-
nua folio Urticæ Hist: Oxon: peregri-
na Park. flore rubro Camerarij I. B.
Nettle-leaved Figg-wort. Ann.

Scrophularia Ruta canina dicta vul-
garis B. P. major Ruta canina vulgò
dicta Hist. Oxon. Ruta canina dicta Park
Ruta canina Ger: Scrophularia tertia
Dodonæi tenuifolia, Ruta canina qui-
busdam vocata I B. Great Figg-wort.
without knobbed roots.

SECALE *I. B.* *Ger.* vulgatius
Park: hybernum vel majus *B. P. Rie.*
Offic. Ann.

SECURIDACA lutea major *B. P.*
Securidaca vera, plurimis flosculis lu-
 teis corymbi modo dispositis, filiquis
 latis compressis inter granum & granum
 junctis, seminibus quadratis *Hist. Oxon.*
Securidaca flore luteo filiquâ latâ ob-
 longâ *I. B.* *Hedysarum* majus *Ger.* ma-
 jus sive *Securidaca* major verè *Park: The*
greater Hatchet-Vetch. Ann.

Securidaca lutea minor corniculis re-
 curvis *B. P.* minor lutea *Ger.* altera sive
 minor *I. B.* *Hedysarum* minus *Park. A-*
stragalus luteus annuus *Monspeliensis*
 procumbens *Hist. Oxon. The lesser horn-*
ed. Hatchet-Vetch. Ann.

Securidaca filiquis planis utrinque
 dentatis *B. P.* filiquis planis dentatis *Ger.*
 peregrina *Clusij Park: Lunaria* ra-
 diata *Robini I. B. Astragalus* pur-
 pureus annuus peregrinus filiquis
 utrinque ferræ similibus *Hist:*
Oxon:

*Oxon: Strange Hatchet Vetch of Clusius.
Ann.*

S E D U M majus vulgare **B: P: Park:**
l. B. Sempervivum majus **Ger: Com-**
mon great House-leek, or Sengreen.
Offic.

Sedum echinatum vel stellatum flore
albo I: B: Sempervivum tertium Dios-
coridis Col. Cotyledon stellata B: P: Ai-
zoon peregrinum Cam. Portulaca Cre-
tica Park: Candy-Parflane, or Starry-
headed Sengreen. Ann.

S. **Sedum minus luteum folio acuto B.**
P. minus flore luteo I. B. minus hæma-
todes Ger. Vermicularis & Crassula
minor vulgaris, five Illecebra major
Park: Yellow Prick-madam, or small
House-leek. Offic:

Sedum minus à rupe S. Vincentij
Job. Raij Saint Vincents Sen-green.

S. **Sedum parvum acre flore luteo I. B.**
Sempervivum minus vermiculatum a-
cre B. P. Vermicularis, five Illecebra mi-
nor acris Ger: Illecebra minor five
Se-

Sedum tertium Dioscoridis *Park*: Stone-crop, or Wall-Pepper. *Offic.*

- S.** *Sedum Alpinum luteum minus* *Joh. Raij.* Small yellow Mountain-Sengreen.

Sedum Alpinum ericoides purpureum vel cæruleum *B: P: I. B.* Mountain-Heath-like-Sengreen with large purple flowers.

Sedum minus folio circinato *B: P::* parvum folio circinato flore albo *I: B::* *Vermicularis dasyphyllus* *Park*: A smaller white flowered Stone-crop.

- S.** *Sedum arvense flore rubente* *B. prodr.* arvense sive palustre flore rubente *Park.* minus palustre *Ger: purpureum pratense* *I: B: Small Marsh-Sengreen. Ann.*

- S.** *Sedum Alpinum trifido folio* *B: P: Alpinum laciniatis* *Ajugæ foliis* *Park.* *Sediss* affinis *trifulca Alpina* flore albo *I. B.* Small Mountain Sengreen with jagged-leaves.

- S.** *Sedum tridactylites tectorum* *B: P::* tridactylites tectorum flore albo *I: B::* Pa-

Paronychia rutaceo folio Ger: *Paronychia foliis incis* Park: *Rue-Whitlow-grass*.
Ann.

SELINUM *Sij foliis* Ger: *segetale*
Park. *Hone-wort*. Ann.

S. **SENECIO** *minor vulgaris* B: P:
vulgaris Park: *vulgaris sive Erigeron*
I: B: *Erigeron* Ger: *Common Groundsel*.
Offic. Ann.

S. **Senecio** *incanus pinguis* B. P. *hirsutus viscidus major odoratus* I: B: *foetidus* Park: *Erigerum tomentosum alterum* Ger: *Cotton Groundsel, or Stinking Groundsel*. Ann.

S. **SERPILLUM** *vulgare minus* B. P.
Park: *vulgare* I. B. Ger: *Wild-Thyme, or Mother of Thyme*. Offic.

S. **Serpyllum** *vulgare flore albo*. *Mother of Thyme with white flowers*.

S. **Serpyllum** *vulgare foliis variegatis*.
Mother of Thyme with party-coloured leaves

S. **Serpyllum** *hirsutum* Ger: *Hairy wild Thyme*.

Serpyllum *foliis Citri odore* B: P: *citratum* Ger: *Park, Citri odore* I. B. *Lemon-Thyme*.
ser-

Serpyllum aureum five versicolor
Park: Gilded, or yellow Thyme.

SERRATULA B. P. I. B. pur-
 purea *Ger: vulgaris flore purpureo Park.*
Saw-wort.

SIDERITIS vulgaris hirsuta
 erecta B: P: vulgaris *Ger: vulgaris Clu-*
sij Park: vulgaris hirsuta I. B. Common
Iron-wort. Offic.

Sideritis arvensis angustifolia rubra
 B: P: arvensis rubra *Park: Sideritis sep-*
tima Ger: Ladanum segetum quorundam
flore rubro I. B. Narrow-leaved Alheal,
or Iron-wort. Ann.

S. Sideritis Alsinestriflaginis folio B: P:
Park: humilis lato obtuso folio Ger: Iron-
wort with Germander Chick-weed-leaves.
Ann.

SILIQUA edulis B: P: dulcis five
 vulgatio *Park: Siliqua arbor five Ce-*
ratia I. B. Ceratia Siliqua five Cerato-
nia Ger: The Carob-Tree.

Siliqua sylvestris rotundifolia B: P:
 arbor Judæ *Ger. Park: Judaica arbor*
I. B: Judas-Tree.

S. **SINAPI** Rapæ folio **B:** **P:** fativum
 Rapæ folio, filiquâ planâ, semine ruf-
 felcente *Hist: Oxon:* fativum Rapæ fo-
 lio *Park:* fativum *Ger:* filiquâ latiuscu-
 lâ glabrâ, semine ruffo, sive vulga-
 re *I. B. Common Mustard. Offic.*
Ann.

SISARUM *Ger.* vulgare *Park:* Si-
 farum multis *I: B:* Sisarum Germanorum
B: P: *Skirrets. Offic:*

SISON quod Amomum officinis
 nostris **B: P:** vulgare, sive Amomum
 Germanicum *Park:* Sison sive officina-
 rum Amomum *I: B:* Petroselinum Ma-
 cedonicum Fuchsj *Ger: Bastard Stone-*
Parsley. Ann.

S. **SIUM** Erucae folio **B: P:** foliis rugo-
 sis multifidis dentatis *D. Morison Sect.*
de plant. umbellif. alterum Olusatrici facie
Lob. Ger. majus alterum angustifolium
Park: Cicuta aquatica Gesneri *I. B. Long-*
leaved Water-Parsnep.

S. Sium majus latifolium *Ger:* maximum
 latifolium *I: B:* Sium Dioscoridis sive Pa-
 sinaca aquatica major *Park. Great Wa-*
ter-Parsnep. **Si-**

S. *Sium majus angustifolium* Ger: minus alterum *Park:* umbelliferum *I. B.*
Common Water-Parsnep.

S. *Sium umbellatum repens* Ger. *Creeping Water-Parsnep.*

S. *Sium minimum* foliis ferulaceis *Hort. Reg. Bles.* minimum *Job. Raij* The least *Water-Parsnep.*

S M I L A X aspera fructu rubente *B. P.* *Park:* aspera *I. B:* Ger: *Prickly Bindweed with red berries.*

S. **S M Y R N I U M** *Fuchs.* *Hipposelinum* Ger: *Hipposelinum* five *Smyrnum* vulgare *Park:* *Hipposelinum* *Theophrasti*, vel *Smyrnum Dioscoridis* *B. P.* *Macerone*, quibusdam *Smyrnum* semine magnonigro *I. B.* *Common Alexanders.* *Offic. Ann.*

Smyrnum peregrinum rotundo folio *B. P:* *Smyrnum Creticum* Ger: *Park:* *Creticum perfoliatum* *I: B:* *Candy Alexander.* *Ann.*

S O L A N U M officinarum *B: P:* vulgare *Park:* hortense Ger: hortense si-

ve vulgare *I. B. Common Night-shade.*
Offic. Ann.

Solanum vesicarium B. P. halicacabum
Ger: halicacabum vulgare I: B: Halica-
cabum five, Alkakengi vulgare Park:
Common Winter-Cherry. Offic.

Solanum μελανοκέρασος B: P: lethale
Park: Solanum manicum multis, si-
ve Bella donna I. B. Deadly Night-
shade.

Solanum fruticosum bacciferum B.
P. fruticosum Park: Amomum Pli-
nij Ger: Strychnodendros I. B. Tree-
Night-shade.

S. *Solanum scandens five Dulcamara*
B: P: lignosum five Dulcamara Park:
Amara dulcis Ger: Glycypicros, five
Amara dulcis I. B. Bitter-sweet, or Woody-
Night-shade. Offic.

Solanum scandens five Dulcamara
flore albo. Bitter-sweet, with white-
flowers.

Solanum scandens foliis ex albo vari-
egatis Hort. Reg. Bles. Bitter-sweet, with
party-coloured leaves.

S. Solanum quadrifolium bacciferum **B:**
P: Herba Paris **I: B:** *Ger: Park: Herbe-*
true-love, or One-berry. Offic:

Solanum tuberosum esculentum
Matth: ed: Bauh: Battatas Virginiana
Ger Park: Pappas Americanum I: B: Vir-
ginian Potato's.

Solanum pomiferum fructu rotundo
 striato molli **B: P:** Mala aurea odore
 foetido, quibusdam *Lycopersion I: B:*
Pomum amoris fructu rubro Ger. Park.
Red Apples of Love. Offic: Ann.

Solanum pomiferum, sive Pomum
 amoris fructu striato molli aureo. *Gold-*
coloured Apples of Love. Ann.

Solanum foetidum pomo spinoso ob-
 longo **B: P:** Stramonia altera major, si-
 ve Tatura quibusdam *I: B: Stramonium*
spinofum Ger. majus album Park. White-
flowered Thorn-Apple. Offic. Ann.

Solanum foetidum pomo spinoso ob-
 longo flore violaceo. *Purple-flowered*
Thorn-Apple. Ann.

Solanum foetidum pomo grandibus
 aculeis donato *Hort. Reg. Bles. Thorn-*
Apple with great prickles. Ann. So-

Solanum Mexicanum flore magno
B: P: Mirabilia Peruviana *Park. parad.*
The Mervail of Peru. Ann.

S. Solanifolia *Circæa dicta major* B: P:
Hist. Oxon. *Circæa Lutetiana Ger.* *Cir-*
cæa Lutetiana major Park. *Ocymastrum*
verrucarium I: B: Enchanters Night-
shade.

S. SOLDANELLA *maritima minor*
B: P: *Soldanella marina Ger: vulgaris*
sive Volubilis marina Park: Brassica ma-
rina sive Soldanella I: B: Convolvulus
maritimus nostras rotundifolius Hist.
Oxon: Sea-Binde-weed. Offic.

Soldanella Alpina rotundifolia B: P:
Alpina rotundifolia major Hist. Oxon:
Alpina major Ger: Park: Soldanella
Alpina quibusdam I: B: Mountain Binde-
weed.

S. SONCHUS *levis laciniatus latifoli-*
us B: P: levis Ger: levis vulgaris Park:
laciniatus non spinosus I: B: Smooth-
Sow-Thistle, or Hares-Lettuce. Offic.
Ann.

Sonchus levis laciniatus muralis par-

vis floribus **B:** *P:* levis muralis *Ger:* levis alter parvis floribus *Park.* Lactuca sylvestris murorum flore luteo *I. B.* *Ivy-leaved Sow-Thistle.*

S. Sonchus asper laciniatus & non laciniatus **B.** *P.* laciniatus spinosus *I:* **B:** asperior **B:** *P:* asper laciniatus *Park:* *The prickly Sow-Thistle. Ann.*

S. Sonchus repens multis Hieracium *I:* **B:** Sonchus arborescens *Park:* arborescens alter *Ger:* Hieracium arborescens palustre **B:** *P:* *Tree-Sow-Thistle.*

S. Soncho affinis Lamprana domestica **B.** *P:* Lamprana *Ger:* Lamprana vulgaris *Park:* Lamprana Dodonæi *I:* **B:** *Nipplewort. Ann.*

SORBUS *I. B.* *Ger.* fativa **B:** *P:* legitima *Park.* domestica *Lob.* *The true Service-Tree. Offic.*

S. Sorbus sylvestris foliis domesticæ similis **B:** *P.* sylvestris, five Fraxinus bubula *Ger:* Sorbus aucuparia *I. B.* Ornus five Fraxinus sylvestris *Park:* *Quicken-Tree, or Wild-Service-tree.*

S. **SPARGANIUM** ramosum **B. P.**
Ger:

Ger: Park. Sparganium quibusdam I: B: Branched Bur-reed.

- S.** Sparganium non ramosum *B: P: Park. non ramosum sive latifolium Ger: Sparganium alterum I. B. Bur-reed not branched.*

S P A R T I U M arborescens feminibus Lenti similibus *B: P: Spartium Hispanicum frutex vulgare Park. Genista Hispanica Ger: Genista juncea I: B: Spanish Broom.*

- S.** **S P H O N D Y L I U M** *Ger. vulgare Park. vulgare hirsutum B. P: Sphondylium quibusdam sive Branca ursina Germanica I. B. Cow-Parfnep. Ann.*

S P I R Æ A Theophrasti Clusio *Ger. Park: Frutex spicatus foliis salignis serratis B: P: Mock-Willow.*

S T A C H Y S major Germanica *B. P. Park. Stachys Fuchsi I: B: Ger. Base Hore-Hound.*

- S:** Stachys palustris foetida *B. P. Sideritis Anglica strumosa radice Park: Panax coloni , & Marrubium aquaticum*

acutum Ger: Galeopsis angustifolia
foetida I: B: *Clowns Alheal, or Clowns
Wound-wort.*

S T A P H I S agria Dod. I. B. Ger.
*Park. Stavesacre, or Louse-wort, Offic.
Ann.*

STOEBE major foliis cichoraceis
mollibus lanuginosis B: P: Stoebe Sala-
mantica prima Clusij *Park. Salamanti-
censis prior Clusio, five Jacea intyba-
cea I: B: Stoebe argentea major Ger: Sil-
ver Knapweed with purple-flowers.*

Stoebe Salamantica prima Clusij flore
albo. *Silver Knapweed with white-
flowers.*

Stoebemajor calyculis non splenden-
tibus B: P: Stoebe **Austriaca** elatior
*Park. Centaurij majoris species tenui-
folia I: B: The greater Silver Knapweed
of Austria.*

Stoebe caliculis argenteis B: P: ar-
gentea minor Ger: Salamantica argen-
tea five tertia Clusij *Park: Scabiosa
squammata argentea I.B. Little Silver-
Knapweed.*

STOE-

STOECHAS purpurea **B: P:** Stœchas five Spica hortulana, *Ger. vulgaris Park: Stœchas, Arabica vulgo dicta I: B: Ordinary French-Lavender, or Stikadove. Offic.*

S. SUCCISA glabra **B: P:** Succisa five Morus Diaboli **I. B.** Morsus Diaboli *Ger: Morsus Diaboli vulgaris flore purpureo Park: Purple-flowered Divels-bit. Offic.*

S. Succisa five Morsus Diaboli flore albo. *Divels-bit with white-flowers.*

S. Succisa five Morsus Diaboli flore carneo. *Divels-bit with flesh-coloured-flowers.*

SYMPHYTUM, **Consolida** major **B. P.** magnum **I. B.** majus vulgare **Park: Consolida major Ger: Great Comfry. Offic.**

Symphytum, five **Consolida** major flore albo. *White-flowered Comfry.*

Symphytum majus tuberosâ radice **B: P:** Symphytum tuberosum **I. B.** *Ger: Park. Comfry with Knobbed roots, and yellow-flowers.*

Sym-

Symphytum maculosum, five *Pulmonaria latifolia* P. B. *Pulmonaria maculosa* Ger. *maculata* Park: *Pulmonaria Italorum* ad *Buglossum accedens* I. B. *Spotted Lung-wort.* *Offic.*

SYRINGA cærulea B: P: Ger: flore cæruleo five Lilac I. B. Lilac five Syringa cærulea Park: *parad: The blew Pipe-Tree, or Lilac.*

Syringa flore lacteo five argenteo Park: *parad: The silver-coloured Pipe-Tree, or Lilac.*

Syringa five Lilac flore saturate purpureo. *The deep purple Lilac.*

Syringa alba five *Philadelphus Athenæi* B: P: alba Ger: flore albo I. B. flore albo simplici Park: *parad: The single white Pipe-Tree.*

T

T:

T A M A R I X altera folio tenuiore, five Gallica *P. B.* major five arborea Narbonensis *L. B.* Tamariscus folio tenuiore *Park:* Tamariscus Narbonensis *Ger:* The ordinary French Tamarisk-Tree. *Offic.*

S. T A N A C E T U M *Ger:* vulgare *Park:* odoratum five vulgare luteum *B: P:* vulgare flore luteo *L: B:* Common Tansie. *Offic.*

Tanacetum foliis crispis *B: P:* crispum *Ger: Park:* crispum flore luteo *L: B:* Curled or crisped Tansie.

Tanacetum five Flos Africanus major flore pleno *P. B:* Flos Africanus major, five maximus multiplex *Park: parad:* Flos Africanus major polyanthos *Ger:* Tagetes maximus rectus flore maximo mul-

multiplicato *I. B.* *The great double African Marygold. Ann.*

Tanacetum Africanum majus simplici flore *B. P.* Flos **Africanus** major flore simplici *Ger:* Africanus major simplex *Park: parad:* Tagetes maximus rectus flore simplici ex luteo pallido *I: B:* *The great single French, or African Marygold. Ann.*

Tanacetum Africanum sive Flos Africanus minor *B. P.* Flos Africanus minor flore simplici *Ger:* Flos Africanus minor simplex *Park: parad:* Tagetes Indicus minor simplici flore sive Caryophyllus Indicus; sive Flos Africanus *I: B:* *The lesser single African Marygold. Ann.*

Tanacetum Africanum sive Flos Africanus minor flore pleno. Flos Africanus minor multiplex *Park: parad:* Africanus flore multiplici minor *Ger:* Tagetes Indicus minor multiplicato flore *I: B:* *The lesser double African Marygold. Ann.*

Tanacetum, sive Flos Mexicanus flore
re

re fistuloso simplici B. P. Flos Africanus simplex fistulosus *Park: parad. The single hollow African Marygold. Ann:*

Tanacetum, five Flos Mexicanus flore fistuloso pleno B. P. Flos Africanus multiplex fistulosus *Park. parad: Double hollow African Marygold. Ann.*

S. TAXUS B. P. I. B. Ger. *Park: The Yew-tree.*

S. TELEPHIUM vulgare B. P. Telephium five Crassula major vulgaris *Park: Crassula, five Faba inversa Ger: Anacampteros, vulgò Faba crassa I. B. Common Orpine. Offic.*

Telephium repens folio deciduo B. P. sempervirens Ger: minus repens five Cepæa Pancij *Park: Anacampteros minor rotundiore folio semper virens I. B. Small creeping Ever-green Orpine.*

Telephium repens folio non deciduo B. P. Telephium legitimum Imperati Ger: *Park: Polygonum perenne procumbens folio brevior floribus in capitulum congestis*

stis *Hist. Oxon: Imperatus of Naples, his true Orpine.*

TEUCRIUM B. P. majus vulgare *Park: latifolium Ger: Teucrium multis l. B. The more common Tree-Germander.*

Teucrium peregrinum folio sinuoso P. B. **Teucrium Bæticum** Ger: *Park: Bæticum & Creticum Clusij l. B: Tree-Germander of Spain.*

THALICTRUM majus filiquâ angulosâ aut striatâ B: P: nigrius caule & semine striato l. B: **Thalictrum sive Thaliolum majus** Ger: majus vulgare *Park: Common great Meadow-Rue:*

S. **Thalictrum minus** B: P: Ger: *Park: minus, sive Rutæ pratensis genus minus semine striato l. B: The lesser Meadow-Rue.*

Thalictrum Canadense *Cornut: Thalictrum Canadense filiquâ seminis triquetra, & caulibus subrubentibus, Aquilegiæ foliis D. Morison Sect. de plant. umbellif. American Meadow-Rue, with Columbine-leaves.*

THAP-

THAPSIA Carotæ folio **B: P:**
Thapsia Carotæ facie **I: B:** vulgaris
Ger: vulgaris Carotæ effigie Park: The
deadly-Carrot.

Thapsia Thaliætri folio **D.** *Magnol.*
Deadly, or Scorching-Carrot, with Mea-
dow Rue-leaves.

S. **THLASPI** arvense filiquis latis
B: P: arvense filiculis latis *Hist: Oxon.*
Drabæ folio *Park: Thlaspi Dioscoridis*
Ger: cum filiquis latis I: B: Treacle Mu-
stard Offic: Ann.

Thlaspi arvense **Vaccariæ** incano fo-
lio majus **B. P.** *Hist. Oxon.* **Thlaspi**
Vaccariæ folio *Park: vulgatus I: B: vul-*
gatissimum Ger: Mithridate-Mustard.
Ann.

Thlaspi umbellatum **Creticum** **Iberi-**
dis folio **B: P:** *Hist. Oxon.* **Creticum**
umbellatum flore purpureo *Park: pa-*
rad. **Thlaspi** **Candiæ** *Ger: Candy Tufts*
with purple flowers. Ann.

Thlaspi umbellatum **Creticum** flore
albo. *Candy-Tufts with white-flowers.*
Ann.

Thlaspi

Thlaspi umbellatum arvense Iberidis folio B: P: *Hist: Oxon. Park*: umbellatum arvense amarum Ger: *Variable-flowered Mustard. Ann.*

Thlaspi umbellatum Nasturtij folio Monspeliacum B: P: *Hist: Oxon. Park*: umbellatum Narbonense Ger: umbellatum tenuiter diviso folio, amarum Narbonense Lobelij I: B: *Mompeliers Umbelliferous-Mustard. Ann.*

Thlaspi spinosum fruticosum B: P: *Hist: Oxon: Park*, spinosum Ger. *Leucoium spinosum*, sive *Thlaspi spinosum* aliis I: B: *Thorny-Treacle-Mustard.*

Thlaspi fruticosum incanum B: P: Ger: *Machliniense* flore albo capsulis oblongis *Hist: Oxon.* capsulis sublongis incanum I. B. incanum *Mechliniense* Park: *Hoary Treacle-Mustard of Machline.*

Thlaspi biscutatum villosum flore calcari donato B: P: *Park*: *Leucoium filiculosum bicapsulare montanum* flore pedato seu calcari donato *Hist: Oxon:* *Leucoium*

coium montanum flore pedato *Col. Spur-flowered Buckler-Mustard. Ann.*

Thlaspi Alyssum dictum campestre minus *B: P: Hist. Oxon:* minus quibusdam, aliis Alysson minus *I: B:* arvense minus luteum *Park: Alyssum minus Dalechampij Lugd: Yellow field Triacle-Mustard. Ann.*

THUYA Theophrasti *B: P:* Arbor Vitæ *Ger. Park: Arbor Vitæ* sive *Paradisiaca* vulgò dicta, odorata, ad *Sabinam* accedens *I: B: Tree of Life.*

THYMUM vulgare folio tenuiore *B: P:* vulgare rigidius folio cinereo *I: B:* Thymum durius *Ger: durius vulgare Park: Common Garden-Thyme. Offic.*

TILIA foemina folio majore *B: P:* foemina *Ger. foemina major Park: vulgaris platyphyllos I: B: The common female-Lime, Lin, or Linden-tree. Offic.*

Tilia foemina folio minore *B: P:* foemina minor *Park: Tilia folio minore I: B: Small-leaved Lime-tree.*

TITHYMALUS characias rubens
pe-

peregrinus B: P: *Tithymalus characias*
Monspeliensium Ger: *Park. Tithymalus*
Amygdaloides, five *characias* I. B. *Great*
French Wood-spurge.

Tithymalus latifolius *Hispanicus* B:
 P: *Park. Tithymalus platyphyllos* Ger:
Broad-leaved Spanish-Spurge.

S. *Tithymalus helioscopius* B: P: Ger:
Park. helioscopius five *solisequus* I. B.
Sun-Spurge. Ann.

S. *Tithymalus* five *Esula exigua* B: P:
Tithymalus leptophyllos *Park. minimus*
angustifolius annuus I. B. *Esula exigua*
Tragi Ger: *Dwarfe Spurge, or narrow-*
leaved annual-Spurge. Ann.

Tithymalus arvensis latifolius Ger-
manicus B: P: *platyphyllos* *Fuchsj* I. B.
Broad-leaved Spurge.

Tithymalus sylvaticus lunato flore
 B: P: *Tithymalus lunato flore* *Colum-*
næ *Park. Small Wood-Spurge with horned-*
flowers.

TORAYLIUM maximum *Sphon-*
dylij aculeato *femine* D. *Morison* *sect:*
de plant: umbellif. Caulalis maxi-
 ma

ma Sphondylii aculeato semine *B: P:*
 Caulis major semine minus pulchro
 hirsuto *L: B.* Caulis maxima *Park: The*
common great Buckler-wort, or the great-
est Bastard-Parsley. Ann.

Tordylium minus limbo granulato,
 seu maximum Apulum Columnæ *D.*
Morison. Sect: de plant: umbellif. Tor-
 dylium sive Sefeli Creticum minus
Park: Sefeli Creticum minus B. P. Ger:
 Caulis minor pulchro semine sive Bel-
 lonij *L: B. Small Buckler-wort of Apuleia*
in Naples, or the lesser Hart-wort of Candy.
Ann.

Tordylium minus limbo granulato
 Syriacum *D. Morison Sect. de plant: um-*
bellif. Gingidium latifolium *Ger: Gin-*
 gidium latifolium Syriacum *Park: Gin-*
 gidium foliis Pastinacæ latifoliæ *B: P:*
 Caulis Syriaca cum maximo semine
L: B. Syrian Buckler-wort, or broad-leaved
Chervil of Syria. Ann.

S. T O R M E N T I L L A *Ger: vulga-*
ris Park: sylvestris B: P: Officinaram I:

Z

B:

B. Pentaphyllum aut potius Heptaphyllum flore aureo tetrapetalo, **Tormentilla** dictum *Hist: Oxon. Tormentil. Offic.*

TRAGACANTHA B. P. vera *Park.*
Tragacantha Massiliensis *L: B: Tragacantha* five *Spina hirci* *Ger: The true Goats Thorn. Offic.*

S. **TRAGOPOGON** pratensis luteum majus B. P. luteum *Ger: Park: flore luteo* *L: B: Yellow Goats-beard. Ann.*

Tragopogon purpureocæruleum *Porn.* folio B. P. purpureum *Ger: Park: flore purpureo* *L: B: Purple-flowered Goats-beard. Ann.*

Tragopogon Coronopi folio majus B. P. *Buck-horn-leaved Goats-beard. Ann.*

S. **TRIBULUS** aquaticus minor *Mun.* catellæ floribus *Ger. aquaticus minor* *ter Park. Fontalis media lucens* *L: Potamogeiton foliis crispis, five* *L: Stuca ranarum* *B: P: Hist: Oxon. Small Frogs Lettuce, or Water-Crops.*

S. **Tribulus** aquaticus minor *Querc.*

floribus *Ger.*: aquaticus minor prior *Park.*
Fontinalis crispa *L. B.* *Potamogeton* mi-
 nor folio *Quercus Hist. Oxon.* *Small Wa-*
ter-Caltrops, or Frogs-Lettuce with Oak
leaves.

- S.** **TRICHOMANES** five *Polytri-*
chum Officinarum B. P. *Trichomanes*
 five *Polytrichum L. B.* *Trichomanes*
Park. mas Ger. English Maiden-hair.
Offic.

TRIFOLIUM bitumen redolens
L. B. bituminosum *Ger.*: bituminosum
 seu *Trifolium cæruleum* aut violaceum,
 bitumen redolens *Hist. Oxon.* *Trifolium*
asphaltites five bituminosum *Park.* *as-*
phaltites five bituminosum odoratum *L. B.*
Strong-smelling Claver, or Treacle-Claver.

- S.** *Trifolium pratense album B. P.* *Park.*
pratense album vulgare odoratum Hist.
Oxon. minus *pratense flore albo* five se-
 cundum *Ger.* *pratense flore albo minus*
 & foemina, glabrum *L. B.* *White-flower-*
ed Trefoil.

- S.** *Trifolium pratense purpureum*
B. P. *pratense purpureum vulgare*
Hist.

Hist. Oxon. Park: Trifolium purpureum vulgare I: B: Trifolium pratense
Ger: Common purple-Trefoil.

S. Trifolium purpureum majus sive fativum *Joh. Raij. Claver-grasse?*

Trifolium montanum spicâ longissimâ rubente B: P: purpureum montanum pinnatum lagopoides spicâ longissimâ *Hist. Oxon.* purpureum majus folio & spicâ longiore I: B: Lagopus major folio pinnato *Park:* major spicâ longiore *Ger: Great large-headed Hares-foot.*

Trifolium spicâ subrotundâ rubrâ B: P: purpureum annuum folio hirsuto rotundo, Trifolij pratensis formâ *Hist. Oxon.* Trifolium alboincarnatum, spicatum, sive Lagopus I: B: Lagopus maximus *Ger: maximus flore rubro Park: The great Hares-foot Trefoil. Ann.*

S. Trifolium arvense humile spicatum B: P: Trifolium lagopoides purpureum arvense humile annuum seu Lagopus minimus vulgaris *Hist. Oxon.* Lagopus vulgaris

ris *Park*: tenuifolius, quorundam *I. B.*
Lagopodium five *Pes leporis* *Ger*:
Hares-foot, or Hares-foot-Trefoil. Ann.

S. *Trifolium pratense luteum capitulo*
Lupuli vel agrarium B: P: agrarium lu-
teum capitulo Lupuli majus Hist. Oxon.
pratense luteum foemina flore pulchrio-
re, five lupulino I. B. luteum lupulinum
Ger: Hope-Trefoil. Ann.

S. *Trifolium pratense luteum capitu-*
lo breviori B: P: pratense luteum mas
flore minore semine multo I B. lute-
um minimum Ger: Park: Melilotus lu-
tea minima hirsuta procumbens, spicâ
breviore densissime dispositâ, seminis
pericarpio renali nigro Hist. Oxon:
Little yellow Trefoil, or Melilot-Tre-
foil.

S. *Trifolium luteum lupulinum mini-*
um Hist: Oxon: an lupulinum alte-
rum minus Joh. Raij? The least Hope-
Tre-foil. Ann.

Trifolium cum glomerulis ad cau-

Z 3 *lium*

ium nodos rotundis *Joh. Raij. Knotted Trefoil with round heads.*

Trifolium stellatum B: P. purpureum Monspeffulanum I: B: *Hist: Oxon. stellatum Monspeliensium Park. stellatum hirsutum Ger. Starry-headed Trefoil. Ann.*

S. Trifolium fragiferum *Ger. fragiferum friscum B: P: Park: fragiferum friscum folio cordato flore rubro Hist: Oxon: Strawberry Trefoil.*

Trifolium cochleatum fructu latiore B. P. Trifolium cochleatum *Ger: Medica cochleata vulgaris Park: parad: Medica scutellata I. B. Medica cochleata major σινάπωσ fructûs capsulâ rotundâ globosâ scutellatâ Hist: Oxon. Common Snail-Trefoil, or Barbary-buttons. Ann.*

Trifolium cochleatum sive Medica cochleata major σινάπωσ, fructûs capsulâ compressâ orbiculatâ, nigrâ, planâ, oris crispis *Hist: Oxon: Great flat Snail-Claver. Ann.*

Trifolium cochleatum, sive Medica coch-

cochleata major *Σινάπτος* fructus capsula
 lâ turbinatâ planâ *Hist. Oxon.* Medica
 tornata major levis *Park.* The great
smooth Medica, turned like a Tun.
Ann.

Trifolium cochleatum, five Medica
 cochleata major *Σινάπτος*, fructus capsu-
 lâ turbinatâ, rugosâ *Hist. Oxon.* Medi-
 camagna turbinata I. B. Medica torna-
 ta spinosa *Park.* The Thorny Tun-like
Medica. Ann.

Trifolium cochleatum, five Medica
 cochleata spinosa major, *Σινάπτος*, seu cap-
 sulâ rotundiore majore, spinis pauciori-
 bus & rigidioribus *Hist. Oxon.* Medica
 spinosa major *Park. parad.* Great prickly
Snail-Claver, or Hedge-hogs. Ann.

Trifolium cochleatum folio cordato
 maculato B. P. Medica cochleata mi-
 nor *πικυρὰ* annua, capsulâ majore
 albâ, folio cordato maculâ fuscâ no-
 tato *Hist. Oxon.* *Trifolium cor-*
datum Ger. Medica echinata gla-

bra cum maculis nigricantibus & sine illis I. B. Medica Arabica Camerarij, sive Trifolium cordatum *Park: Heart-Trefoil. Ann.*

Trifolium echinatum arvense B: P: Medica echinata minima I. B. echinata parva recta *Park: The smallest Hedgehog Trefoil. Ann.*

Trifolium fructu echinato foliis eleganter dissectis D. Magnol. *Small prickly Snail-Claver with fine cut leaves. Ann.*

Trifolium filiquâ cornutâ sive Medica B: P: Trifolium Burgundiacum Ger: Fœnum Burgundiacum sive Medica legitima *Park: Medica major erectior floribus purpurascens I. B. Medica sativa sive Trifolium sativum filiquâ cornutâ magis tortili Hist: Oxon: Burgundy-Trefoil, or Burgundy-Hay.*

Trifolium sylvestre luteum filiquâ cornutâ vel medica frutescens B: P: Medica sylvestris frutescens vel Trifolium falcatum seu Medica filiquâ

quâ cornutâ tortili *Hist: Oxon: Medica sylvestris I. B. frutescens sive flavo flore Clusij Park: Yellow Medick, with flat wreathed cods.*

S. *Trifolium acetosum vulgare B. P. Park: Hist. Oxon: Oxys alba Ger: Oxys sive Trifolium acidum flore albo & purpurascete I. B. Common Wood Sorrel. Offic.*

Trifolium acetosum corniculatum luteum majus rectum Indicum seu Virginianum Hist Oxon: Upright yellow Indian Wood-Sorrel.

Trifolium hepaticum flore simplici B. P: Hist: Oxon. Hepaticum sive Trinitatis herba flore cæruleo I. B: Hepaticum trifolium Ger: Hepatica flore cæruleo simplici major Park parad: Single blew-flowered Noble-Liverwort.

Trifolium hepaticum sive Hepatica nobilis flore simplici albo, Noble Liverwort, with single white flowers.

Trifolium hepaticum sive Hepatica nobilis flore simplici rubro Noble Liver-wort with single red-flowers.

Tri:

Trifolium hepaticum flore pleno **B:**
P: Hepatica nobilis flore cæruleo ple-
 no **Park: parad.** Hepatica multiflora Lo-
 belij **Ger: Double-blew Noble-Liver-**
wort.

Trifolium hepaticum sive Hepatica
 nobilis flore rubro pleno. **Double red**
Noble-Liver-wort.

S. **Trifolium palustre** **B. P. I: B:** paludo-
 sum **Ger: Park: Marsh-Trefail, or Buck-**
Beans.

S. **TRIPOLIUM** majus cæruleum
B. P. majus I: B: majus vulgare **Ger:**
 majus sive vulgare **Park: Common Sea-**
Starnwort.

S. **TRITICUM** filigineum **C: B: in**
Theatr: White Wheat. Ang.

S. **Triticum Hybernum** aristis carens
B. P. Red Wheat. Ann:

TULIPA flore simplici præcox
 & serotina variorum colorum. **The ear-**
ly and late-flowering Tulip with single
flowers of many colours.

Tu-

Tulipa serotina flore pleno B: P:
The double late-flowering-Tulip.

Tulipa minor lutea Italica B.P: mi-
 nor lutea Italica πολύκλονος Hist: Oxon:

Tulipa Bononiensis Ger. Bononiensis
 flore luteo I: B: Park. parad. *The yellow
 Tulip of Bononia.*

S. *Tussilago* I: B: Ger: Park: vul-
 garis B: P: *Colts-foot. Offic.*

S. *Typha* Ger: palustris major B:
 P: I. B. palustris maxima Park: *Cats-
 tail, or Re-Mace.*

S. *Typha palustris clavâ gracili* B: P:
 palustris media I: B: minor Park: *The
 lesser Red-Mace.*

V.

VALERIANA hortensis,
Phu folio Olusatri **B: P:** hor-
tensis **Ger:** Phu majus sive
Valeriana major **Park:** Va-
leriana major radice odoratâ **I: B:**
The great Garden Valerian, or Setwall.
Offic.

S. Valeriana sylvestris major **B. P.** **Ger:**
Park: sylvestris magna aquatica **I. B.**
Great wild Valerian. Offic.

S. Valeriana palustris minor **B: P:** mi-
nor **Ger:** sylvestris minor **Park.** minor
pratensis vel aquatica **I. B.** *Small wild-*
Valerian, or Marsh-Valerian.

Valeriana foliis Calcitrapæ **B: P:** Va-
leriana annua Clusij **Ger:** annua sive
æstiva Clusij **Park:** *Summer Valerian.*
Ann.

Va-

Valeriana rubra P. B. rubra **Dodonæi** Ger. latifolia rubra I. B. marina latifolia seu major rubra **D. Morison Sect. de plant. umbellif. Dodonæus his Valerian with red flowers:**

Valeriana marina latifolia alba. **Dodonæus his Valerian with white flowers.**

Valeriana Urticæ folio flore albo **Cornut. Cacalia Americana Park: Nettles leaved Valerian of Canada, or strange Colts-foot of America.**

Valeriana Græca Ger: **Park: Græca** quorundam cærulea I. B: **Valeriana cærulea** P. B. **Greek Valerian with blue flowers.**

Valeriana Græca flore albo. **Greek Valerian with white flowers.**

Valeriana seu Valerianella cornucopoides peregrina, seu Siciliana **D. Morison Sect. de plant. umbellif. Valeriana maxima** Ger. Indica seu Mexicana **Park: peregrina seu Indica I. B. Indian Valerian Ann.**

S. Valeriana campestris inodora major P. B: **Lactuca agnina** Ger: **Park: Lo-**

Locusta herba I. B. *Lamb-lettuce, or Corn-sallad. Ann.*

S. VERBASCUM mas latifolium luteum B: P: Verbasum foliis incanis mas latifolium floribus luteis arcte caulibus adhærentibus sine foliis angustis inter flores emanantibus *Hist: Oxon: vulgare flore luteo magno, folio maximo I. B. album vulgare sive Tapsus barbatus communis Park. Tapsus barbatus Ger: White-Mullen. Offic. Ann.*

Verbasum nigrum flore ex luteo purpurascente B. P. foliis viridibus perenne floribus luteis racematim provenientibus staminulis purpurascens *Hist: Oxon. nigrum flore parvo luteo apicibus purpureis I. B. nigrum vulgare Park: Common Black-Mullen.*

Verbasum latis Salviæ foliis B: P: Verbasum Matthioli *Ger: sylvestre salvisfolium exoticum folio rotundiore I. B. Salvia fruticosa lutea latifolia, sive Verbasum sylvestre quatuorturn*

tum Matthioli *Park: parad: Sage-leaved Mullen.*

VERBASCULUM pratense odoratum *B. P. Hist. Oxon.* Primula veris major *Ger.* Primula veris odorata flore luteo simplici *I. B.* Paralyfis vulgaris pratensis flore flavo simplici odorato *Park. parad: The common field-Cowslip. Offic.*

Verbasculum proliferum *B. P. Hist. Oxon.* Primula veris caulifera prolifera odorata *I. B.* Primula veris flore geminato *Ger.* Paralyfis flore geminato odorato *Park: parad: Double Cowslips one within another, or hofe in hofe.*

S. Verbasculum sylvaticum vel pratense inodorum *B. P. Hist. Oxon.* Primula pratensis inodora lutea *Ger.* Primula veris caulifera pallido flore inodoro, aut vix odoro *I. B. Great Cowslips, or field Oxlipps.*

Verbasculum, sive Paralyfis flore flavo simplici inodoro abique calicibus *Park: parad: Single Ox-lips.*

Ver

Verbasculum, five Paralyfis flore geminato inodora *Park: parad: Double Ox-lipps, hofe in hofe.*

Verbasculum, five Paralyfis flore geminato purpureo absque calicibus. *Purple-flowered Ox-lipps, hofe in hofe.*

S. Verbasculum fylvarum majus singulari flore *B: P: sylvestre majus singularibus floribus, singularibus cauliculis insistentibus Hist. Oxon: Primula veris vulgaris Park: Primula veris minor Ger: Primula veris, floribus ex singularibus pediculis, majoribus simplicibus I. B. Common Primrose. Offic.*

Verbasculum, five Primula veris flore viridi simplici *Park: parad: Primula flore viridi Ger: Primula veris floribus obscure virentibus fimbriatis I. B. The single-green-Primrose.*

Verbasculum sylvaticum magno plenoque flore *P. B. Primula hortensis flore pleno vulgaris Park. parad: Primula veris flore pleno Ger: Primu-*

la veris floribus plenis, ex singularibus
pediculis *I: B: The ordinary double Prim-
rose.*

Verbasculum Turcicum, five Car-
chichec Turcarum *Hist. Oxon.* Primu-
la veris Turcica Tradescanti flore pur-
pureo *Park: Carchichec Turcarum, five
Primula veris Constantinopolitana Cor-
nut: Tradescants Turkey purple Prim-
rose.*

Verbasculum Turcicum, five Car-
chichec Turcarum flore albo. *White-
flowered Turkey Prim-rose.*

Verbasculum Turcicum, five Carchi-
chec Turcarum flore obsoleto. *The
Turkey Prim-rose of an overworn co-
lour.*

Verbasculum Turcicum five Carchi-
chec Turcarum flore eleganter rubro.
The fine red Turkey Prim-rose.

Verbasculum Turcicum five Carchi-
chec Turcarum flore purpureo mino-
re. *The lesser Turkey purple-Prim-
rose.*

Verbasculum umbellatum Alpinum

minus B: P: *Primula veris minor rubra*
Eboracensis foliis parvis glabris *Auricu-*
lae urfi instar *Hist: Oxon: Primula veris*
flore rubro *Ger. Primula veris minor*
purpurascens I. B. *Paralyfis minor* *flo-*
re rubro *Park: parad. Red Birdss-*
eyes.

S. *VERBENA* communis flore cæru-
 leo B. P. communis *Ger. vulgaris* I: *ES-*
mas seu recta & vulgaris *Park: Commo-*
Vervain. Offic.

Verbena Urticae folio *Hort. Reg. Bles-*
Nettle-leaved Vervain.

S. *VERONICA* mas supina & vulg-
 tissima B: P: mas vulgaris supina *Park:*
supina vulgaris foliis serratis *Hist: Oxon:*
vulgatior folio rotundiore I. B. *vera*
major *Ger: The Male-Speed-weel, or Fl-*
ellen. Offic.

S. *Veronica pratensis serpyllifolia* B.
Hist: Oxon: pratensis minor *Park. Ver-*
nica foemina quibusdam, aliis *Betonia*
Pauli serpyllifolia I. B. *Little or Smoo-*
Fluellen, or Paals-Betony.

Veronica spicata latifolia B. P. Ger.
major latifolia erecta Hist. Oxon. spi-
cata latifolia major Park. major latifolia
foliis splendentibus, & non splendenti-
ous I. B. Broad-leaved spiked Speed-
well.

V I B U R N U M *Park: Vibur-*
num vulgò B: P: Lantana sive Vi-
urnum Ger: Lantana vulgò, aliis
Viburnum I. B. The Way-faring-
tree.

V I C I A *Ger: major vulgaris sa-*
va Hist. Oxon. vulgaris sativa I. B.
Park: sativa vulgaris semine nigro
: P: Common Vetch, or Tare.
nn.

Vicia flore luteo pallido filiquis hir-
tis crassis brevibus erectis Hist. Oxon.
le-yellow flowered Vetch with short gross
right hairy cods. Ann.

Vicia semine rotundo nigro B. P.
vestris semine nigro & variegato acu-
refolio Hist. Oxon. vulgaris sylvestris
semine parvo & nigro frugum I. B. syl-
vestris sive Cracca major Ger. Aracus

five Cracca major *Park. strangle Tare*
or *wild Vetch. Ann.*

- S. *Vicia segetum* cum filiquis plurimis hirsutis *B. P. Hist: Oxon: parv*
five Cracca minor cum multis filiquis hirsutis *I. B. sylvestris* five Cracca minima *Ger. Small wild Tare, or Tim Tare. Ann.*

- S. *Vicia multiflora* *B: P: perenn*
multiflora spicata cærulea sepia
Hist: Oxon: sylvestris multiflora
ve *spicata Park: multiflora nem*
rensis perennis five dumetorum H:
Tufted Vetch, or Birds-Tares.

- S. *Vicia sylvatica multiflora max*
P. B. Job. Raij. The great tufted W
Vetch.

- S. *Vicia maxima dumetorum B: P: O*
Park: perennis maxima dumeto
flore obscure rubente Hist: O:
Vicia sepium perennis I. B. 1B
Vetch.

Vicia sesamacea Apula Col. Astr
lus luteus annuus Bæticus marit

rectus *Hist. Oxon*: Astragalus marinus
Bæticus *Park*: Astragalus marinus Lusit-
anicus Boelij *Ger*: app. Foenugræco sil-
vestri Tragi in quibusdam accedens
planta I. B. *Spanish Sea Milk-Vetch*,
Ann.

3. **V I O L A** Martia purpurea flore
simplici odoro B: P: *Hist. Oxon*: Martia
purpurea I: B: nigra five purpurea *Ger*:
simplex Martia *Park*: parad. *The single*
purple March-Violet. Offic.

Viola Martia multiplici flore B: P:
Martia purpurea flore multiplicato ma-
jore I. B. Martia flore cæruleo multi-
plici *Park*: parad. Martia purpurea mul-
tiplex *Ger*: *Double purple March-Vio-*
let.

Viola Martia alba B: P: Martia flo-
re albo odorato I: B: flore albo *Ger*.
simplex Martia flore albo *Park*: parad.
The white March-Violet.

Viola Martia flore pleno cinericeo.
The Ash-coloured double March-Vio-
let.

Viola Martia inodora silvestris B: P:
A a 3 *Hist*

Hist: Oxon: canina filvestris Ger: cærulea Martia inodora sylvatica in cacumine semen ferens I. B. Viola filvestris Park: Wild, or Dog-Violets.

Viola Martia major inodora hirsuta Hist. Oxon: The great rough-leaved March Violet without smell.

G. Viola bicolor arvensis B: P: Hist. Oxon: tricolor petræa Ger: tricolor filvestris Park: Jacea bicolor, frugum & hortorum vitium I: B: Wild Pansies. Ann.

S. Viola tricolor hortensis repens B: P: tricolor hortensis procumbens Hist: Oxon. tricolor Ger: tricolor major & vulgaris Park: tricolor sive Flos Trinitatis I: B: Hearts-ease, or Pansies. Offic. Ann.

S. Viola montana lutea grandiflora B: P: Hist: Oxon: Jaceæ tricoloris sive Floris trientalis genus flore luteo magno repens, non annuum I: B: Pansies with a large yellow flower.

Viola Martia arborescens purpurea B: P: surrecta purpurea Park: erecta flore

re cæruleo & albo *Hist. Oxon.* Mater
Violarum Dalech. Lugd: Viola surrectis
 cauliculis, quibusdam arborea dicta *I: B:*
The Upright Violet.

Viola lunaria major siliquâ oblon-
 gâ *B. P. lunaris altera seu peregrina*
Park. parad. lunaris longioribus siliquis
Ger: lunaria minor siliquâ longiore I: B:
Leucoium majus perenne siliquâ lunatâ
longâ mucronatâ Hist: Oxon: Long-
coddèd Honesty, or white Satine
flower.

Viola lunaria major siliquâ rotundâ
B: P: lunaris sive Bolbonach Ger: lu-
naris vulgaris Park. parad. Lunaria ma-
ior siliquâ rotundiore I: B: Leucoium
lunatum sive Lunarium latifolium majus
annuum siliquâ rotundâ flore violaceo
seu subcæruleo Hist. Oxon: Honesty,
or white Satine flower with round codd.
Ann.

VIRGA aurea major vel Doria B: P:
Herba Doria Lobelij Ger: Herba Do-

ria vulgaris *Park.* Alisma Matthioli si-
ve Doria *I. B.* Dorias his Wound-
wort.

Virga aurea angustifolia ferrata *B. P.*
aurea angustifolia ferrata sive Solidago
Saracenica *I. B.* Solidago Saracenica
Dod: Lob: Saracenica vera Salicis fo-
lio *Park:* True Saracens Confound.
Offic.

S. Virga aurea angustifolia minus ferra-
ta *B. P.* Virga aurea *Ger:* aurea vulga-
ris *Park.* aurea vulgaris latifolia *I. B.*
Common Golden-rod. Offic:

Virga aurea latifolia ferrata *B. P.* au-
rea ferratis foliis *Park:* aurea Arnoldi
Villanovani *Ger,* Golden-rod with dent-
ed leaves.

Virga aurea Mexicana *B. P:* app.
aurea Americana *Park.* aurea Limo-
nij folio paniculâ uno versu disposi-
tâ *Hort. Reg. Bles.* Golden-rod of Ame-
rica.

Virga aurea foliis Linariæ. Linaria
aurea Tragi *Ger:* Linaria folioso capi-
tulo

tulo luteo major *B. P. Heliochrysum*
Tragi, five *Linaria tertia I. B. Chryso-*
come verior, five *Coma aurea Germa-*
nica & Neapolitana Park: Golden-rod
with Toad-flax-leaves, or *Golden-Toad-*
flax.

VITEX foliis angustioribus *Canna-*
bis modo dispositis *B. P. Vitex* five *Agnus*
castus Ger: Vitex five *Agnus castus*
folio angusto Park: Agnus folio non serr-
rato I. B. The Chast-tree. Offic:

VITIS vinifera. *Fuchs. The Vine-*
tree.

Vitis laciniatis foliis Cornut. Vitis se-
linoides, five *laciniatis foliis Park: Jag-*
ged-leaved, or *Parsley-Vine.*

S. Vitis Idæa foliis oblongis crenatis
fructu nigricante B. P. Vitis Idæa angu-
losa I. B. Vaccinia nigra Ger: nigra vul-
garis Park: Black Whorts, or *Bilberries.*
Offic:

S. Vitis Idæa foliis subrotundis non cre-
natis baccis rubris B. P. Vitis Idæa sem-
pervirens fructu rubro I. B. Vaccina ru-
bra Ger: Vaccina rubra Buxeis foliis Park.
Red Whorts, or *Whortle-berries.* *Vi-*

S. *Vitis Idæa palustris* B: P: *Vaccinia palustris* Ger. *Vaccinium palustre* Park. *Oxycoccus*, sive *Vaccinia palustris* I: B: *Marsh-Whorts*, or *Mosse-berries*.

S. *ULMUS montana* B: P: *vulgaris* Park: *vulgatissima folio lato scabro* Ger: *The Common Elm-Tree*. Offic.

Ulmus minor folio angusto scabro Ger. *The narrow-leaved Elm*.

S. *URTICA urens maxima* B: P: *urens* Ger: *major vulgaris* I: B: *Park: Common Nettle*. Offic.

S: *Urtica urens minor* B: P: *minor* Ger: *minor annua* I: B: *minor silvestris* Park: *Small stinging Nettle*. Ann.

Urtica urens pilulas ferens, prima *Dioscoridis*, semine *Lini* B: P: *Urtica Romana* sive *mas cum globulis*, I: B: *Roman Nettle*. Offic. Ann.

Urtica Romana facie Parietariæ. *Romane Nettle with leaves like Pellitory of the Wall*. Ann.

Ur-

- S. *Urtica aculeata foliis serratis* B: P:
Cannabis spuria Ger: *Park: Cannabis*
silvestris quorundam Urticæ inertæ affi-
nis I: B: Bastard Hempe. Ann.
- S. *Urtica aculeata foliis serratis, five*
Cannabis spuria flore albo. Bastard
Hempe with white flowers. Ann.
- S. *Urtica aculeata foliis serratis, five*
Cannabis spuria flore luteo amplo la-
bro purpureo Joh: Raij. Bastard Hempe
with large yellow flowers with purple
lips, or fair-flowered Nettle-Hempe.
Ann.
-

X.

X.

XYRIS five Gladiolus foetidus *B. P.* Xyris vel Iris agria foetida *Hist: Oxon:* Xyris *Ger.* Xyris five Spatula foetida *Park:* Spatula foetida, plerisque Xyris *I. B:* Stinking Gladdon, or Gladwyn, *Offic.*

Y.

YUCA foliis Aloes *B: P: Hist:* *Oxon:* Yuca five Jucca *Park:* *parad:* Yucca, five Jucca Peruana *Ger:* The supposed Indian Jucca, or the root whereof the bread Casava, or Cazava, is made.

PLAN.

PLANTÆ QUÆDAM OMMISSÆ,

A D D E N D Æ.

B Ellis silvestris maxima caule rubente hirsuto. *The greatest wild Daisie with reddish hairy stalks.*

Cirsium foliis non hirsutis floribus compactis *B: P:* montanum capitulis compactis. *Park.* foliis non hirsutis. *Ger.* Carduus, Cirsium Monspelianum folio longo glabro, *Matthioli.* *I: B.* *Melancholy-Thistle with tufted heads.*

Herba viva, seu sentiens vulgò dicta. *The Sensitive-plant. Ann:*

Herba mimosa, humilis vulgò dicta. *The Humble-plant. Ann:*

Hyacinthus Orientalis major præcox, dictus Zumbul Indi. *Park: parad.* *The greatest Oriental Jacinth, or Zumbul Indi.*

Hyacinthus Orientalis major flo-
re

re albo. *The great white Oriental Jacinth.*

- S. Imperatoriae affinis, Umbellifera maritima Scotica. *Scotish Sea-Masterwort.*

Iris, radice tuberosâ, ex albo & cæruleo variegata. Iris latifolia minor gloriosa. *Abr: Munting. The striped and white Flag-Flower-de-luce.*

Napus silvestris B: P: I: B: Bunias silvestris Lobelij. *Ger: Bunias sive Napus silvestris nostras Park. Wild Navew. Ann.*

Narcissus totus pallidus oblongo calice serotinus minor. *Park; parad. The late pale coloured Daffodil with a long cup.*

- S. Ophrys minima. B: P: Bifolium minimum. I: B: *The least Tway-blade.*

Triticum Indicum. I: B: Maiz. sive Frumentum Indicum *Ger: Maiz. frumentum Indicum vel Turcicum vulgare. Park. Frumentum Indicum Mays dictum. B: P: The usual Indian, or Turkey Wheat. Ann.*

S. *Vicia lathyroides purpuro-cæruleis floribus. Job. Raij. Chickling-vetch with a purple and blew flower. Ann.*

S. *Vicia minor hirsuta flore minimo rubente. Small hairy Vetch, with small red flowers. Ann.*

FINIS!

Handwritten text, likely bleed-through from the reverse side of the page. The text is faint and mostly illegible due to fading and the texture of the paper.

ETNA

Small handwritten mark or signature, possibly a monogram or initials.

E N

R

COMM.
ADON
COTTON
SWEET
COTTON
FRAG
WATER
MAY
COTTON
FRAG
COTTON
COTTON
COTTON
THE
THE
THE
THE

(I)



THE TABLE

Of the

ENGLISH NAMES.

A.

	Pag.	Plant.
R obinus his false ACACIA of America.	3.	3.
The true Acacia, or the Egyptian Thorn.	3.	4.
The true second Acacia of Dioscorides.	3.	5.
Common ADDERS-TONGUE.	250.	4.
ADONIS-FLOWER.	10.	4.
Common AGRIMONY.	114.	5.
Sweet Agrimony.	115.	1.
Common Hemp-like Agrimony.	115.	2.
Broader-leaved Hemp-Agrimony of America.	115.	3.
Water-Agrimony with undivided leaves.	115.	4.
Water-Agrimony with divided leaves.	115.	5.
Clowns-AL-HEAL, or Clowns wound-wort.	325.	6.
Hercules his Al-heal.	258.	1.
Common ALEXANDERS.	320.	5.
Candy Alexander.	320.	6.
Common ALDER, or ALLER.	15.	4.
The black Alder.	15.	5.
The ALMOND TREE.	22.	3.
The Dwarf Almond.	23.	4.
Herb ALOES of America.	15.	7.
B b		Woody.

The Table

<i>woody ALKANET.</i>	24.	5.
<i>The great yellow Alkanet.</i>	24.	6.
<i>Small Alkanet with purple flowers.</i>	24.	7.
<i>Small bowing Alkanet, with dark purple flowers.</i>	25.	1.
<i>Bastard Alkanet, or bastard Gromil.</i>	25.	2.
<i>Broad and narrow-leaved ANEMONIES,</i> <i>with single and double flowers of several</i> <i>kinds and colours.</i>	26.	4.
<i>Matthiolum, his white-flowered wild Anemonie.</i>	26.	5.
<i>The three-leaved wild Anemonie.</i>	27.	1.
<i>White flowered wood Anemonie.</i>	27.	2.
<i>Blush flowered wood Anemonie,</i>	27.	3.
<i>Garden ANGELICA.</i>	27.	5.
<i>Wild Angelica.</i>	27.	6.
<i>Great wild Angelica.</i>	28.	1.
<i>Shining Angelica of Canada.</i>	28.	2.
<i>ANISE.</i>	28.	4.
<i>The APPLE-TREE.</i>	221.	3.
<i>Red Apples of Love.</i>	322.	3.
<i>Gold coloured Apples of Love.</i>	322.	4.
<i>White-flowered Thorn Apple.</i>	322.	5.
<i>Purple-flowered Thorn-Apple.</i>	322.	6.
<i>Thorn-Apple with great prickles.</i>	322.	7.
<i>The male Balsom-Apple.</i>	44.	3.
<i>The female Balsom-Apple.</i>	44.	4.
<i>The great APRICOCK-TREE.</i>	221.	5.
<i>White Garden ARRACH.</i>	41.	2.
<i>Red Garden Arrach.</i>	41.	3.
<i>Broad-leaved wild Arrach, or Goose foot.</i>	41.	4.
<i>The other Goose foot, or Arrach.</i>	41.	5.
<i>Common wild Arrach.</i>	42.	1.
<i>The lesser wild Arrach.</i>	42.	2.
<i>Stinking Arrach.</i>	42.	3.
<i>Great Berry-bearing Arrach, or Berry-bearing</i> <i>Spinach.</i>	42.	4.

Com-

Of the English Names,

<i>Common, or the lesser Berry-bearing Arrach.</i>	42.	5 ^m
<i>Narrow-leaved wild Arrach.</i>	43.	1.
<i>English Sea Arrach.</i>	43.	2.
<i>White ARCHANGEL.</i>	180.	7.
<i>White Archangel with leaves like Pellitory of the wall.</i>	181.	1.
<i>Archangel with spotted leaves.</i>	181.	2.
<i>Yellow Archangel.</i>	181.	3.
<i>Yellow Archangel with spotted leaves.</i>	181.	4.
<i>Red Archangel.</i>	181.	5.
<i>Strange Archangel.</i>	182.	4.
<i>Dead, or spotted ARSMART.</i>	266.	3.
<i>Hot Arsmart.</i>	266.	4.
<i>Small creeping Arsmart.</i>	266.	5.
<i>Coded Arsmart.</i>	45.	1.
<i>The common ARTICHOCK.</i>	85.	3.
<i>The great English Artichock.</i>	85.	4.
<i>Prickly Artichock, or Chardon.</i>	85.	5.
<i>ASARABACCA.</i>	36.	5.
<i>Garden ASPARAGUS.</i>	37.	1.
<i>Marsh Sperage, or Asparagus.</i>	37.	2.
<i>Prickly Rock-Asparagus.</i>	37.	3.
<i>Common ASH-TREE.</i>	123.	7.
<i>The ASPEN-TREE, or Quaking-Asp.</i>	277.	6.
<i>The white branched ASPHODIL.</i>	38.	1.
<i>The yellow Asphodil.</i>	38.	2.
<i>Small hollow-leaved Asphodil.</i>	38.	3.
<i>Lancashire Asphodil, or bastard Asphodil.</i>	38.	4.
<i>AVENS, Herbe-Bennet.</i>	69.	3.
<i>Purple mountain Avens.</i>	69.	4.
<i>Purple mountain Avens with double flowers.</i>	69.	5.
<i>Yellow mountain Avens.</i>	70.	1.
<i>Cinque-foil Avens.</i>	70.	2.

The Table

B.

The BARBERRY-BUSH.	47.	8.
The Barberry without stones.	48.	1.
Common BARLEY.	155.	6.
Winter or Square Barley, or Bear-Barley.	155.	7.
Naked Barley.	156.	1.
BARRENWORT.	108.	6.
Common BASIL.	248.	2.
Great wild Basil.	88.	3.
Great wild Basil with white flowers.	88.	4.
Small wild Basil.	88.	5.
Cow-Basil.	211.	4.
Garden BAUM.	226.	2.
Blew-flowered Turkie-Baum.	226.	3.
White-flowered Turkie-Baum.	226.	4.
The Common Sweet Bay.	190.	11.
The wild Bay.	190.	2.
Great Garden BEANS.	116.	3.
Common, or Field-Beans.	117.	11.
The old Greekish-Bean.	117.	2.
Scarlet Beans.	268.	5.
White Kidney-Beans.	268.	6.
Red Kidney Beans.	269.	11.
Fine Spotted Kidney-Beans.	269.	2.
Small white Kidney-Bean with a black spot in the middle.	269.	3.
BEAN-TREFOIL, or the Peasod-tree.	24.	33.
The lesser Bean-Trefoil.	24.	44.
Stinking Bean-Trefoil.	24.	22.
BEARS-BREECH, or Branke-wine.	4.	44.
Prickly Bears-breech.	4.	55.
BEARS-EARS of divers colours.	306.	22.
Bears-ear-Sanicle.	306.	33.
The lesser round-leaved BEL-FLOWER.	62.	66.
The white round-leaved Bel-flower.	62.	77.
Blew Peach-leaved Bel-flower.	63.	11.
White Peach-leaved Bel-flower.	63.	22.

Of the English Names.

Purple Coventry-Bel-flowers.	63.	3.
White Coventry-Bel-flowers.	63.	4.
Blew Canterbury-Bells.	63.	5.
White Canterbury-Bells.	63.	6.
Double purple Canterbury-Bells.	64.	1.
Double white Canterbury-Bells.	64.	2.
Garden Canterbury-Bells, or Garden Throat- wort with far creeping roots.	64.	3.
Little Throatwort, or Canterbury-Bells.	64.	
The greatest Canterbury-Bells, or Giant- Throatwort.	64.	5.
The BEECH-TREE.	127.	3.
The white BEET.	48.	2.
The green BEET.	48.	3.
Red Beet.	48.	4.
Red Roman Beet, or Betraw.	48.	5.
Broad-ribbed Sicilian Beet.	48.	6.
The Sea-Beet.	48.	7.
Prickly Beet of Candy.	48.	8.
Common BETONY.	49.	1.
White Betony.	49.	2.
Great Betony of Denmark.	49.	3.
Water-Betony, or Water-Figg-wort.	313.	1.
Great white BINDEWEED.	92.	1.
Small Bindweed.	92.	2.
Black Bindweed.	92.	3.
Small long-leaved Bindweed.	92.	4.
Sicilian Bindweed with very small blew flowers.	93.	1.
Great blew Bindweed with cornered leaves.	93.	2.
Binde-weed with Marsh-Mallow leaves.	93.	3.
Sea-Binde-weed.	323.	3.
Mountain-Binde-weed.	323.	4.
Prickly Binde-weed with red berries.	320.	4.
The BIRCH-TREE.	49.	4.
Red BIRDS-EYES.	353.	6.
The great BIRDS-FOOT.	255.	2.
	BIRDS-	

The Table

BIRDS-NEST , or misshapen <i>Orchis</i> .	253.	1.
Round-rooted BIRTHWORT .	34.	5.
The running-rooted Birthwort.	35.	1.
The bushie-rooted Birthwort.	35.	2.
Ever-green bushie-rooted Birthwort, or <i>Virginian Snake root</i> .	35.	3.
Common BISHOPS-WEED .	22.	1.
Bishops-weed of Candy.	22.	2.
Great BISTORT , or Snake-weed.	49.	5.
Great Bistort, or Snake-weed with narrower leaves, and less-wreathed roots.	49.	6.
Small Bistort of our Countrey.	50.	1.
BITTER SWEET , or <i>Woody-Nightshade</i> .	321.	4.
Bitter sweet with white flowers.	321.	5.
Bitter sweet with party coloured leaves.	321.	6.
The BLADDER-NUT .	271.	5.
The three-leaved Bladder-nut of Virginia.	271.	6.
The great red BLITE .	51.	2.
The small red Blite.	51.	3.
Upright Blite, or <i>All-seed</i> .	51.	4.
Prickly Blite of America.	51.	5.
BLOODWORT .	183.	5.
Common BORRAGE .	56.	2.
White flowered Borrage.	56.	3.
Never-dying Borrage.	56.	4.
Great BLEW-BOTTLE .	98.	2.
Great Oriental Bottles, or Sultan-flower.	98.	3.
White coloured Oriental Bottles, or Sultan flower.	98.	4.
Yellow coloured Oriental Bottles, or Sultan flower.	98.	5.
Common Blew bottle, or Corn flower.	98.	6.
White coloured small Bottle flower.	98.	7.
Small Bottle flower of several other colours.	98.	8.
The BOX-TREE .	59.	3.
Dwarf-Box.	49.	4.
Gilded Box.	59.	5.
The common BRAMBLE , or Black-berry bush.	300.	2.

Small

Of the English Names.

Small Bramble, or Dew-berry.	300.	3.
The Stone-Bramble.	300.	6.
White BRYONIE.	55.	5.
Black Bryonie.	56.	1.
The greater long-leaved BROOKLIME.	23.	1.
Common Brooklime.	23.	2.
Round-leaved Brooklime, or Water Pimpernel.	23.	3.
Narrow leaved Brooklime.	24.	1.
Common BROOM.	127.	4.
Dyers-Broom.	127.	5.
Dyers-Broom with upright branches.	127.	6.
Spanish Broom.	325.	2.
Butchers-Broom.	300.	7.
Broom-Rape.	255.	3.
The common great BUCKLERWORT, or the greatest bastard-Parsley.	336.	6.
Small Bucklerwort of Apuleia in Naples.	337.	1.
Syrian Bucklerwort, or broad-leaved Cher- vil of Syria.	337.	2.
Common BUGLE.	91.	6.
Bugle with white flowers.	91.	7.
Great Garden BUGLOSSE.	56.	5.
Wilde, or Corn-Buglosse.	56.	6.
Sweet-smelling Buglosse of Candy, with striped red and white flowers.	57.	1.
Small wild Buglosse, or great Goose-grasse.	57.	2.
Common Vipers-Buglosse.	107.	5.
Vipers-Bugloss with a white flower.	108.	1.
Reddish flowered Vipers-Buglosse of Candy.	108.	2.
Vipers-Bugloss of Candy with party coloured flowers.	108.	3.
Sea-Buglosse. Echium Marinum. P.B. I. Raj.		
Great American BURNET.	270.	5.
Great Burnet.	270.	6.
Small Burnet, or Garden Burnet.	271.	1.
Burnet with Agrimony leaves.	271.	2.
The great BUR-DOCK.	185.	3.

Wooly

The Table

Wooly-headed Bur-Dock.	185.	4.
The lesser Bur-Dock.	185.	5.
The common BUTTER BUR.	266.	6.
The lesser, or white flowered Butter-Bur.	267.	1.
Branched BUR-REED.	324.	6.
Bur-Reed not branched.	325.	1.
BUTTERWORT.	306.	5.
C.		
W Hite CABBAGE.	52.	2.
Red Cabbage.	52.	3.
Cabbage with many heads.	52.	4.
Common CALAMINT.	61.	1.
Field-Calamint.	61.	2.
Water-Calamint with whorled coronets.	61.	3.
Small WATER-CALTROPS,	}	338. 5.
or Frogs-Lettuce.		
Small Water Caltrops, or Frogs-Lettuce	}	338. 6.
with Oake leaves.		
Common CAMMOMILE.	79.	2.
Double flowered Cammomile.	79.	3.
Dwarfe, or barren Cammomile.	79.	4.
Cammomile with Sweet-Maudlin-leaves.	79.	5.
Red ROSE-CAMPION.	209.	3.
The single white Rose-Campion.	209.	4.
Spotted whittrish Rose-Campion.	209.	5.
The white Campion.	209.	6.
Single red wild Campion.	210.	1.
Red Batchelours Buttons, or double red	}	210. 2.
wild Campion.		
Annual wild Campion with small flesh-	}	210. 3.
coloured flowers.		
wild Campion with Straked husks.	210.	5.
Shrubby Myrtle-leaved Campion, like	}	211. 3.
spatling-Poppy.		
Night-flowering Campion.	211.	4.
	Eng-	

Of the English Names.

<i>English Sea-Campion.</i>	212.	1.
<i>The Smaller white wild Champion.</i>	212.	2.
<i>Small hairy Champion.</i>	213.	4.
<i>Small hairy Champion with party-coloured flowers.</i>	213.	5.
<i>Annual hairy Champion with white flowers on one side of the stalk.</i>	214.	1.
<i>Cherlerus his small stiff Champion.</i>	214.	2.
<i>Common CANARY-GRASSE,</i>	268.	3.
<i>Canary-grasse with lesser black seed.</i>	268.	4.
<i>The CAROB-TREE.</i>	318.	6.
<i>The yellow-rooted CARROT.</i>	261.	6.
<i>The Orange Carrot.</i>	262.	1.
<i>The white-rooted Carrot.</i>	262.	2.
<i>Red-rooted Carrot.</i>	262.	3.
<i>The common wild Carrot, or Birds-nest.</i>	262.	4.
<i>The deadly-Carrot.</i>	333.	1.
<i>Deadly, or Scorching-Carrot with Meadow-Rue-leaves.</i>	333.	2.
CARAWAY.	69.	2.
<i>Golden CASSIDONY, or Golden Tufts.</i>	149.	4.
<i>Lobels CATCH-FLIE with red flowers.</i>	212.	4.
<i>Lobels Catch-flie with white flowers.</i>	213.	1.
<i>Red German Catch-flie.</i>	213.	2.
<i>German Catch-flie with white flowers.</i>	213.	3.
CATS-TAIL, or Reed-Mace.	347.	4.
<i>The lesser Reed-Mace, or Cats-tail.</i>	347.	5.
<i>The great CEDAR of Lebanon.</i>	74.	3.
<i>Cypresse-like Cedar, or Berry-bearing Cedar.</i>	74.	4.
<i>The greater CELLANDINE.</i>	80.	5.
<i>The greater Cellandine with fine-cut leaves.</i>	81.	1.
<i>Lesser Cellandine, or Pilewort.</i>	81.	2.
<i>Double-flowered lesser Cellandine.</i>	81.	3.
<i>The greater CENTAURY.</i>	74.	5.
<i>The Pyrenean great Centaury, or great Centaury with Artichock leaves.</i>	75.	1.
	<i>Small</i>	

The Table

Small Centaury.	75.	2.
Small Centaury with white flowers.	75.	3.
CHARLOCK, or wild Mustard.	288.	6.
White-flowered Charlock with joynted cods.	288.	7.
Yellow Charlock with smooth joynted cods.	289.	1.
Spanish one-grained Charlock.	289.	2.
The CHASTE-TREE.	361.	1.
The common CHERRY-TREE.	75.	4.
Common wild Cherry.	75.	6.
The common black Cherry.	75.	7.
Double flowered barren Cherry.	75.	5.
Birds Cherry.	76.	1.
The wild Northern Cherry-tree with small late fruit.	76.	2.
The Cherry-Bay.	76.	3.
Common Winter-Cherry.	321.	1.
Common CHERVIL.	76.	6.
Common wild Chervil.	77.	1.
Great sweet Garden Chervil, or Myrrh.	236.	1.
Annual Chervil with knotty joynts, and rough seed.	236.	3.
Small Hemlock-chervil with rough seeds.	236.	4.
Tooth-pick-Chervil.	133.	4.
Common CHESNUT-TREE.	73.	3.
The Horse Chesnut.	73.	4.
Great CHICKWEED.	16.	1.
Common Chickweed.	16.	2.
Long-leaved water-Chickweed.	16.	3.
Plantain-leaved Chickweed.	16.	4.
Mouſear Chickweed.	16.	5.
Broader-leaved Mouſear Chickweed.	16.	6.
Small water-Chickweed, by ſome called Blinks.	17.	1.
Fine Chickweed.	17.	2.
Berry-bearing Chickweed.	18.	1.
Ivy-leaved Chickweed.	18.	2.
Germander-Chickweed.	18.	3.

ſpeed-

Of the English Names.

<i>Speedwell-Chickweed.</i>	18.	4.
<i>Chickweed-Break-stone.</i>	72.	4.
<i>Annual CHICHLING with cods like small Pease.</i>	187.	2.
<i>Rough-codded annual Chichling.</i>	187.	3.
<i>Spanish yellow flowered Chichling.</i>	187.	4.
<i>Great red flowered Chichling of Tangiers, with bunched cods.</i>	187.	6.
<i>Spanish party-coloured Chichling.</i>	188.	1.
<i>Narrow-leaved annual Chichling with red flowers and long small cods with round seed.</i>	188.	2.
<i>Blew flowered narrow-leaved annual Chichling, with long small cods, and cornered seed.</i>	188.	3.
CHICH-PEASE, or Cicers.	83.	6.
<i>Three leaved wild Cicers.</i>	29.	4.
WILD CICELY	236.	2.
<i>Straw-berry-leaved CINQUE-FOIL.</i>	263.	3.
<i>Tree, or shrub Cinquefoil.</i>	263.	4.
<i>Common Cinquefoil, or Five-leaved Grass.</i>	263.	5.
<i>Small golden-flowered Cinquefoil.</i>	263.	6.
<i>Great upright Cinquefoil.</i>	264.	1.
<i>Tormentil Cinquefoil.</i>	264.	2.
<i>Marsh-Cinquefoil.</i>	264.	3.
Ordinary male CISTUS.	86.	1.
<i>Narrow-leaved male Cistus.</i>	86.	2.
<i>Willow-leaved annual Cistus.</i>	86.	3.
<i>Cistus with Rosemary leaves.</i>	86.	4.
<i>Dwarfe-Cistus, or little Sun-flower.</i>	77.	4.
<i>Dwarfe-Cistus with a white flower.</i>	77.	5.
CIVES.	278.	2.
Garden CLARY.	156.	2.
<i>Whitish flowered Clary, like Garden Clary.</i>	156.	3.
<i>Yellow Clary, or Jupiters Distaffe.</i>	156.	4.
<i>Broad-leaved wild Clary of Tangiers.</i>	156.	5.

Low

The Table

Low German Clary	156.	6.
Clary with Lavender-like flowers.	157.	1.
Common wild Clary.	157.	2.
Clary with Betony-like leaves,	157.	3.
Clary with purple leaves.	157.	4.
Jagged Ethiopian Clary.	11.	1.
Strong smelling CLAVER, or Treacle Claver.	339.	2.
Claver-grasse.	340.	1.
Great flat Snail-Claver.	342.	4.
Great prickly Snail-Claver, or Hedge-hogs.	343.	2.
Small prickly Snail-Claver with fine-cut leaves.	344.	2.
See MEDICA. and TREFOIL.		
The Hungarian Climber.	87.	1.
See LADIES-BOWER.		
CLOUD BERRY.	80.	3.
COCKS-HEAD. or Saint-Join.	249.	3.
COCKLE.	210.	4.
Savoy-COLE.	52.	5.
Curled Savoy-Cole.	53.	1.
Garden Colewort.	53.	2.
Red Coleworts.	53.	3.
Swollen Coleworts.	53.	4.
Small curled Cole-	53.	5.
Colie-flore.	53.	6.
Curled Childing-Cole.	53.	7.
Cole-rape.	54.	1.
Parsley-Colewort.	54.	2.
Small Parsley-Colewort.	54.	3.
Sea Colewort.	54.	4.
Common single COLUMBINES.	33.	1.
Double Columbines.	33.	2.
Double stript Columbines.	33.	3.
Rose-Columbines.	33.	4.
COLTS-FOOT.	347.	3.
Great COMFRY.	327.	5.
White-flowerd Comfry.	327.	6.

Com-

Of the English Names.

<i>Comfrey with knobbed roots, and yellow-flowers.</i>	327.	7.
<i>True Saracens</i> CONSOUND.	360.	1.
<i>Common</i> CORIANDER.	94.	5.
<i>The male red</i> CORNEL-TREE.	94.	6.
<i>The female Cornel or Dog-Berry-Tree.</i>	95.	1.
COSTMARY.	226.	6.
<i>Great English</i> COTTONWEED.	135.	2.
<i>The Cotton-Rose, or Rose-Cotton-weed.</i>	136.	1.
<i>Purple-flowered mountain-Cottonweed.</i>	136.	3.
See CUDWEED.		
<i>The common field</i> COWSLIP.	351.	1.
<i>Double Cowslips one within another, or</i> <i>Hose-in-hose.</i>	351.	2.
<i>Great Cowslips, or Field-Oxlips.</i>	351.	3.
<i>The blew Crowfoot</i> CRANES-BILL.	128.	5.
<i>The white Crowfoot-Cranes-bill.</i>	128.	6.
<i>The party-coloured Crowfoot-Cranes-bill.</i>	129.	1.
<i>The lesser Crowfoot-Cranes-bill.</i>	129.	2.
<i>The lesser annual purple flowered Crow-</i> <i>foot-Cranes-bill of Bohemia.</i>	129.	3.
<i>Long-rooted</i> Cranes-bill.	129.	4.
<i>Swart-tawney, or Spotted</i> Cranes-bill.	129.	5.
<i>The red Rose-Cranes-bill.</i>	130.	1.
<i>Stript Rose-Cranes-bill</i>	130.	2.
<i>Purple Muscovy</i> Cranes-bill.	130.	3.
<i>The variable stript</i> Cranes-bill.	130.	4.
<i>Bulbous or knobbed</i> Cranes-bill.	130.	5.
<i>Shining Rock-Cranes-bill.</i>	130.	6.
<i>Doves-foot, or</i> Cranes-bill.	130.	7.
<i>Doves-foot Cranes-bill with deep-cut leaves.</i>	131.	1.
<i>White-flowered Doves-foot-Cranes-bill.</i>	131.	2.
<i>Doves-foot-Cranes-bill with a blew flower.</i>	131.	3.
<i>Jagged Doves-foot-Cranes-bill with flowers</i> <i>on long foot-stalks.</i>	131.	4.
<i>Cranes-bill with Marsh-Mallow leaves.</i>	131.	5.

Small

The Table

<i>Small Sea-Cranes-bill, or Betony-leaved</i>	}	132.	1.
<i>Cranes-bill.</i>			
<i>Candy Cranes-bill.</i>		132.	2.
<i>Musked Cranes-bill.</i>		132.	3.
<i>Unsavory Cranes-bill.</i>		132.	4.
<i>Unsavory Cranes bill with white flowers.</i>		132.	5.
<i>The bearded CREEPER.</i>		82.	3.
<i>Common Garden-CRESSSES.</i>		242.	2.
<i>Curled Garden-Cresses.</i>		242.	3.
<i>Broad-leaved Garden-Cresses, or great Spanish</i>	}	242.	4.
<i>Cresses.</i>			
<i>Common Water-Cresses.</i>		243.	4.
<i>Bitter-Cresses.</i>		244.	1.
<i>Indian-Cresses.</i>		244.	4.
<i>Sciatica-Cresses.</i>		170.	1.
<i>Swines-Cresses.</i>		21.	4.
CROSSWORT.		97.	4.
<i>The musk Wood-CROW-FOOT.</i>		283.	1.
<i>Round-rooted, or bulbous Crow-foot.</i>		283.	2.
<i>The Garden double yellow Crow-foot.</i>		263.	3.
<i>Upright meadow-Crow-foot.</i>		284.	1.
<i>Double flowered upright meadow-Crow-foot.</i>		284.	2.
<i>Common Crow-foot, or Butter-cups.</i>		284.	3.
<i>Wooly Mountain-Crow-foot.</i>		284.	4.
<i>Sweet Wood-Crow-foot.</i>		284.	5.
<i>The Glob-Crow-foot.</i>		285.	1.
<i>The lesser single white Mountain-Crow-foot.</i>		285.	2.
<i>Double white Crow-foot.</i>		285.	3.
<i>Prickly Crow-foot of Candy.</i>		285.	4.
<i>Rough-headed, or Corn-Crowfoot.</i>		285.	5.
<i>Field-Crow-foot with a small flower.</i>		286.	1.
<i>Crow-foot of Illyria.</i>		286.	2.
<i>Yellow single grass-leaved Crow-foot.</i>		286.	3.
<i>Round-leaved Marsh-Crowfoot.</i>		286.	4.
<i>Water-Crowfoot with various leaves.</i>		287.	3.

Of the English Names.

<i>Ivy-leaved Water-Crow-foot.</i>	287.	4.
Common CUCUMBERS.	97.	5.
<i>Wild, or squirting Cucumber.</i>	97.	6.
Everlasting, or American CUDWEED.	134.	5.
Common Cudweed, or Herbe-impious.	135.	1.
<i>Middle, or black-headed Cudweed.</i>	135.	3.
<i>The least Cudweed.</i>	135.	4.
<i>The lesser broad-leaved Cudweed.</i>	135.	5.
<i>Mountain Cudweed, or Cats-foot.</i>	136.	2.
Ordinary CUMIN.	97.	8.
<i>Horned Wild Cumin.</i>	163.	6.
Common red CURRANS, or Ras-berries.	146.	6.
<i>The great red Curran.</i>	146.	7.
<i>White Curran.</i>	146.	8.
<i>Small black Curran.</i>	147.	1.
<i>Great black Curran.</i>	147.	2.
<i>The red Curran with the Gooseberry leaf.</i>	147.	3.
Bastard CYPERUS with short pendulous heads.	140.	6.
Common CYPRESSE TREE.	98.	1.

D:

T He great None-such DAFFODIL, or } incomparable Daffodil..	237.	1.
The incomparable Daffodil with a double } flower.	237.	2.
The common white Daffodil called Primrose- } peerless:	237.	3.
<i>The double white Daffodil.</i>	237.	4.
<i>The late purple-ringed Daffodil.</i>	238.	1.
<i>The double purple-ringed Daffodil.</i>	238.	2.
<i>The great yellow Daffodil of Africa.</i>	238.	3.
<i>The French Daffodil with great flowers.</i>	238.	4.
<i>The early French Daffodil.</i>	238.	5.
The late pale-coloured Daffodil with a long } cup.	366.	4.

The

The Table

<i>The great Junquilia, or Rush-leaved Daffodil with a large flower or cup.</i>	238.	6.
<i>The yellow Italian Daffodil of Caccini.</i>	239.	1.
<i>The ordinary Junquilia, or Rush-leaved Daffodil.</i>	239.	2.
<i>The Rush-leaved Daffodil with pale yellow flowers.</i>	239.	3.
<i>The double Junquilia, or Rush-Daffodil.</i>	139.	4.
<i>Great yellow Spanish bastard-Daffodil.</i>	239.	5.
<i>The greatest Spanish whitish bastard-Daffodil.</i>	239.	6.
<i>The mountain bastard-Daffodil.</i>	239.	7.
<i>The common English bastard-Daffodil.</i>	240.	1.
<i>The least Spanish bastard-Daffodil.</i>	240.	2.
<i>The greatest double yellow bastard-Daffodil, or John Tradescant, his great Rose-Daffodil.</i>	240.	3.
<i>Master wilmers great double Daffodil.</i>	240.	4.
<i>The double English bastard-Daffodil, or Gerards double Daffodil.</i>	241.	1.
<i>The lesser French double bastard Daffodil.</i>	241.	2.
<i>The lesser yellow bastard Junquilia, or Rush-leaved Daffodil.</i>	241.	3.
<i>The white Sea-bastard-Daffodil.</i>	241.	4.
<i>The great white Sea-Daffodil, or Matthiols, his third Daffodil.</i>	242.	1.
<i>The greater Autumn, or Winter-Daffodil.</i>	91.	1.
<i>The greater wild white DAISIE.</i>	46.	1.
<i>The greatest wild Daisie with red hairy stalks.</i>	365.	1.
<i>Great Daisie with broader snip't-leaves, and a running root.</i>	46.	2.
<i>The greater Daisie with the Tansie-leaf.</i>	46.	3.
<i>The lesser Daisie with the Tansie-leaf.</i>	46.	4.
<i>Common small wild Daisie.</i>	46.	5.
<i>Field Daisie with two ranges of leaves.</i>	47.	1.
<i>Small wild Daisie with double flowers.</i>	47.	2.
<i>Small wild Daisie with blew flowers.</i>	47.	3.
<i>Double red Garden-Daisie.</i>	47.	4.
<i>Double white Garden-Daisie.</i>	47.	5.
		Double

Of the English Names.

Double party-coloured Garden-Daisie:	47.	6.
Childing Daisie.	47.	7.
DANDELYON.	102.	2.
Knotty-rooted Dandelyon.	102.	3.
DARNEL.	203.	3.
Red Darnel-grass.	203.	4.
DILL.	27.	4.
DITTANDER, or Pepperwort.	191.	2.
Dittander, or Pepperwort with wood-leaves.	191.	3.
Leadwort, or French Dittander.	191.	4.
Bastard-DITTANY, or Eraxinel.	123.	5.
White-flowered Bastard-Dittany.	123.	6.
Bastard-Dittany.	280.	1.
Purple-flowered DEVILS-BIT.	327.	2.
Devils-bit with white flowers.	327.	3.
Devils-bit with flesh-coloured flowers.	327.	4.
Patience, or great Garden-DOCK.	183.	2.
Sharp-pointed Dock.	183.	3.
Sharp-pointed Dock with curled leaves.	183.	4.
The smallest sharp-pointed Dock.	184.	1.
Golden flowered Dock.	184.	2.
Great Water-Dock.	184.	3.
Round-leaved wild Dock.	184.	4.
Fiadle-Dock.	184.	5.
Climbing DOGSBANE.	32.	6.
Purple DOG-TOOTH-VIOLET.	101.	2.
White Dog-tooth-Violet.	102.	1.
DORIAS his WOUNDWOORT.	359.	3.
Great DRAGONS.	107.	1.
DROPWORT.	120.	3.
Water-Dropwort.	248.	3.
Hemlock-Dropwort.	249.	1.
Common DUCKS-MEAT.	109.	6.
Ivy-leaved Ducks-meat.	191.	1.

The Table

E:

C OMMON EARTH-NUT.	57.	34.
The single EGLANTINE, or sweet Briar-bush.	297.	6.
The double Eglantine.	298.	11.
Common ELDER.	304.	22.
Elder with whittish green berries.	304.	34.
Red-berried Elder.	304.	44.
Cut-leaved Elder.	304.	55.
Shrub-Dwarfe-Elder with fine party coloured leaves.	304.	66.
Dwarfe Elder, or walmort.	304.	77.
Marsh-Elder, or water-Elder.	305.	11.
Rose-Elder.	305.	22.
ELECAMPANE.	149.	11.
The common ELM-TREE.	362.	22.
The narrow leaved Elm.	362.	34.
Garden ENDIVE.	170.	66.
Curled Endive.	171.	11.
ERINGO, or Sea Holly.	112.	55.
Mediterranean Eringo, or Sea Holly.	112.	66.
Mountain Eringo.	113.	11.
Blew Eringo.	113.	22.
EYE BRIGHT..	116.	11.
Eye-bright-Cow-wheat.	116.	22.

F.

T HE Princes FEATHER, or None-so pretty with a red poyntel in the middle of the flower.	305.	6.
The Princes-Feather, or None-so-pretty with a pale poyntel in the middle of the flower.	306.	11.
Common FENNEL.	122.	22.
Brown Fennel.	122.	34.

Sweet

Of the English Names.

Sweet Fennel.	122.	4.
Sweet Fennel from the Azores.	122.	5.
The broader leaved Fennel-gyant.	118.	4.
Fine leaved Fennel-gyant.	118.	5.
Broad leaved shining Fennel gyant of Tangiers.	119.	1.
Italian Sow-Fennel.	207.	2.
Common Sow-Fennel.	267.	3.
FENUGREEK.	122.	6.
Flowering FERN, or Osmund-Royal.	120.	4.
Female-Fern, or Common Brakes.	120.	5.
Male Fern.	120.	6.
Branched Male-Fern with dented leaves.	120.	7.
Male Fern with thin-set deeply-dented leaves.	121.	1.
Prickly Male Fern.	121.	2.
Marsh or water-Male-Fern.	121.	3.
True Oak Fern.	121.	4.
The lesser branched Female-Fern, or Stone-Fern.	121.	5.
Male Stone Fern.	121.	6.
Fine-cut Stone-Fern with slender and brittle stalks.	121.	7.
Small flowering Rock Fern.	122.	1.
Common FEVERFEW.	223.	7.
Double Fever few.	224.	1.
Naked Fever-few.	224.	2.
Common FIG-TREE.	120.	1.
The lesser prickly Indian Figg.	120.	2.
Common FIGWORT.	312.	5.
Yellow flowered Figg-wort.	313.	2.
Nettle-leaved Figwort.	313.	3.
Figg-wort without knobbed roots.	313.	4.
The FARRE-TREE	1.	1.
The French Corn FLAGG.	132.	5.
Blush Corn-Flagg.	133.	6.
White flowered Corn-Flagg.	133.	7.
Small purple Corn-Flagg.	143.	8.
Corn-Flagg of Constantinople.	134.	1.

The Table

<i>Sweet-smelling Flag.</i>	9.	1.
<i>Manured-FLAX.</i>	202.	2.
<i>Perennial wild-Flax.</i>	202.	3.
<i>Dwarfe wild-Flax, or Mill-mountain.</i>	202.	4.
<i>Strange wild white-flowered Flax.</i>	202.	5.
<i>Common TOADFLAX.</i>	201.	2.
<i>Great purple sweet-smelling Toad-Flax.</i>	201.	3.
<i>Small blew-flowered Toad-Flax.</i>	201.	4.
<i>Narrow-leaved annual Toad-Flax with large yellow flowers.</i>	201.	5.
<i>The truest great FLEABANE.</i>	93.	4.
<i>The truest Small Fleabane.</i>	94.	1.
<i>Great Flea-bane, or Ladies-gloves.</i>	94.	2.
<i>Middle Flea-bane.</i>	94.	3.
<i>Blew-flowered Flea-bane, or sweet purple Flea bane.</i>	94.	4.
<i>Common FLEA-WORT.</i>	280.	2.
<i>Indian Fleawort with dented leaves.</i>	280.	3.
<i>Ever-green Fleawort:</i>	280.	4.
<i>FLIXWEED.</i>	244.	3.
<i>Single scarlet FLOWER of Constantinople.</i>	208.	5.
<i>Flesh-coloured Flower of Constantinople.</i>	208.	6.
<i>White coloured Flower of Constantinople.</i>	209.	1.
<i>Double scarlet Flower of Constantinople.</i>	209.	2.
<i>The common Flag-FLOWER DE LUCE.</i>	171.	2.
<i>The white flowered, or Florentine Flower-de-luce.</i>	171.	3.
<i>The great Turkey Flower-de-luce.</i>	171.	4.
<i>The great Dalmatian Flower-de-luce.</i>	172.	1.
<i>Yellow variable Flower-de-luce.</i>	172.	2.
<i>Lobels yellow variable Flower-de-luce.</i>	172.	3.
<i>The stript blew and white Flag-Flower-de-luce.</i>	366.	2.
<i>The yellow Flower-de-luce of Tripoly.</i>	172.	4.
<i>Yellow Water-Flag, or Flower-de-luce.</i>	172.	5.
<i>The small variable Hungarian Flower-de-luce.</i>	173.	1.
<i>The lesser Grass-Flower-de-luce.</i>	173.	2.
<i>The blew variable Dwarfe-Flower-de-luce.</i>	78.	4.

The

Of the English Names.

<i>The white Dwarf-Flower-de-luce.</i>	79.	1.
<i>Velvet Flower-de luce.</i>	173.	3.
<i>The Persian Bulbous Flower-de-luce.</i>	173.	4.
<i>The blew English bulbous Flower-de-luce.</i>	174.	1.
<i>The great white bulbous Flower-de-luce.</i>	174.	2.
<i>The blew stript, or the Chamolet Flower-de-luce.</i>	174.	3.
<i>The great purple variable bulbous Flower-de-luce.</i>	174.	4.
<i>The smaller white narrow-leaved bulbous Flower-de-luce.</i>	175.	1.
<i>The gold-yellow narrow-leaved bulbous Flower-de-luce.</i>	175.	2.
<i>Common yellow narrow-leaved bulbous Flower-de luce.</i>	175.	3.
<i>Narrow-leaved bulbous Flower-de-luce with yellow Falls with a golden spot. Arches, and uprights pale blew.</i>	175.	4.
<i>Narrow-leaved bulbous Flower-de-luce with greenish Falls with a yellow spot, the Arches pale and uprights deep-blew.</i>	175.	5.
<i>Narrow-leaved bulbous Flower-de-luce, with blew Falls with a golden spot, Arches and uprights pure blew</i>	175.	6.
<i>Narrow-leaved bulbous Flower-de-luce with white Falls with a golden spot, Arches pale, and uprights bright blew.</i>	176.	1.
<i>Great FLORAMOUR, or purple FLOWER- GENTLE.</i>	20.	2.
<i>Scarlet Flower-gentle with red seed.</i>	20.	3.
<i>Scarlet Flower-gentle with upright spikes.</i>	20.	4.
<i>Red Flower-gentle with upright pannicles.</i>	20.	5.
<i>Green Flower-gentle with upright pannicles.</i>	21.	1.
<i>Lesser Flower-gentle with spiked, round and crested pannicles.</i>	21.	2.

The Table

<i>Variable Flower-gentle.</i>	21.	3.
<i>The great</i> SUN-FLOWER.	149.	2.
<i>The male</i> FOOLS-STONES.	251.	1.
<i>The female</i> Fools-stones.	251.	2.
Sharp-pointed FLUELLEN.	108.	4.
<i>Female</i> Fluellen, or round-leaved Fluellen, or Speedwell.	108.	5.
FOUR-LEAVED or purple Grass.	282.	1.
Purple FOX GLOVES.	103.	2.
<i>White flowered</i> Fox-gloves.	103.	3.
<i>Flesh-coloured</i> Fox-gloves.	103.	4.
<i>Broad-leaved</i> Iron-coloured Fox-gloves.	103.	5.
<i>Fox-gloves with large yellow flowers.</i>	103.	6.
<i>Small pale-yellow</i> Fox-gloves.	104.	1.
<i>Bastard</i> Fox-gloves, commonly <i>Virginian</i> Fox-gloves.	104.	2.
<i>The true</i> FOX TAIL.	137.	2.
<i>Great English marsh</i> Foxtail.	137.	3.
Broad-leaved FRIERS-COWLE.	34.	4.
<i>The most common</i> FRITILLARY, or checkered Daffodil.	124.	1.
<i>The white</i> Fritillary.	124.	2.
<i>The Spanish</i> Fritillary with the flowers standing as it were in an umbel.	124.	3.
<i>The double bluish</i> Fritillary.	124.	4.
<i>The white</i> Fritillary with many flowers.	124.	5.
<i>The lesser dark</i> Fritillary.	124.	6.
Common FUMITORY.	124.	7.
<i>The greater</i> ramping Fumitory.	125.	1.
<i>Climbing</i> Fumitory.	125.	2.
<i>Indian</i> Fumitory.	125.	3.

G.

C ommon garden GARLICK.	14.	2.
<i>Vipers</i> Garlick.	14.	3.
<i>Great Turkey</i> Garlick.	14.	4.
<i>Crow</i> Garlick.	15.	1.
<i>Mountain</i> Garlick, and perhaps <i>Vine-Leek</i> .	15.	2.
	GAULB,	

Of the English Names.

GAULE, Sweet willow, or Dutch Myrtle.	292.	1.
Swallow-wort-GENTIAN.	128.	1.
Cross-wort-Gentian.	128.	2.
Small Gentian of the Spring.	128.	3.
Dwarfe Autumnal Gentian.	128.	4.
Common GERMANDER.	77.	6.
Cut-leaved Germander.	78.	1.
Wild Germander.	78.	2.
Wild Germander with leaves standing on long foot stalks.	78.	3.
The more common TREE GERMANDER.	332.	1.
Tree-Germander of Spain.	332.	2.
WATER GERM ANDER.	311.	2.
Garden GILLOFLOWER of many kinds & colours.	70.	3.
Garden STOCK GILLOFLOWERS single, of divers colours.	192.	2.
Striped single Stock Gilloflowers.	192.	3.
Double Stock Gilloflowers.	192.	4.
Sweet smelling white Stock-Gilloflowers with green shining leaves.	193.	1.
Broad-leaved Sea-Stock Gilloflower.	193.	4.
Narrow-leaved Sea-Stock Gilloflower.	193.	5.
The yellow Sea-Stock-Gilloflower.	194.	1.
Stinking GLADDON, or Gladwyn.	364.	1.
Evergreen GLASSWORT.	178.	1.
Glaswort, or Saltwort.	178.	2.
Great Glaswort.	178.	3.
White Glaswort.	178.	4.
Prickly Glaswort.	178.	5.
Yellow GOATS BEARD.	338.	2.
Purple flowered Goats beard.	338.	3.
Buck-horn-leaved Goats-beard.	338.	4.
Garden GOLD-OF PLEASURE.	235.	2.
One grained Gold-of-pleasure.	235.	3.
Round-podded like Gold-of-pleasure.	235.	4.
Common GOLDEN-ROD.	360.	2.

Golden

The Table

Golden-rod with dented leaves.	360.	3.
Golden-rod of America.	360.	4.
Golden-rod with Toad-flax-leaves, or golden Toad flax.	360.	5.
Common GOOS-BERRIES	145.	5.
The cristal round or Glob. goos-berry.	146.	1.
The great yellow long Goos-berry.	146.	2.
The square Goos-berry without a stone.	146.	3.
Small hairy or prickly Goos-berry	146.	4.
Red Gool-berries.	146.	5.
Common GOOSE-GRASS, or Clivers.	31.	3.
Goose-grass with smooth seed.	31.	4.
Goose-grass with seed like a Coriander Comfit.	31.	5.
Great BOTTLE-GOURD.	97.	7.
The Sky coloured GRAPE-FLOWER.	158.	4.
The white Grape-flower.	158.	5.
The dark-blew Grape-flower.	159.	1.
The ash coloured Grape flower, or Muscari.	159.	2.
Corn Reed-GRASS.	136.	4.
The most common Fox-tail-Grass.	136.	5.
The lesser bastard Foxtail Grass.	137.	1.
Flote-Grass.	137.	4.
Spik'd Flote-Grass, or water-Grass.	137.	5.
Great water Reed Grass.	137.	6.
Rough-Grass.	138.	1.
Single spiked Hedge, Oat-Grass.	138.	2.
Oat-Grass with a sparsed pannicle.	138.	3.
Smal Oat-Grass without awns.	138.	4.
Oat-Grass with a yellow pannicle.	138.	5.
Great wild Oat-Grass	119.	2.
Rough Oat Grass with more compacted pannicles.	119.	3.
Dranke, or Oat Grass with larger and more sparse pannicles.	11.	4.
Common Couch Grass, or Dogs-Grass.	138.	6.
Sweet Dogs-Grass.	139.	1.
Sea-Dogs-Grass, or Couch-Grass:	139.	2.

Knotted.

Of the English Names.

Knotted Dogs-Grass.	136.	3.
Smooth Crested-Grass.	139.	4.
Great Vernal Cyperus-Grass.	139.	5.
The greater narrow leaved Cyperus-Grass.	140.	1.
Marsh Cyperus-Grass with a divided head.	140.	2.
Cyperus-Grass with a loose spike.	140.	3.
Slender-leaved Wood Cyperus-Grass.	140.	4.
The greater marsh Cyperus-Grass, or spiked Cyperus-Grass.	140.	5.
Narrow-leaved Cyperus-Grass with small panicles.	141.	1.
Flea-Grass.	141.	2.
Small hard-Grass.	141.	3.
Common hairy Wood-Grass.	141.	4.
Rush-Grass with pointed leaves.	141.	5.
Toad Grass.	142.	1.
Rush-Grass with round seed vessels.	142.	2.
Arrow-headed-Grass.	142.	3.
Sea spiked-Grass.	142.	4.
Capons-tail-Grass.	142.	5.
Hedge hog-Grass.	142.	6.
Panick-Grass with a divided spike.	143.	1.
The greater Meadow-Grass.	143.	2.
The lesser Meadow-Grass.	143.	3.
Meadow-Grass with harder sparsed panicles.	143.	4.
Soft tufted Meadow Grass.	143.	5.
Vernal Grass with a soft loose spike.	143.	6.
Painted-Grass, or Ladies-laces.	144.	1.
Grass of Parnassus.	144.	2.
Rie Grass.	144.	3.
Feather Grass.	144.	5.
Cotton-Grass.	144.	6.
Quaking Grass.	145.	1.
The greatest white Spanish Quakers, or Pearle- Grass.	145.	2.
The greatest Cats-tail-Grass.	145.	3.
Common GROUND-PINE.	80.	4.
	Common	

The Table

Common GROUNDSEL.	317.	2.
Cotton-Groundsel, or stinking Groundsel.	317.	3.
Common GROMIL.	203.	1.
The smaller creeping Gromil.	203.	2.

H.

E nglish HARES-BELS, or Spanish Jacinth.	159.	3.
white English Hares-bell.	160.	1.
Blush flowered English Hares-bell.	160.	2.
Great large headed HARES-FOOT.	340.	2.
The great Hares-foot-Trefoil.	340.	3.
Hares-foot, or Hares-foot-Trefoil.	340.	4.
Common HARTS-TONGUE.	201.	6.
Jagged, or Fingered Harts-tongue.	202.	1.
French HAVER-GRASS.	10.	5.
Blush Garden Succory-like HAWKE-WEED.	152.	3.
Starry-headed Hawke weed.	152.	6.
Yellow Succory like Hawke-weed.	153.	1.
unbranched smooth Hawke-weed with Dandelyon leaves.	153.	2.
Long-rooted Hawke-weed.	153.	3.
Yellow Divels-bit, or Hawke-weed with bitten roots.	153.	4.
Small rough Succory-leaved Hawke-weed, smelling of the Beaver-stone.	153.	5.
Long small-stalked Hawke-weed.	154.	1.
The smoother broad leaved bushy Hawke weed.	154.	5.
Narrow-leaved Bushy-Hawke-weed.	155.	1.
Bushy Hawke-weed with rough broad leaves.	155.	2.
The lesser Bushy-Hawkeweed.	155.	3.
Berry-bearing HEATH.	109.	7.
Common Heath.	110.	1.
Common rough-leaved Heath.	110.	2.
Fine-leaved Heath.	110.	3.
Low-Dutch Heath, or Broom-Heath.	110.	4.
True black HELLEBORE, or Christmas-flower.	150.	2.
Great .		

Of the English Names.

Great bastard black Hellebore, or Bears-foot.	150.	3.
Wild bastard black Hellebore.	150.	4.
Early white Hellebore with dark red flowers.	150.	5.
Common white Hellebore.	151.	1.
Common bastard, or wild white Hellebore.	151.	2.
The greater purging Sanicle-like Hellebore.	151.	3.
Common HEMLOCK.	84.	5.
The lesser Hemlock, or Rools-Parsley.	85.	1.
The greatest Hemlock, or Hartwort of Peloponnesus.	85.	2.
HEMP, male and female.	65.	1.
Bastard Hemp.	363.	1.
Bastard Hemp with white flowers.	363.	2.
Bastard Hemp with large yellow flowers with purple lips, or fair-flowered Nettle-Hemp.	363.	3.
Common black HENBANE.	163.	3.
White Henbane.	163.	4.
Yellow Henbane of Candy.	163.	5.
Great HENBIT.	182.	1.
HERB-Christopher, or Berry-bearing Aconite.	8.	5.
Herb-Gerard, Goutwort, or Ashweed.	28.	3.
Fennel-leaved Herb Frankincense.	60.	1.
Herb Frankincense with Sow-fennel leaves, and smooth furrowed seed.	60.	2.
Herb Frankincense with broad leaves.	194.	2.
The lesser French broad leaved Herb Frankincense.	194.	3.
Columbine-leaved, Herb Frankincense.	194.	4.
Herb Mastick.	229.	6.
Herb Robert.	133.	2.
Herb Robert with white flwrs.	133.	3.
Herb true-love, or One-berry.	322.	1.
Single HOLLYHOCKS, of many several colours.	220.	4.

Double

The Table

Double Hollibocks, of many several colours.	221.	1.
Jagged strange Hollibock.	221.	2.
The common HOLLY-TREE.	170.	3.
Guilded, or stripped Holly.	170.	4.
Sea-Holly, See ERINGO.		
HOLLOW-ROOT with purple flowers.	125.	4.
The white Hollow-root.	125.	5.
Long-codded HONESTY, or white Satine flower.	359.	1.
Honesty or white Satine flower with round cods.	359.	2.
HONE-WORT.	317.	1.
Common wild HONY-SUCKLE.	265.	6.
Italian Hony-suckle, or double, or thorough-leaved Hony-suckle.	266.	1.
Late-flowering red thorough-leaved Hony-suckle.	266.	2.
Black-berried upright-Hony-suckle.	77.	2.
Red-berried upright-Hony-suckle.	77.	3.
French Hony-suckle.	249.	4.
White-flowered French Hony-suckle.	250.	1.
Yellow-flowered HONY-WORT.	76.	4.
Great Hony-wort.	76.	5.
HOPS, male and female.	208.	2.
Black or stinking HORE-HOUND.	223.	1.
Black French Hore-bound with long leaves.	223.	2.
Common white Hore-bound.	223.	3.
Sweet Candy-Hore-bound.	223.	4.
Strange Hore-bound of Alepo with long stalked seed vessels.	223.	5.
Common water, or Marsh-Hore-bound.	222.	5.
Water Hore-bound with smaller-cut leaves.	222.	6.
Base-Hore-bound.	225.	5.
The HORN-BEAM-TREE.	69.	1.
Common HORSE-TAIL.	109.	1.
Naked Horse-tail.	109.	2.
Wood Horse-tail.	109.	3.
The greater marsh Horse-tail.	109.	4.
Female Horse-tail.	109.	5.
		Stink-

Of the English Names.

<i>Stinking water-Horse-tail.</i>	109.	6.
HORSE-TONGUE , or <i>Tongue upon Tongue.</i>	190.	4.
HOUSE-LEEK. See SEN-GREEN.		
<i>Common</i> HOUNDS-TONGUE.	99.	7.
<i>White-flowered</i> Hounds-tongue.	100.	1.
<i>Ever-green</i> Hounds-tongue.	100.	2.
<i>Small</i> Hounds-tongue with <i>blew</i> flowers.	100.	3.
<i>Narrow-leaved</i> Hounds-tongue of Candy.	100.	4.
The HUMBLE-PLANT.	365.	4.
<i>Common blew</i> flowered HYSSOPE.	165.	1.
<i>White</i> flowered Hyssop.	165.	2.
<i>Red</i> -flowered Hyssop.	165.	3.
<i>Party-coloured</i> Hyssop.	165.	4.
<i>Hairy</i> -Hyssop.	165.	5.
<i>Narrow-leaved</i> spiked Hyssop.	165.	6.
<i>Hedge</i> -Hyssop.	145.	4.
I.		
The great purple fair-haired JACINTH:	157.	5.
<i>The great white fair-haired</i> Jacinth.	158.	1.
<i>The fair Curled hair</i> -Jacinth.	158.	2.
<i>The fair-haired branched</i> Jacinth.	158.	3.
<i>The greater Spanish</i> Bel-flowered Jacinth.	160.	3.
<i>Spanish</i> Bel-flowered Jacinth with <i>wider</i> flowers.	160.	4.
<i>The purple</i> Oriental Jacinth.	160.	5.
<i>The pale-blew</i> Oriental Jacinth.	160.	6.
<i>The deep-blew</i> Oriental Jacinth.	160.	7.
<i>The white</i> Oriental Jacinth.	160.	8.
<i>The blush</i> Oriental Jacinth.	160.	9.
<i>The bleak</i> Oriental Jacinth, once double.	160.	10.
<i>The greatest</i> Oriental Jacinth, or <i>Zumbul</i> Indi.	365.	5.
<i>The great white</i> Oriental Jacinth.	365.	6.
<i>The little Summer</i> -Oriental Jacinth.	161.	1.
<i>The common blew</i> Starry Jacinth.	161.	2.
<i>The early blew</i> Starry Jacinth.	161.	3.
<i>The early white</i> starry Jacinth.	161.	4.
<i>The ash-coloured</i> starry Jacinth.	161.	5.
<i>The</i>		

The Table

<i>The starry Jacinth of Turkey with the black root.</i>	162.	1.
<i>One-leaved starry Jacinth from Portugal.</i>	162.	2.
<i>The great Spanish starry Jacinth, or of Peru.</i>	162.	3.
<i>The blew Lilly-leaved starry Jacinth.</i>	163.	1.
<i>The white Lilly leaved Jacinth.</i>	163.	2.
SAINT JAMES WORT. See RAGWORT.		
<i>Common white JA MINE.</i>	169.	1.
<i>Common yellow Jasmine.</i>	169.	2.
<i>Virginian Jasmine.</i>	169.	3.
<i>The blew Persian Jasmine, or Pipe-Tree with cut leaves.</i>	169.	4.
<i>The blew Persian Jasmine with uncut leaves.</i>	169.	5.
Common IMPERIAL-CROWN.	199.	1.
<i>Double Imperial Crown.</i>	199.	2.
<i>The yellow Crown-Imperial.</i>	199.	3.
<i>Striped yellow Crown-Imperial.</i>	199.	4.
JOBS TEARS.	202.	6.
Common SAINT JOHNS WORT.	164.	1.
<i>Small creeping Saint-Johns-wort.</i>	164.	2.
<i>woolly Saint-Johns-wort.</i>	164.	3.
<i>Small upright Saint Johns-wort.</i>	164.	4.
<i>Tree, or shrub Saint-Johns-wort.</i>	164.	6.
Common IRON-WORT.	318.	3.
<i>Narrow-leaved Alheal, or Iron-wort.</i>	318.	4.
<i>Iron-wort with Germander-Chickweed leaves.</i>	318.	5.
<i>The supposed Indian JUCCA, or the root whereof the bread Casava, or Cazava is made.</i>	364.	2.
JUDAS TREE.	318.	7.
<i>Berry bearing IVIE.</i>	148.	1.
<i>Barren or creeping Ivie.</i>	148.	2.
Ground-Ivie.	148.	3.
<i>Three-leaved Ivie of Virginia.</i>	148.	4.
<i>Five-leaved Ivie of Virginia.</i>	148.	5.
Common JUNIPER.	177.	2.
<i>Low-mountain Juniper.</i>	177.	3.

Of the English Names.

K.

Black KNAPWEED.	166.	L.
Common Knapweed with white flowers	166.	2.
Ever-green Knapweed of Portugal.	166.	3.
Cut-leaved Knapweed.	166.	4.
The purple mountain thorny-headed Knapweed.	166.	5.
The Spanish Sea Knapweed.	167.	1.
Yellow Knapweed with prick'y heads.	167.	2.
Prickly glob-headed Knapweed of Tangier.	167.	3.
Pine-Apple-headed Knapweed.	167.	4.
Silver Knapweed with purple flowers.	326.	2.
Silver-Knap-weed with white flowers.	326.	3.
The greater Silver Knapweed of Austria.	326.	4.
Little Silver-Knapweed.	326.	5.
Common KNOT-GRASSE.	276.	3.
White mountain Knot-grass.	276.	4.
German Knot-grass, or Knavel.	276.	5.

L.

White LADIES-BED STRAW:	126.	4.
Yellow Ladies-bed-straw.	127.	1.
Single blew. LADIES BOWER.	86.	6.
LADIES MANTLE.	13.	2.
Silver-leaved Tormentil, or rather Satin-leaved	13.	3.
Cinque-foil Ladies Mantle		
LADIES SLIPPER.	61.	4.
LADIES-SMOCKS, or Cuckow-flowers.	243.	1.
Ladies smocks with white flowers.	243.	2.
Impatient Ladies smocks, or Cuckow-flower.	243.	3.
The other impatient Ladies-smock.	244.	2.
Triple LADIES-TRACES.	251.	5.
LAMB-LETTUCE, or Corn-Sallad.	349.	7.
LANGE-DE-BOEUF, or yellow Bugloss.	152.	4.
Great Arabian Langue-de-boeuf with cut	152.	5.
leaves.		

The

The Table

The LARCH-TREE.	186.	1.
LARKS-HEELS. <i>of several colours.</i>	91.	8.
French LASERWORT.	186.	2.
<i>Broader-leaved Laserwort with curled rough seed-films.</i>	186.	3.
Broad-leaved LAVENDER.	188.	5.
<i>Small Lavender-spike.</i>	189.	1.
<i>Ordinary French Lavender, or Stikadove.</i>	327.	3.
SEA-LAVENDER.	200.	4.
<i>Small Sea-Lavender.</i>	201.	1.
LAVENDER-COTTON.	1.	4.
<i>Fine Lavender-cotton with Heath-leaves.</i>	1.	5.
<i>Rosemary-leaved Lavender-cotton.</i>	1.	6.
LAUREL of Alexandria.	190.	3.
<i>Spurge Laurel.</i>	189.	2.
Common LEEKS.	277.	7.
<i>A Leek with party-coloured leaves, like Ladies-laces.</i>	278.	1.
Common LENTILES.	190.	5.
Great LEOPARDS-BANE.	105.	2.
<i>The lesser Leopards-bane.</i>	105.	3.
<i>Great American Leopards-bane.</i>	105.	4.
<i>Small American Leopards-bane with dark green leaves.</i>	105.	5.
Garden LETTUCE.	179.	1.
<i>Red Lettuce.</i>	179.	2.
<i>Roman Lettuce.</i>	179.	3.
Common Cabbage-Lettuce.	179.	4.
<i>Lumbard-Lettuce.</i>	180.	1.
<i>Curled Lettuce.</i>	180.	2.
<i>Curled Endive-Lettuce.</i>	180.	3.
<i>Cut-leaved wild Lettuce.</i>	180.	4.
<i>Strong-sented wild-Lettuce.</i>	180.	5.
<i>Mountain-Lettuce with purple flowers.</i>	180.	6.
Common white LILLY.	196.	3.
<i>The double white Lilly without smell.</i>	196.	4.
	Gold	

Of the English Names.

Gold-red Lilly.	196.	5.
The greatest bulbed red Lilly.	196.	6.
The Dwarfed bulbed Lilly.	197.	1.
The lesser mountain Lilly.	197.	2.
The Persian Lilly.	199.	5.
The yellow Day-Lilly.	199.	6.
The gold-red Day-Lilly.	200.	1.
The white-flowered Lilly of the valey.	200.	2.
Red-flowered Lilly of the valey.	200.	3.
The great white water-Lilly.	246.	5.
The great yellow water-Lilly.	247.	1.
The lesser yellow water-Lilly with fringed flowers.	247.	2.
The least water-Lilly, or Frog-bit.	247.	3.
The common Female LIME, Lin, or Linden-tree.	335.	4.
Small-leaved Lime-tree.	335.	5.
Common LIQUORICE.	134.	3.
Wild Liquorice, or Liquorice-vetch.	134.	4.
Common Ground LIVERWORT.	195.	1.
Small Liverwort with crumpled leaves.	195.	2.
Starry headed Liverwort.	195.	3.
Round-headed Liverwort.	195.	4.
Ash-coloured Ground-Liverwort.	195.	5.
Single blew-flowered Noble Liverwort.	345.	3.
Noble Liverwort with single white flowers.	345.	4.
Noble Liverwort with single red flowers.	345.	5.
Double-blew Noble Liverwort.	346.	1.
Double-red Noble Liverwort.	346.	2.
Common yellow LOOSE-STRIFE.	214.	3.
The lesser hairy coddled Loose-strife.	215.	1.
The greater Smooth-leaved coddled Loose-strife.	215.	2.
Purple spiked Loose-strife.	216.	3.
Three-leaved purple spiked Loose-strife with six square stalks.	216.	4.
Blew spiked Loose-strife.	217.	1.
See WILLOW-HERBE.		
Common LOVAGE.	195.	6.

Dd

Spotted

The Table

Spotted LUNGWORT.	328.	
French or Golden Lungwort.	154.	21.
Long stalked French Lungwort.	154.	31.
French Lungwort with smoother and more cut leaves.	154.	41.
White LUPINS.	207.	31.
Great blew Lupins.	207.	41.
Small blew Lupins.	207.	51.
Yellow Lupins.	208.	11.

M.

Common Madder.	299.	31.
A lesser kind of Madder from St. Vincents Rock.	299.	41.
Narrow-leaved crosswort Madder.	299.	51.
Small creeping Field-Madder.	299.	61.
Narrow-leaved spiked Madder.	300.	11.
Small mountain Bastard Madder.	126.	51.
Galen his MADWORT.	20.	11.
Horned MAIDEN-HAIR.	9.	21.
White Stone Fern, or Maiden-hair.	9.	41.
Common black Maiden-hair.	9.	51.
English Maiden hair.	339.	21.
Great Golden Maiden-hair, or Goldilocks.	10.	11.
Little Goldilocks, or Golden Maiden-hair.	10.	21.
Dwarfe broad-leaved Goldilocks, or Golden Maiden-hair.	10.	31.
Small wild MALLOW, or Dwarfe-Mallow.	218.	41.
Common Mallow.	218.	51.
Common Mallow with white flowers.	219.	11.
The Spanish bluish Mallow.	219.	21.
Crisped, or curled Mallow.	219.	31.
The Spanish Mallow, or Summer Mallow.	219.	41.
Small annual round-leaved Mallow, with very small white flowers, and seeds going round about the joynts of the stalks, and sticking closely to them.	220.	11.

Of the English Names.

<i>The Tree-Mallow, or Venice Sea-Tree-Mallow.</i>	220.	2.
<i>English Sea-Tree-Mallow.</i>	220.	3.
<i>Vervain-Mallow.</i>	11.	4.
<i>White flowered Vervain-Mallow.</i>	11.	5.
<i>Vervain-Mallow with rough husks.</i>	11.	6.
<i>Shrub-Mallow with white or purple flowers.</i>	12.	1.
<i>Venice Mallow, or Goodnight at noon.</i>	12.	2.
<i>A kind of Venice Mallow from the Cape of good Hope.</i>	12.	3.
<i>Egyptian Mallow.</i>	12.	4.
<i>Small hairy rough Vervain-Mallow.</i>	12.	5.
<i>Great Vervain-Mallow with pale purple flowers.</i>	13.	1.
<i>Common Marsh Mallow.</i>	19.	2.
<i>Rounder-leaved Marsh Mallow.</i>	19.	3.
<i>Tree Marsh-Mallow of France.</i>	19.	4.
<i>Yellow Marsh Mallow.</i>	19.	5.
<i>The male MANDRAKE.</i>	222.	1.
<i>The female Mandrake.</i>	222.	2.
<i>The great MAPLE.</i>	5.	3.
<i>The great Maple with fine stript leaves.</i>	5.	4.
<i>The great Maple with sharp pointed and small-cut leaves.</i>	5.	5.
<i>The lesser Maple.</i>	6.	1.
<i>Single MARIEGOLD.</i>	61.	5.
<i>Double Mariegold.</i>	62.	1.
<i>Childing Mariegold.</i>	62.	2.
<i>Small wild Mariegold.</i>	62.	3.
<i>Single Marsh-Mariegold.</i>	62.	4.
<i>Double Marsh-Mariegold.</i>	62.	5.
<i>Corn-Mariegold.</i>	82.	4.
<i>Candy-Corn-Mariegold.</i>	83.	1.
<i>Party-coloured Candy-Corn-Mariegold.</i>	83.	2.
<i>Clusius his Corn-Mariegold of Valentia.</i>	83.	3.
<i>Broad-leaved Corn-Mariegold of Tangiers.</i>	83.	4.
<i>Low naked Corn Mariegold of Africa.</i>	83.	5.
<i>The great double African Mariegold.</i>	329.	4.

The Table

<i>The great single French or African Mariegold.</i>	330.	1.
<i>The lesser single African Mariegold.</i>	330.	2.
<i>The lesser double African Mariegold.</i>	330.	3.
<i>The single hollow African Mariegold.</i>	330.	4.
<i>Double hollow African Mariegold.</i>	331.	1.
Ordinary sweet MARJORAM.	218.	1.
<i>Yellow or gilded Marjoram.</i>	218.	2.
<i>Pot Marjoram.</i>	218.	3.
<i>wild or Field-Marjoram.</i>	253.	2.
<i>wild Marjoram with party coloured leaves.</i>	253.	3.
The MARTAGON Imperial.	197.	3.
<i>The white Martagon without spots.</i>	197.	4.
<i>The white spotted Martagon.</i>	197.	7.
<i>The red Martagon of Constantinople.</i>	198.	1.
<i>The light red Bizantine Lilly, or Martagon.</i>	198.	2.
<i>The early red Martagon, or Martagon Pompony.</i>	198.	3.
<i>The yellow spotted Martagon.</i>	198.	4.
MASTERWORT, or bastard Pellitory of Spain.	170.	5.
<i>Scottish Sea Masterwort.</i>	366.	1.
<i>English Sea-MATWEED, or Marram.</i>	144.	4.
Sweet MAUDLIN.	11.	2.
MAY WEED, or Dogs Cammomile:	79.	6.
<i>Double-flowered May weed.</i>	79.	7.
<i>Stinking May weed.</i>	79.	8.
MEADOW SWEET or Queen of the Meadow.	45.	2.
<i>The greater Meadow-sweet.</i>	45.	3.
<i>The great smooth MEDICA turned like a Tun.</i>	342.	5.
<i>The thorny Tun-like Medica.</i>	343.	1.
<i>Yellow Medick with flat wreathed cods.</i>	344.	4.
See CLAVER. and TREFOIL.		
The common MEDLAR TREE.	229.	2.
<i>The Medlar of Naples.</i>	229.	3.
<i>Dwarfe Medlar.</i>	80.	1.
Common MELILOTE.	225.	1.
<i>Great white flowering Melilote.</i>	225.	2.
<i>Italian Melilote.</i>	225.	3.
		<i>Melilote</i>

Of the English Names.

<i>Melilote with longer cods.</i>	225.	4.
<i>Small yellow Melilote with lesser flowers and seeds set in a thick spike.</i>	226.	1.
Common MELONS.	226.	5.
Male French-MERCURY.	228.	5.
<i>Female French Mercury.</i>	228.	6.
<i>Male Dogs-Mercury.</i>	228.	7.
<i>Female Dogs-Mercury.</i>	229.	1.
<i>Common English Mercury.</i>	185.	2.
MERVAİL OF PERU.	323.	1.
The common MEZEREON-TREE.	189.	3.
<i>The Mezereon with deeper coloured flowers.</i>	189.	4.
<i>The white-flowered Mezereon.</i>	189.	5.
<i>The Mezereon with stript leaves.</i>	189.	6.
Common MILFO L, or Yarrow.	230.	6.
<i>Purple flowered Milfoil, or Yarrow.</i>	231.	1.
<i>Great purple Milfoil, or Yarrow.</i>	231.	2.
<i>The greatest white flowered Yarrow, or Milfoil.</i>	231.	3.
<i>Achilles Milfoil.</i>	231.	4.
<i>Yellow Yarrow, or Milfoil.</i>	231.	5.
<i>Water Violet, or Milfoil.</i>	231.	6.
<i>Small water-Milfoil.</i>	232.	1.
<i>Feathered Water-Milfoil.</i>	232.	2.
<i>Hooded water-Milfoil.</i>	232.	3.
<i>Crow foot-water-Milfoil.</i>	232.	4.
Blow MILK-WORT,	275.	1.
<i>Red Milk-wort.</i>	275.	2.
<i>White Milk wort.</i>	275.	3.
<i>Sea-Milk-wort, or black Saltwort.</i>	134.	2.
<i>Clusius his Spanish Milkwort.</i>	83.	7.
Common white MILLET.	230.	3.
Black Millet.	230.	4.
Turky Millet.	230.	5.
Heart-MINT, or Spear-Mint.	226.	7.
<i>Red or brown Mint.</i>	227.	1.
<i>Crosse-Mint.</i>	227.	2.

The Table

Curled-Mint.	227.	3.
Water-Mint.	227.	4.
Long-leaved Horse-Mint.	227.	5.
Round-leaved Horse-Mint.	227.	6.
Clusius his knobbed wild-Mint.	228.	1.
Hungarian Wild-Mint.	228.	2.
The greatest Cat-Mint.	228.	3.
The lesser Cat-Mint.	228.	4.
wild Mint of America.	253.	4.
Broad-leaved yellow MOLY.	232.	5.
Dioscorides his Moly, or narrow-leaved white-flowered Moly.	233.	1.
Dioscorides his Moly with blush flowers.	233.	2.
The Spanish silver-cupped Moly.	233.	3.
The late Pine-Apple Moly.	233.	4.
Homers Moly.	233.	5.
The second mountain-Moly.	15.	3.
MONEY-WORT, or Herbe-two-pence.	246.	1.
Small purple-flowered Money-wort.	246.	2.
Great blew MONKS-HOOD, or Helmet-flower.	8.	2.
Party-coloured Monks-hood.	8.	3.
The wholesome Monks-hood, or Helmet-flower.	8.	4.
Small MOON=WORT.	208.	3.
Club-MOSSE, or Wolves-Clawes.	234.	2.
Cypress-Mosse, or Heath=Cypresse.	234.	3.
upright Firr=Mosse.	234.	4.
Cup, or Chalice=Mosse.	234.	5.
The lesser Earth=Mosse, with heads like Golden Maiden=hair.	284.	6.
Common MOTHERWORT.	222.	3.
Motherwort with fine curled leaves.	222.	4.
Yellow MOTH=MULLEN with long cut leaves.	50.	2.
white-flowered Moth=Mullen.	50.	3.
Purple Moth=Mullen.	50.	4.
Moth=Mullen of an overworn blew colour.	50.	5.
Iron=coloured Moth=Mullen.	51.	1.
	Common	

Of the English Names.

Common MOUSEAR.	269.	6.
Golden Mousear.	270.	1:
Mousear with a large white flower.	44.	1.
Fair-flowered Mousear with very narrow leaves.	44.	2.
MOUS-TAIL.	155.	5.
Common MUGWORT.	35.	4.
The black MULBERRY-TREE.	234.	1.
White MULLEN.	350.	1.
Common black Mullen.	350.	2.
Sage leaved Mullen.	350.	3.
Common MUSTARD.	319.	1.
The creeping coddled Arabian-Mustard.	105.	6.
Yellow Arabian-Mustard.	106.	1.
Common Arabian-Mustard.	106.	2.
Common Hedge-Mustard, or Banke-Cresses.	113.	3.
Broad leaved Hedge-Mustard of Naples.	113.	4.
Narrow-leaved Hedge-Mustard of Naples.	113.	5.
True Hedge-Mustard, or Italian Banke Cresses.	114.	1.
Hairy Hedge-Mustard with uncut leaves.	114.	2.
Treacle-Mustard.	333.	3.
Mithridate-Mustard.	333.	4.
Variable flowered Mustard.	334.	1.
Mompeliers umbelliferous Mustard.	334.	2.
Thorny Treacle Mustard.	334.	3.
Hoary Treacle-Mustard of Machlin.	334.	4.
Spur-flowered Buckler-Mustard.	334.	5.
Yellow field Treacle-Mustard.	335.	1.
Towers-Mustard.	55.	1.
Clusus his second Towers-Mustard.	54.	6.
MYRRHE. See CHERVIL. and CILELY.		

N.

N AILWORT, or whitelow Grass.	58.	5.
Great Nailwort, or Coddled Mousear.	59.	1.
Rue-whitelow-grass, or Nailwort.	316.	7.
One Summers NAVELWORT.	19.	1.
	Hairie	

The Table

<i>Hairy Kidneywort, or Navel-wort.</i>	95.	5.
<i>Navelwort, Wal-Pennywort, or Kidneywort.</i>	95.	6.
<i>wild NAVEW.</i>	366.	3.
<i>Common NETTLE.</i>	362.	4.
<i>Small stinging-Nettle.</i>	362.	5.
<i>Roman Nettle.</i>	362.	6.
<i>Roman Nettle with leaves like Pellitory of the wal.</i>	362.	7.
<i>Hedge-Nettle.</i>	182.	2.
<i>Hungarian Dead-Nettle.</i>	182.	3.
<i>The Nettle-tree.</i>	204.	2.
<i>Field NIGELLA.</i>	245.	3.
<i>Spanish Nigella.</i>	245.	4.
<i>Double blew Nigella, or the Fennel-flower.</i>	245.	5.
<i>Common NIGHTSHADE.</i>	320.	7.
<i>Deadly Nightshade.</i>	321.	2.
<i>Tree-Nightshade.</i>	321.	3.
<i>Enchanters Nightshade.</i>	323.	2.
<i>NIPPLEWORT.</i>	324.	3.
<i>The Filbert NUT.</i>	95.	3.
<i>Common Hazel-Nut.</i>	95.	4.

O.

T He common OAKE-TREE.	282.	2.
<i>The scarlet Holme-Oake, or Evergreen Oake.</i>	170.	2.
<i>Oake of Jerusalem.</i>	51.	6.
<i>Indian Oake of Jerusalem.</i>	52.	1.
<i>White OATS.</i>	43.	3.
<i>Black Oats.</i>	43.	4.
<i>Naked Oats.</i>	43.	5.
<i>Bearded wild Oats, or Haver.</i>	119.	5.
<i>The bastard, or sweet wild OLIVE.</i>	249.	2.
<i>The common ONYON.</i>	60.	3.
<i>The File ORCHIS.</i>	251.	3.
<i>Red banded Orchis with long spurs.</i>	252.	4.
<i>See SATYRION and FOOLS-STONES.</i>		
<i>Common ORPINE.</i>	331.	3.

Small

Of the English Names.

<i>Small creeping Evergreen</i> ORPINE.	331.	4.
<i>Imperatus of Naples his true</i> Orpine.	331.	5.
The OSIER.	302.	7.
Common OX-EYE.	57.	4.
<i>Cammomile-leaved</i> Ox-eye.	58.	1.
<i>Ox-eye with purplish flowers.</i>	58.	2.
Single OX LIPS.	351.	4.
<i>Double Ox-lips, hose in hose.</i>	352.	1.
<i>Purple-flowered Ox-lips, hose-in-hose.</i>	352.	2.

P.

T he ordinary PALMA CHRISTI, or great Spurge.	292.	2.
Ordinary PANICK.	258.	2.
PANSIES, or Hearts-ease.	358.	3.
<i>Wild</i> Pansies.	358.	2.
<i>Pansies with a large yellow flower.</i>	358.	4.
Garden PARSLEY.	31.	6.
<i>Great Virginian</i> Parsley.	32.	1.
<i>Curled</i> Parsley.	32.	2.
<i>Long-leaved strange</i> Parsley.	32.	3.
<i>Hedge-</i> Parsley.	73.	5.
<i>Small Corn-</i> Parsley.	73.	6.
<i>Purple flowered great bastard</i> Parsley.	73.	7.
<i>Knotted Hedge-</i> Parsley.	74.	1.
<i>Carrot-</i> Parsley of Iangiers.	74.	2.
<i>Bastard Stone-</i> Parsley.	319.	3.
<i>Parsley-piert, or Parsley break-stone.</i>	13.	4.
Common Garden PARSNEP.	261.	5.
<i>Long-leaved water-</i> Parsnep.	319.	4.
<i>Great water</i> Parsnep.	319.	5.
<i>Common water-</i> Parsnep.	320.	1.
<i>Creeping water-</i> Parsnep.	320.	2.
<i>The least</i> Water-Parsnep.	320.	3.
<i>Cow-</i> Parsnep.	325.	3.
The purple PASQUE-FLOWER.	280.	7.

The

The Table

The Common PEACH-TREE.	227.	6.
The PEAR-TREE.	281.	3.
Rouncival-PEASE.	271.	7.
Rose-Pease, or Tufted or Scottish Pease.	272.	1.
Egg-Pease.	272.	2.
sugar-Pease.	272.	3.
Field-Pease.	272.	4.
White winged wild Pease.	248.	1.
The bladder Heart-like Spotted Pease.	272.	5.
Everlasting-Pease.	186.	5.
Square-codded Pease.	205.	1.
Wood-Pease, or Heath-Pease.	40.	4.
PELLITORY of the wall.	261.	4.
Common PENNY-ROYAL.	280.	5.
Hart-Penny-royal.	280.	6.
Marsh PENNYWORT.	287.	5.
The male PEONY.	257.	1.
The single female Peony.	257.	2.
The great double female Peony.	257.	3.
The double blush Peony.	257.	4.
Great PEREWINKLE.	87.	3.
Small Perewinkle.	87.	4.
Small Perewinkle with a white flower.	87.	5.
The lesser Perewinkle, with deep purple double flowers.	88.	1.
Small Perewinkle with spotted leaves.	88.	2.
Common SAINT PETERS-WORT.	164.	5.
Male PIMPERNEL.	22.	5.
Female Pimpernel.	22.	6.
Female Pimpernel with white flowers.	22.	7.
Female Pimpernel with Iron-coloured flowers.	22.	8.
Yellow Pimpernel.	22.	9.
Sea Pimpernel.	30.	2.
Water Pimpernel. See BROOKLIME.		
The PINE TREE.	271.	3.
The wild Pine.	271.	4.
Common ground-Pine.	80.	4.
	Garden	

Of the English Names.

<i>Garden PINKS of divers kinds and colours.</i>	70.	4.
<i>Maiden Pinks.</i>	70.	5.
<i>Childing Pinks.</i>	70.	6.
<i>Dept-ford Pink.</i>	71.	1.
<i>Hoary Pink.</i>	72.	1.
<i>The blew PIPE-TREE, or Lilac.</i>	328.	2.
<i>The silver coloured Pipe-tree, or Lilac.</i>	328.	3.
<i>The deep purple Pipe-tree, or Lilac.</i>	328.	4.
<i>The single white Pipe-tree.</i>	328.	5.
<i>The PITCH-TREE.</i>	269.	5.
<i>The true Oriental PLANE.</i>	274.	4.
<i>The Plane of the west parts of Virginia, or the Occidental Plane.</i>	274.	5.
<i>Great PLANTAIN, or waybread.</i>	273.	1.
<i>Hoary Plantain.</i>	273.	2.
<i>Hoary Plantain with a white spike.</i>	273.	3.
<i>Rose Plantain.</i>	273.	4.
<i>Hares-foot-Plantain.</i>	273.	5.
<i>Ribwort, or lesser Plantain.</i>	273.	6.
<i>Common Sea Plantain.</i>	273.	7.
<i>Buck-horn-Plantain.</i>	95.	2.
<i>Great water-Plantain.</i>	274.	1.
<i>The lesser water-Plantain, or Dwarf water Plantain.</i>	274.	2.
<i>Starry-headed water-Plantain.</i>	274.	3.
<i>The PLUM-TREE.</i>	279.	5.
<i>Ordinary POLEY-MOUNTAIN.</i>	274.	6.
<i>White Poley mountain.</i>	274.	7.
<i>Common POLYPODY.</i>	277.	2.
<i>The POMEGRANATE-TREE.</i>	221.	7.
<i>The greater wild or double-bloſomed Pomgranate-tree</i>	221.	8.
<i>The great long POMPION.</i>	265.	2.
<i>Great round Pompion.</i>	265.	3.
<i>Narrow-leaved PONDEWEED.</i>	278.	6.
<i>Long-leaved ſhining Pondweed.</i>	279.	1.
<i>Small Pondweed, or thorough-leaved Pondweed.</i>	279.	2.
		Broad

The Table

Broad leaved Pondweed.	279.	3.
The white POPLAR TREE.	277.	3.
The smaller leaved Poplar.	277.	4.
The black Poplar tree.	277.	5.
Single white Garden-POPPIE.	258.	3.
Single black Garden Poppie.	258.	4.
White Jagged Poppie.	258.	5.
Red Jagged Poppie.	259.	1.
Red Jagged Poppie with a purple bottome.	259.	2.
Double purple flowered Poppie.	259.	3.
Double scarlet coloured Poppie.	259.	4.
Double silver coloured Poppie.	259.	5.
Double white Poppie.	259.	6.
Double red or bluish Poppies.	259.	7.
Double incarnate Poppies.	260.	1.
Double Jagged finely-stript Poppies.	260.	2.
Corn-Poppie, or Corn-Rose.	260.	3.
Corn-Poppie with white bottoms.	260.	4.
Flesh coloured Corn-Poppie.	260.	5.
Double flowered Corn-Poppie.	260.	6.
Thorny Poppy of America.	261.	1.
Yellow flowered Horned-Poppie.	261.	2.
Violet-coloured Horned-Poppie.	261.	3.
Spatling-Poppie.	211.	1.
Spatling-Poppie with rough leaves.	211.	2.
Long rough-headed Bastard-Poppie.	34.	1.
Round rough-headed Bastard-Poppie.	34.	2.
Yellow wild Bastard-Poppie.	34.	3.
Virginian POTATO'S.	322.	2.
French Potato's, or Jerusalem Artichocks.	149.	3.
Common PRIMROSE.	352.	3.
The single green Primrose.	352.	4.
The ordinary double Primrose.	352.	5.
Tradescants Turkey purple Primrose.	353.	1.
White-flowered Turkey Primrose.	353.	2.
The Turkey Primrose of an over-worn colour.	353.	3.
		The

Of the English Names.

<i>The fine-red Turkey Primrose.</i>	353.	4.
<i>The lesser Turkey purple Primrose.</i>	353.	5.
<i>Tree-Primrose.</i>	214.	4.
<i>The lesser Tree-Primrose.</i>	214.	5.
Common PRIVET.	196.	2.
<i>The broader leaved Mock-Privet.</i>	269.	4.
<i>Ever-green Privet.</i>	11.	3.
Garden PURSLANE.	278.	3.
<i>Golden Purslane.</i>	278.	4.
<i>Wild Purslane.</i>	278.	5.
<i>Water-Purslane.</i>	16.	7.
<i>Common Sea Purslane.</i>	147.	4.
<i>The greater outlandish, or hoary Sea-Purslane.</i>	147.	5.

Q:

T <i>He common QUINCE-TREE.</i>	221.	4.
<i>Gesner his Wild Quince.</i>	80.	2.

R.

T <i>He rounder-rooted black RADISH.</i>	288.	1.
<i>The black or pear-fashion Radish.</i>	288.	2.
<i>Common Garden Radish.</i>	288.	3.
<i>Horse Radish.</i>	288.	4.
<i>Water Radish.</i>	288.	5.
<i>Common Saint Jameswort, or RAGWORT.</i>	168.	1.
<i>Broad-leaved Ragwort.</i>	168.	2.
<i>Perennial Ragwort with Groundsel leaves.</i>	168.	3.
<i>Mountain Ragwort.</i>	168.	4.
<i>Sea Ragwort.</i>	168.	5.
RAMIONS.	290.	2.
<i>Long Fox-tail-Rampions.</i>	290.	3.
<i>Rampions with Scabious heads, or hairy (heeps</i>	} 290.	4.
<i>Scabious.</i>		
RAMSONS.	14.	5.
<i>Red RASP-BERRY, or Hinde-berry.</i>	300.	4.
<i>The white Rasp-berry.</i>	300.	5.
	<i>Yellow</i>	

The Table

Yellow RATTLE, or Cocks-comb.	262.	5.
Red Rattle grass.	262.	6.
White-flowered Rattle grass.	263.	1.
Great red Rattle, or Lamewort.	263.	2.
The common REED.	36.	3.
Yellow spotted Indian Reed.	36.	4.
Purple REST-HARROW without prickles.	28.	5.
White-flowered Rest-harrow without prickles.	28.	6.
Prickly Rest-harrow, or Cammock.	28.	7.
Annual branched Rest-harrow with round snipped leaves.	29.	1.
The greater yellow gentle Rest-harrow.	29.	2.
Yellow annual upright rough clammy Rest-harrow, with short rough codd.	29.	3.
Great red-flowered scrubbie Rest-harrow.	30.	1.
Garden ROCKET.	111.	1.
Garden Rocket with deeper-cut leaves.	111.	2.
Rocket of Alepo with hairy stalks and codd, the lower leaves spotted.	111.	3.
Wild Rocket.	111.	4.
Daisie-leaved Rocket.	111.	5.
Winter Rocket, or winter Cresses.	111.	6.
The lesser single-flowered winter Rocket, or winter Cresses.	112.	1.
Small water Rocket.	112.	2.
Prickly square-codd Rocket of Mompelizer.	112.	3.
Sea-Rocket.	112.	4.
Base-Rocket.	290.	5.
Crambling-Rocket.	291.	1.
The red ROSE.	292.	4.
The Rose of the world, or the stripped red Rose.	292.	5.
The Hungarian Rose.	292.	6.
The red Province Rose.	293.	1.
The red Belgick Rose, or the Marigold Rose.	293.	2.
The double Velvet-Rose.	293.	3.
The Marble-Rose.	293.	4.

The

Of the English Names.

<i>The Frankford-Rose.</i>	293.	5.
<i>The double Cinamon-Rose.</i>	293.	6.
<i>The single Cinamon-Rose.</i>	293.	7.
<i>The common Damask-Rose.</i>	293.	8.
<i>The party-coloured Rose, of some York and Lancaster.</i>	294.	1.
<i>The Cristal-Rose.</i>	294.	2.
<i>The elegant variegated Damask-Rose, or Mistress Hearts Rose.</i>	294.	3.
<i>The great double Damask Province, or Holland-Rose.</i>	294.	4.
<i>The monethly-Rose.</i>	294.	5.
<i>The blush Belgick Rose, called by some, The white Province-Rose, and the Batauvick-Rose.</i>	295.	1.
<i>A lesser kind of the blush Belgick Rose, called Rosa Madama.</i>	295.	2.
<i>The single Yellow-Rose.</i>	295.	3.
<i>The double yellow-Rose.</i>	295.	4.
<i>The Vermilion-Rose of Austria</i>	295.	5.
<i>The common white-Rose, or English white-Rose.</i>	295.	6.
<i>The greater white-Rose with two range of leaves.</i>	296.	1.
<i>The lesser white-Rose with two range of leaves.</i>	296.	2.
<i>The Carnation-Rose, or blush-Rose.</i>	296.	3.
<i>The single musk-Rose.</i>	296.	4.
<i>The double musk-Rose.</i>	296.	5.
<i>The Spanish musk-Rose.</i>	296.	6.
<i>The great Apple-Rose.</i>	296.	7.
<i>The ordinary wild-Rose, or Briar-bush.</i>	297.	1.
<i>The ordinary wild-Rose, or Briar-bush with white flowers.</i>	297.	2.
<i>A Scottish wild-Rose with most fragrant white flowers.</i>	297.	3.
<i>The small red-Rose without prickles.</i>	297.	4.
<i>The Rose with shining leaves, perhaps the Virginian Briar-bush of Parkinson.</i>	297.	5.
<i>The Pimpinell-Rose.</i>	298.	2.
<i>The lesser Scottish Burnet, or Pimpinell-Rose with fine stript flowers.</i>	298.	3.

An

The Table

<i>An undescribed Tree-Rose.</i>	298.	4.
Common ROSEMARY.	298.	5.
<i>Gilded Rosemary.</i>	299.	1.
<i>Wild Rosemary.</i>	299.	2.
ROSE-ROOT.	291.	5.
English RUBARBE.	182.	5.
<i>Bastard Rubarbe, or Monks Rubarbe.</i>	183.	1.
Garden RUE.	300.	8.
<i>Assyrian wild-Rue.</i>	301.	1.
Common Goats-Rue.	126.	1.
<i>White flowered Goats-Rue.</i>	126.	2.
Common great Meadow-Rue.	332.	3.
The lesser Meadow-Rue.	332.	4.
<i>American Meadow-Rue with Columbine leaves.</i>	332.	5.
Wall-Rue	9.	3.
The least RUPTURE-WORT, or All-seed.	277.	1.
Common soft RUSH.	176.	3.
Common hard Rush.	176.	4.
<i>Bul-Rush, or great Water-Rush.</i>	176.	5.
<i>Club-Rush, or Aglet-headed-Rush.</i>	177.	1.
RYE.	314.	1.

S.

Common SAFFRON.	96.	2.
<i>White stript Spring-Saffron flower.</i>	96.	3.
<i>White Spring-Saffron with a purple bottom.</i>	96.	4.
<i>Yellow stript Spring-Saffron.</i>	96.	5.
<i>Gold-yellow Spring-Saffron.</i>	96.	6.
<i>Great purple Spring-Saffron.</i>	96.	7.
<i>Small purple Spring-Saffron.</i>	96.	8.
<i>Turky stript Spring-Saffron.</i>	97.	1.
<i>Blow Spring-Saffron of Naples.</i>	97.	2.
<i>Stript purple Spring-Saffron.</i>	97.	3.
<i>Bastard-Saffron.</i>	88.	6.
<i>Clusius his everlasting Bastard-Saffron.</i>	88.	7.
<i>Purple Meadow Saffron.</i>	89.	5.

White

Of the English Names.

white English Meadow-Saffron.	89.	6.
The party-coloured Meadow-Saffron.	90.	1.
Double flowered Meadow-Saffron.	90.	2.
The party-coloured double Meadow Saffron.	90.	3.
The checkered Meadow-Saffron of Chio. or Sio.	90.	4.
Small Meadow-Saffron with true Saffron leaves.	90.	5.
Spring Meadow-Saffron.	90.	6.
Common SAGE.	302.	8.
Red Sage.	303.	1.
Common painted Sage, or green Stript Sage.	303.	2.
Fine stript Sage, or red stript Sage.	303.	3.
Gilded Sage.	303.	4.
Great Sage with dented leaves.	303.	5.
Small Sage, or Sage of vertue.	303.	6.
Wormwood-Sage.	303.	7.
Apple-bearing Sage of Candy, and Candy Sage without Apples.	}	303. 8.
White-flowered Sage of Candy, or Apple- bearing Sage.		
Wood-Sage.	311.	3.
Common SALLOW.	302.	5.
Round-leaved Sallow.	312.	6.
See WILLOW.		
SAMPIRE.	95.	7.
Golden-flowered Sampire.	96.	1.
Common SANICLE.	305.	3.
Spotted Sanicle.	305.	4.
The lesser spotted Sanicle.	305.	5.
Shrube-Sanicle of America.	306.	4.
Common humble-Bee SATYRION.	251.	4.
Butter-flie Satyrion.	252.	1.
The great male banded Orchis, or Satyrion Royal.	252.	2.
The female banded Orchis, or female Satyrion Royal.	252.	3.
See ORCHIS		
SAUCE-ALONE, or Jack by the Hedge.	14.	1.
Common SAVINE.	301.	2.
		Sum.

The Table

Summer SAVORY.	307.	3.
Winter Savory.	307.	4.
SAW-WORT.	318.	2.
Common white SAXIFRAGE.	307.	5.
Golden Saxifrage.	307.	6.
Golden Saxifrage with long foot=Stalks.	307.	7.
Meadow=Saxifrage.	308.	1.
English marsh=Saxifrage.	308.	2.
Great Burnet-Saxifrage.	270.	2.
The lesser round-leaved Burnet=Saxifrage.	270.	3.
Small Burnet=Saxifrage.	270.	4.
Black Herb-Frankincense, or Venetian Saxifrage.	101.	2.
Common field=SCABIOUS.	308.	3.
The lesser field-Scabious.	308.	4.
White Hungarian Scabious.	308.	5.
The great mountain Scabious.	308.	6.
Red Scabious of Austria.	309.	1.
Indian Scabious with red flowers.	309.	2.
Perry-coloured Indian Scabious.	309.	3.
Childing Indian Scabious.	309.	4.
White-flowered Indian Scabious from the Cape of Good-hope.	309.	5.
Great Spanish Scabious.	309.	6.
Scabious with leaves like the small wild Teasel.	309.	7.
Shrub Scabious of Candy.	310.	1.
Small Sea-Scabious.	310.	2.
Silver-leaved Scabious.	310.	3.
SCALLIONS, or Eschallotes.	60.	4.
The greater rough Caterpillers, or SCORPION- GRASSE.	311.	4.
The great Caterpillar, or Scorpion-grasse.	311.	5.
Matthiolus his Scorpion-grass.	312.	1.
The least Scorpion-grass with vetch-leaves.	312.	2.
Moufear Scorpion-grass.	307.	2.
Small yellow flowered Scorpion=grass.	107.	3.
	water	

Of the English Names.

Water Scorpion-grass.	107.	4.
Common, or English Sea SCURVY=GRASS.	89.	2.
Dutch Scurvy-grass.	89.	3.
The lesser round-leaved Scurvy-grass.	89.	4.
Common SELFHEAL.	55.	2.
White-flowered Self-heal.	55.	3.
Self-heal with a large bluish flower.	55.	4.
Common Bastard-SENA.	91.	2.
Scorpion-codded Bastard-Sena.	91.	3.
Sweet-smelling Bastard Sena.	91.	4.
Red-flowered Bastard=Sena from the Cape of good-hope.	} 91.	5.
Common great SENGREEN, or House-leek.	315.	1.
Candy Purslane, or Starry Sen-green.	315.	2.
Yellow Prick-madam, or small House-leek, or Sen- green.	} 315.	3.
Saint Vincents Sengreen.	315.	4.
Small yellow mountain Sengreen.	316.	2.
Mountain Heath=like Sengreen with large purple flowers.	} 316.	3.
Small marsh Sengreen.	316.	5.
Small mountain Sengreen with jagged leaves.	316.	6.
See STONE-CROP.		
The SENSITIVE-PLANT.	365.	3.
The true SERVICE TREE.	324.	4.
Wild Service-tree, or Quicken-tree.	324.	5.
The common Service=tree.	229.	4.
SHEPHERDS-NEEDLE, or Venus Combe.	310.	4.
The greater Shepherds needle of Candy.	310.	5.
Common SHEPHERDS PURSE.	58.	3.
The lesser Shepherds-purse	58.	4.
Great Shepherds-purse with long pouches.	59.	2.
Mountain SILER.	196.	1.
The SILVER-BUSH.	45.	4.
SILVER WEED, or wild Tansie.	279.	4.
SKIRRETS.	319.	2.

The Table

The SLOE-TREE.	279.	6.
Common SMALLAGE.	32.	4.
Sweet Smallage, or Selerz.	32.	5.
Purple SNAPDRAGON.	30.	3.
White-flowered Snapdragon.	30.	4.
Flesh-coloured Snapdragon.	30.	5.
The greater wild Snapdragon, or Calves-snout.	31.	11.
The smallest wild Snapdragon, or Calves snout.	31.	22.
Common SNEEZWORT.	106.	4.
Double-flowered Sneezwort.	106.	5.
Sneezwort of Austria.	167.	5.
Smaller Sneezwort of Spain.	167.	6.
SOLOMONS SEAL.	275.	4.
Great-flowered Solomons-Seal.	275.	5.
The greatest-leaved Solomons-Seal.	275.	6.
The great Solomons-Seal.	276.	1.
Narrow-leaved Solomons-Seal.	276.	2.
Common SOPEWORT.	307.	11.
Double Sopewort.	307.	2.
Common SORREL.	6.	2.
Great German Sorrel.	6.	3.
Barren Sorrel of Muscovie, commonly called Lazie Sorrel.	6.	4.
Indian Sorrel with swollen husks.	6.	5.
Great creeping bladder-bearing Sorrel of Tangiers with dented leaves.	6.	6.
Strange Sorrel of Naples with seed vessels representing an Ox head.	7.	7.
Sheeps-Sorrel.	7.	8.
French or round-leaved Sorrel.	7.	9.
Round leaved creeping York-shire, and also Scots Sorrel.	7.	10.
Common wood-Sorrel.	345.	11.
Upright Yellow Indian wood-Sorrel.	345.	12.
Common SOW-BREAD.	99.	13.
Common Sow-bread with white flowers.	99.	14.
Purple-flowered Sow-bread of the Spring.	99.	15.
Ivie-leaved Sow-bread.	99.	16.

Of the English Names.

Ivie=leaved Sow=bread with white flowers.	99.	5.
Long-rooted Sow-bread.	99.	6.
Italian SOW-FENNEL.	267.	2.
Common Sow-Fennel.	267.	3.
Smooth SOW=THISTLE, or Hares Lettuce.	323.	5.
Ivie=leaved Sow-Thistle.	323.	6.
The prickly Sow-Thistle.	324.	1.
Prickly Sow-Thistle of Candy.	152.	2.
Tree=Sow-Thistle.	324.	2.
Common SOUTHERNWOOD.	1.	2.
Great Southernwood.	1.	3.
Wild Southernwood.	2.	1.
Great SPEARWORT.	286.	5.
The lesser Spearwort.	287.	1.
Dented Spearwort.	287.	2.
The male SPEED-WEL, or Fluellen.	354.	3.
Little or smooth Speed-wel, Fluellen, or Pauls Betony.	354.	4.
Broad=leaved spiked Speed=wel.	355.	1.
Small branched SPIDERWORT:	267.	4.
Savoy Spiderwort.	267.	5.
Tradescant his Virginian Spiderwort.	268.	1.
White-flowered Virginian Spiderwort.	268.	2.
Common SPIGNEL.	230.	2.
Common SPINAGE.	184.	6.
Spinage with smooth seeds.	185.	1.
The SPINDLE-TREE.	114.	3.
The Virginian Spindle=tree.	114.	4.
PLEENWORT, or Milt-waste.	39.	1.
Great bastard Spleenwort.	203.	5.
Rough Spleenwort, or common Bastard Spleenwort.	204.	1.
Garden SPURGE.	186.	4.
Great French wood-Spurge.	335.	6.
Broad-leaved Spanish Spurge.	336.	1.
Run-Spurge.	336.	2.
Worse Spurge, or narrow-leaved annual Spurge.	336.	3.
Broad-leaved Spurge.	336.	4.

The Table

<i>Small wood-Spurge with horned flowers.</i>	336.
<i>Petty Spurge.</i>	265.
SPURRY.	17.
<i>Purple chickweed Spurry.</i>	17.
<i>Sea Spurry.</i>	17.
<i>Great SQUIL, or Sea-Onyon.</i>	310.
SQUINACY-WORT.	299.
<i>The common STAR OF BETHLEHEM.</i>	253.
<i>Yellow Star of Bethlehem.</i>	254.
<i>The greatest white Star-flower, or Star of Bethlehem.</i>	254.
<i>The great white spiked Star of Bethlehem.</i>	254.
<i>The Star flower of Naples.</i>	254.
<i>The green Star-flower, or bulbous Asphodil.</i>	255.
Purple Italian STARWORT.	39.
<i>Great blew Starwort of the Alps.</i>	93.
<i>Broad-leaved Starwort with flowers like Sea- Starwort.</i>	} 39.
<i>The narrow-leaved late-flowering Starwort of Virginia.</i>	
<i>Low yellow Starwort.</i>	40.
<i>Willow-leaved Starwort.</i>	40.
<i>Yellow creeping Starwort of Virginia.</i>	40.
<i>Common Sea-Starwort.</i>	346.
STAVESACRE, or Louse-wort.	326.
STITCHWORT with large flowers.	72.
<i>The lesser Stitchwort.</i>	72.
STONE-CROP, or wal-Pepper.	315.
<i>A Smaller white flowered Stone-crop.</i>	316.
Common STRAWBERRIES.	122.
<i>White Strawberries.</i>	123.
<i>Great white Straw-berries.</i>	123.
<i>Virginian Strawberries.</i>	123.
<i>Barren Strawberries.</i>	123.
<i>The Strawberry-tree.</i>	33.
Garden SUCCORY.	84.

Of the English Names.

<i>White flowered garden Succory.</i>	84.	2.
<i>Yellow Succory, or rough Hawkweed with a large flower.</i>	84.	3.
<i>Smooth Succory Hawkweed.</i>	84.	4.
<i>Dwarfe Gum=Succory.</i>	81.	4.
<i>Blew Gum-Succory.</i>	81.	5.
<i>Warted=Succory.</i>	81.	6.
<i>Gum-Succory with twig-like branches.</i>	82.	1.
<i>Strange Gum Succory.</i>	82.	2.
<i>Virginian SUMACH, or Buck-horn-tree.</i>	291.	6.
<i>Myrtle-leaved Sumach.</i>	291.	7.
<i>Round-leaved SUNDEW.</i>	292.	3.
<i>White SWALLOW-WORT.</i>	36.	6.
<i>Black Swallow-wort.</i>	36.	7.
<i>Swallow-wort with yellowish flowers.</i>	36.	8.

T.

B Road-leaved TABACCO.	245.	1.
English Tabacco.	245.	2.
The ordinary French TAMARISK-TREE.	329.	1.
Common TANSIE.	329.	2.
Curled, or crisped Tansie.	329.	3.
TARRAGON.	106.	3.
Strangle-TARE, or wild Vetch.	355.	5.
Small wild Tare, or Tine-Tare.	356.	1.
Tare Everlasting.	187.	1.
Garden, or manured TEASEL.	104.	3.
The great wild Teasel, or Venus bason.	104.	4.
Wild Teasel with jagged leaves.	104.	5.
Shepherds-Rod, or small wild Teasel.	105.	1.
Common way-THISTLE, or Creeping Thistle.	65.	2.
Common way-Thistle with a white flower.	65.	3.
The Milkie-Thistle, or our Ladies-Thistle.	65.	4.
Our Ladies-Thistle without spots.	65.	5.
The small Spanish Milk-Thistle.	65.	6.
The greater Glob-Thistle.	66.	1.
	The	

The Table

The lesser Glob-Thistle.	66.	2.
wooly-headed Thistle, or Friars-crown.	66.	3.
Thistle with a bending head.	66.	4.
Thistle upon Thistle.	66.	5.
welted Thistle with small flowers.	67.	1.
The Marsh-Thistle.	67.	2.
Marsh-Thistle with white flowers.	67.	3.
The Spear-Thistle.	67.	4.
Great Spear-Thistle with longer prickles.	67.	5.
Broad-leaved field-Thistle.	67.	6.
The French bulbed-Thistle.	67.	7.
The Star-Thistle.	68.	1.
Saint Barnabies-Thistle.	68.	2.
Saint Barnabies-Thistle with less prickly heads.	68.	3.
Star-Thistle with stock-Gilloseflower-leaves.	68.	4.
The low Carlin-Thistle.	68.	5.
Tall Carlin-Thistle.	68.	6.
The common wild Carlin-Thistle.	68.	7.
Common Cotton Thistle.	4.	2.
The greatest Cotton-Thistle, or Cotton-Thistle of Syria.	4.	3.
welted Cotton-Thistle of Alepo with great flowers like an Artichock.	4.	4.
The blessed-Thistle.	89.	1.
The great mountain Melancholy-Thistle.	85.	6.
The English Soft, or Gentle-Thistle.	85.	7.
Melancholy-Thistle with tufted heads.	365.	2.
The yellow Distaffe-Thistle.	41.	1.
Fish-Thistle with broad reddish flowers.	5.	1.
Clusius his Chamæleon-Thistle of Salamanca.	5.	2.
The annual Golden Thistle.	311.	1.
The white THORNE, or Haw-Thorn-Tree.	230.	1.
The Ever-green-Thorne.	256.	3.
The true Goats-Thorne.	338.	1.
Buck-Thorn, or Common purging-Thorn.	291.	2.
The lesser purging-Thorn of Hungary.	291.	3.
Sallow-Thorn, or Sea-Buck-Thorn.	291.	4.
Common		

Of the English Names.

Common THORROW WAX.	265.	5.
Codded Thorrow-wax.	54.	5.
THRIFT, or Sea-Gillflower..	73.	1.
Thrift with a white flower.	73.	2.
Common Garden THYME.	335.	3.
Lemon-Thyme.	317.	8.
Gilded, or yellow Thyme.	318.	1.
Wild Thyme, or Mother of Thyme.	317.	4.
Mother of Thyme with white flowers.	317.	5.
Mother of Thyme with party-coloured leaves.	317.	6.
Hairy Wild Thyme.	317.	7.
Setfoil-TOOTHWORT, or Corralwort.	102.	4.
Five-leaved Toothwort, or Corralwort.	102.	5.
The greater Toothwort.	102.	6.
Bastard Toothwort with Vipers Bugloss flowers.	103.	1.
TORMENTIL.	337.	3.
TRAVELLERS JOY.	86.	5.
TREE OF LIFE.	335.	2.
White-flowered TREFOIL.	339.	3.
Common purple Trefoil.	339.	4.
Hope-Trefoil.	341.	1.
Little yellow Trefoil, or Melilote-Trefoil.	341.	2.
The least Hope Trefoil.	341.	3.
Knotted Trefoil with round heads.	341.	4.
Starry-headed Trefoil.	342.	1.
Straw-berry Trefoil.	342.	2.
Common Snail-Trefoil, or Barbary-buttons.	342.	3.
Heart-Trefoil.	343.	3.
The smallest Hedge-hog-Trefoil.	344.	1.
Burgundy Trefoil, or Burgundy Hay.	344.	3.
See CLAYER, and MEDICA.		
Sweet Trefoil.	204.	3.
Small hairy long-codded Trefoil.	204.	4.
Yellow-flowered square-codded Trefoil of Mompelien.	204.	5.
Square-codded Sea-Trefoil with smooth thick leaves.	204.	6.
Great Birds-foot-Trefoil.	205.	2.

Birds

The Table

Birds-foot Trefoil, or small coddled Trefoil.	205.	3.
Small coddled Trefoil with long narrow leaves.	205.	4.
Hoary Shrub-Claver, or Trefoil with small short upright cods.	206.	1.
The greater Pile-Trefoil.	206.	2.
The lesser Pile-Trefoil.	206.	3.
Claver, or Trefoil with Bird-foot Cods.	206.	4.
Bladder-Trefoil.	207.	1.
Shrub-Trefoil.	100.	5.
Horned Shrub-Trefoil.	100.	6.
The second Spanish Base-Trefoil.	101.	1.
Marsh-Trefoil, or Buck-Beans.	346.	3.
Candy TUFTS with purple flowers.	333.	5.
Candy Tufts with white flowers.	333.	6.
The early and late flowering TULIP with single flowers of many colours.	346.	7.
The double late flowering Tulip.	347.	1.
The yellow Tulip of Bononia.	347.	2.
Round-rooted TURNEP.	289.	3.
Long-rooted Turnep.	289.	4.
The yellow-rooted Turnep.	290.	1.
The greater TURN-SOLE.	149.	5.
The colouring or dying Turn-sole.	150.	1.
TUTSAN, or Parke-leaves.	25.	3.
Matthiolum his Tutjan, or Elegant Saint Johnswort not perforate.	25.	4.
Tutsan of Naples.	26.	1.
Hairy Tutsan.	26.	2.
Stinking Tutsan.	26.	3.
TWO-BLADE.	250.	5.
The least Tway-blade.	366.	5.

V.

THE great Garden-VALERIAN, or Setwal.	348.	1.
Great wild Valerian.	348.	2.
Small wild Valerian, or Marsh-Valerian.	348.	3.
	Summer	

Of the English Names.

<i>Summer Valerian.</i>	348.	4.
<i>Dodonæus his Valerian with red flowers.</i>	349.	1.
<i>Dodonæus his Valerian with white flowers.</i>	349.	2.
<i>Nettle-leaved Valerian of Canada, or strange Colts-foot of America.</i>	} 349.	3.
<i>Greek Valerian with blew flowers.</i>	349.	4.
<i>Greek Valerian with white flowers.</i>	349.	5.
<i>Indian Valerian.</i>	349.	6.
VENUS-LOOKING-GLASSE , or the great Corn-Violet.	} 250.	2.
<i>Thorrow-leaved Venus-Looking-glass.</i>	250.	3.
Common Vervain.	354.	1.
<i>Nettle-leaved Vervain.</i>	354.	2.
Common Vetch , or Tare.	355.	3.
<i>Pale-yellow flowered Vetch with short gross upright hairy cods</i>	} 355.	4.
<i>Chichling Vetch with a purple and blew flower.</i>	367.	1.
<i>Small hairy Vetch with small red flowers.</i>	367.	2.
<i>Yellow Vetchling.</i>	187.	5.
<i>Tufted Vetch</i> , or Birds Tares.	356.	2.
<i>The great tufted wood-Vetch.</i>	356.	3.
<i>Bush Vetch.</i>	356.	4.
<i>Spanish Sea-Milk-Vetch.</i>	356.	5.
<i>Base Milk-Vetch.</i>	256.	1.
<i>English Wood-Milk-Vetch.</i>	256.	2.
<i>Ordinary Bitter-Vetch.</i>	255.	4.
<i>Crimson Grass-Vetch.</i>	188.	4.
<i>The greater Hatchet-Vetch.</i>	314.	2.
<i>The lesser horned Hatchet-Vetch.</i>	314.	3.
<i>Strange Hatchet Vetch of Clusius.</i>	314.	4.
<i>Sweet-smelling yellow-flowered African Hatchet- Vetch.</i>	} 40.	5.
<i>American Trefoil Hatchet=Vetch.</i>	148.	7.
<i>Hatchet-Vetch of Egypt with joynted cods.</i>	126.	3.
<i>Great Horse=shoe=Vetch.</i>	117.	4.
<i>The French Horse=shoe-Vetch.</i>	117.	5.

Many

The Table

<i>Many-codded Horse-shoe-Vetch.</i>	118.	1.
<i>Tufted Horse-shoe-Vetch.</i>	118.	2.
<i>Kidney-Vetch.</i>	207.	2.
<i>Sea-Kidney-Vetch of Spain, or Candy.</i>	43.	6.
<i>The VINE-TREE.</i>	361.	2.
<i>Jagged-leaved, or Parsley-Vine.</i>	361.	3.
<i>The single purple March-VIOLET.</i>	357.	1.
<i>Double purple March-Violet.</i>	357.	2.
<i>The white March-Violet.</i>	357.	3.
<i>The ash-coloured double March-Violet.</i>	357.	4.
<i>Wild or Dogs-Violets.</i>	357.	5.
<i>The great rough leaved March-Violet without a smell.</i>	358.	1.
<i>The upright Violet.</i>	358.	5.
<i>The greater late-flowering Bulbous Violet.</i>	191.	5.
<i>Small early-flowering Bulbous-Violet.</i>	192.	1.
<i>Purple flowered Dames-Violet, or Queens-Gilloflower.</i>	151.	4.
<i>Single white flowered Dames-Violet, or Queens-Gilloflower.</i>	151.	5.
<i>Double white Dames-Violet, or Queens-Gilloflower.</i>	151.	6.
<i>Double purple Dames-Violet, or Queens-Gilloflower.</i>	152.	1.
<i>Spanish VIPERS-GRASS.</i>	312.	3.
<i>The small Hungarian Vipers-grass.</i>	312.	4.
<i>upright VIRGINS-BOWER.</i>	87.	2.

W.

W AKE-ROBINE, or Cuckow-pint.	35.	5.
<i>Spotted wake-Robin with black spots.</i>	35.	6.
<i>Round-leaved wake-Robin.</i>	36.	1.
<i>The common WALNUT-TREE.</i>	246.	3.
<i>The great thin-shelled walnut.</i>	246.	4.
<i>Small WALL-FLOWER.</i>	193.	2.
<i>Double Wall-flower.</i>	193.	3.
<i>The WAYFARING-TREE.</i>	355.	2.
<i>WELD, or Dyers-weed.</i>	208.	4.
<i>White WHEAT.</i>	346.	5.

Red

Of the English Names.

Red wheat.	346.	6.
The usual Indian, or Turkey wheat.	366.	6.
Buck-Wheat.	118.	3.
Party-coloured Cow-Wheat.	224.	3.
Blew Cow-Wheat.	224.	4.
Crested Cow-wheat.	224.	5.
Common Cow-wheat.	224.	6.
Common WHINS.	127.	2.
Needle-Furze, or Petty-whin.	127.	3.
The WHITE-BEAM-TREE.	15.	6.
Black WHORTS, or Bil.berries.	361.	5.
Red whorts, or whortle-berries.	361.	5.
Marsh whorts, or Mosse-berries.	362.	1.
Sweet WILLIAMS, or Pride of London of several colours	} 71.	1.
wild Williams, Meadow Pinke, Cuckow-flower.	71.	3.
The common white WILLOW.	301.	3.
The common red willow.	302.	1.
The Crack-willow.	302.	2.
Bay-leaved willow, or Sweet-Bay-willow.	302.	3.
The creeping Dwarf-willow.	302.	4.
Mock-willow.	325.	4.
Great hairy coddled WILLOW-HERBE.	214.	6.
The less, or middle smooth leaved coddled willow herbe.	} 215.	3.
The lesser smooth broad-leaved coddled willow- herbe.	} 215.	4.
The least smooth coddled willow-herbe.	216.	1.
Rose-Bay-willow-herbe.	216.	2.
Hooded willow-herbe, or Loose-strife.	217.	2.
See LOOSE-STRIFE.		
Common WINTER-GREEN.	281.	1.
Winter-green with Chick-weed flowers.	281.	2.
WOAD.	176.	2.
Winter VVOLVES-BANE, or Aconite.	7.	5.
Great yellow wolves-bane.	8.	2.
		See

The Table

See MONKS=HOOD.

White-flowered WOOD=ROOF.

37. 4.

Blue-flowered Wood-roof.

37. 5.

Annual white-flowered wood-roof.

37. 6.

Common WORMWOOD.

2. 2.

Unfavoury wormwood.

2. 3.

Romane wormwood.

2. 4.

English Sea-wormwood.

2. 5.

Fine-leaved wormwood of Austria.

2. 6.

Lavender-leaved Sea wormwood, or Sea Mugwort.

3. 1.

White tufted wormwood.

3. 2.

Treacle WORM-SEED.

235. 1.

Y.

The YEW-TREE.

331. 2.

F I N I S.

E R R A T A.

Pagina 13. Linea 21. supple. Percepier Anglorum Ger. P. 34. l. 1. sup. Ger. Park. P. 37. l. 24. sup. Annual. P. 49. l. 14. sup. Ger. P. 70. l. 6. sup. l. B. l. 7. sup. Alpina pentaphyllea Ger. P. 76. l. 13. sup. major flavo flore Park. P. 101. l. 19. lege Erythronium. P. 138. l. 14. sup. minus. P. 143. l. 5. leg. Panick-grass. P. 144. l. 2. leg. striatum Ger. P. 145. l. 18. leg. Ger. l. B. P. 150. l. 10. sup. niger foetidus B. P. P. 175. l. 23. sup. comosus Ger. P. 161. l. 1. leg. bleak. P. 166. l. 9. leg. Hort. P. 194. l. 22. leg. Ligusticum. P. 198. l. 3. leg. purpureo sanguineum. P. 208. l. 9. leg. capsulis. P. 223. l. 4. dele Park. P. 226. l. 16. pro hortensis leg. vulgaris. P. 255. l. 4. sup. Asphodelus bulbosus Ger. P. 257. l. 5. sup. foemina Ger. P. 264. l. 23. sup. Quinquefolium palustre rubrum B. P. P. 265. l. 13. leg. rugged. P. 269. l. 13. leg. latiusculo. P. 287. l. 12. sup. aquatilis Ger. P. 288. l. 2. sup. niger. B. P. P. 307. l. 11. leg. affiva hortensis. P. 317. l. 15. leg. SERPYLLUM. P. 321. l. 8. sup. Ger. P. 327. l. 7. leg. Morfus. P. 347. l. 12. leg. Reed-Mace. P. 354. l. 21. sup. minor. Ger. P. 362. l. 19. sup. Urtica Romana Ger. Park.

